Index to Volumes 38, 39 and 40

(1954, 1955 and 1956)

NOTE: The volume year is in *italic* type. Page numbers of symposium and clinic titles are in **boldface** type.

SYMPOSIA

1954

January (Chicago)	EMERGENCIES IN GENERAL PRACTICE
March (Nationwide)	EFFICACY OF NEW DRUGS
May (New York)	DIFFERENTIAL DIAGNOSIS OF INTERNAL DISEASES
July (Mayo Clinic)	BRONCHIAL AND PULMONARY DISEASE
September (Boston)	SPECIFIC METHODS OF TREATMENT
November (Philadelphia)	CARDIOVASCULAR DISEASES

1955

January (Chicago)	CLINICAL ADVANCES IN MEDICINE
March (Nationwide)	RHEUMATIC DISEASES
May (New York)	BASIC SCIENCES IN MEDICAL PRACTICE
July (Cleveland Clinic) (Scott and White Clinic)	1. DISEASES OF THE KIDNEY 2. ENDOCRINE DISORDERS AND ENDOCRINE THERAPY
September (Boston)	SPECIFIC METHODS OF TREATMENT
November (Philadelphia)	1. DIABETES AND OBESITY 2. GYNECOLOGY AND OBSTETRICS IN GENERAL PRACTICE

1956

January (Chicago)	MEDICAL PROBLEMS OF THE AGED
March (Nationwide)	DISEASES OF THE DIGESTIVE TRACT
May (Memorial Center, New York)	MEDICAL ASPECTS OF CANCER
July (Mayo Clinic)	HEMATOLOGIC DISORDERS
September (Nationwide)	SPECIFIC METHODS OF TREATMENT
November (Philadelphia)	EYE, EAR, NOSE AND THROAT FOR THE GENERAL PRACTITIONER

ABDOMEN, acute, in adults, early care, *1954:* Jan., **115–141**
medical aspects, *1956:* March, **499–512**
distention, in acute renal failure, treatment, *1955:* July, 1064
injuries, in auto crash, *1954:* Jan., 85
pain in, localization of, *1956:* March, 499, 503
upper, pain in, differential diagnosis, *1954:* May, **835–846**
Abortion, threatened, prevention, *1955:* July, 1224, Nov., 1758
Abrasions of cornea, *1956:* Nov., 1599, 1600
Abruptio placentae, *1954:* Jan., 275
Abscess. See also under names of organs.
perianal and perirectal, incision and drainage, *1955:* Sept., 1544
perinephric, *1954:* Jan., 293
peritonsillar, *1954:* Jan., 247, Sept., 1316
retropharyngeal, *1954:* Jan., 248
spinal, epidural, acute, *1954:* Jan., 167
Absorption, intestinal, *1956:* March, 285
Accelerators, roentgen, *1956:* May, 800
Accommodation, visual, testing, *1956:* Nov., 1581
Acetone test in diabetes, *1955:* Nov., 1596
Acetozolamide as diuretic, mode of action, *1955:* May, 690

Acetylcholine in paroxysmal atrial tachycardia, *1955:* Sept., 1370
Acetylsalicylic acid, in arthritis, degenerative, *1956:* Jan., 77
rheumatoid, *1955:* March, 401
in children, *1955:* March, 478
in gout, *1955:* Jan, 312, May, 778
in rheumatic fever, *1954:* Nov., 1711
in spondylitis, rheumatoid, *1955:* March, 523
Achromycin in pneumonia, *1954:* July, 982
Acid, disposal, by kidney, *1955:* May, 688
effect on teeth, *1956:* March, 297
Acidity, gastric, determinations, clinical significance, *1955:* May, 702
without intubation, *1956:* March, 404
in carcinoma of stomach, *1956:* May, 602
methods of reducing, *1955:* May, 702
Acidosis, and uretero-intestinal anastomosis, *1954:* Jan., 294
diabetic, *1954:* Jan., 184, 188; *1955:* May, 841
fluid and electrolyte problems in, *1955:* Nov., **1587–1598**
in acute renal failure, treatment, *1955:* July, 1053
metabolic, *1955:* May, 693
correction, *1955:* May, 640
renal tubular, *1955:* May, 692, 893
respiratory, *1955:* May, 665
uremic, management, *1954:* Sept., 1452
Acne rosacea, corneal ulcers in, *1956:* Nov., 1671
Acne vulgaris, estrogen therapy, *1955:* July, 1221
treatment, *1955:* Sept., 1253
radiation, *1955:* Sept., 1276, 1277
Acromegaly, endocrine therapy, *1955:* July, 1226
ACTH, *1955:* May, 812
diagnostic, in pulmonary disease, *1954:* May, 727
in Addison's disease, *1956:* Sept., 1272, 1274
in adrenocortical insufficiency, as test, *1955:* Jan., 72
in anemia, hemolytic, *1956:* July, 1019
in arthritis, rheumatoid, *1955:* March, 401
in children, *1955:* March, 480
long-term, *1955:* March, **405–412**
in asthma, *1954:* March, **449–457**, July, 975; *1956:* Jan., 132, Sept., 1308
of infants and children, *1954:* Sept., 1264
in bursitis, *1955:* Sept., 1485
in cancer for pain, *1956:* May, 700
in cirrhosis, biliary, *1956:* March, 430
in colitis, ulcerative, *1956:* March, 549
in collagen diseases, *1955:* Jan., 138
in dermatitis, atopic, in infants, *1955:* Sept., 1294
ACTH, in dermatology, *1955:* Sept., 1247
in eczema of children, *1954:* Sept., 1260
in emphysema, pulmonary, *1956:* Jan., 106
in gout, *1955:* Jan., 309, March, 550
in hepatitis, viral, *1956:* March, 418, Sept., 1460
in infectious diseases, *1955:* Jan., 89
in leukemia, acute, *1956:* July, 1113
and subacute, in adults, *1955:* Jan., 209, 215
in children, *1955:* Jan., 203, 205, 206, 208
chronic lymphocytic, *1955:* Jan., 215, 218
in liver disease, *1955:* Sept., 1409
in lymphomas and leukemia, *1956:* Jan., 140, May, 729, 748, July, 1139
in meningitis, tuberculous, *1955:* Sept., 1341
in mononucleosis, infectious, *1956:* July, 1097, 1098
in myelocytic myeloma, *1955:* Jan., 222
in nephrotic syndrome, *1955:* July, **995–1000**
in neuropathies, peripheral, *1954:* Sept., 1336
in otolaryngology, *1956:* Nov., 1814
in pulmonary fibrosis, *1954:* July, 1017
in purpura in children, *1956:* July, 1200
in Reiter's syndrome, *1955:* March, 597
in rheumatic fever, *1954:* Nov., 1711; *1955:* March, 358
in spondylitis, rheumatoid, *1955:* March, 408, 524
in thrombocytopenia, *1956:* July, 1181
in thrombocytopenic purpura, idiopathic, *1956:* July, 1189, 1191
in tuberculosis, *1954:* July, 1173
relation to infection, *1955:* Jan., **81–94**
role in diabetic retinopathy and nephropathy, *1956:* Nov., 1648
side and toxic effects, *1954:* March, 453
stimulation test of adrenal function, *1955:* May, 817, July, 1119
uses and dosage, *1955:* July, 1209
in aged, *1956:* Jan., 138
Actinomycosis of lung, diagnosis, *1954:* May, 739
Adams-Stokes syndrome, treatment, *1954:* Jan., 22
Adaptive patterns resulting in tissue damage in man, *1955:* May, **783–797**
Addison's disease, *1955:* Jan., **65–79**, May, 820, July, 1115, 1215
in aged, adrenocorticosteroid therapy, *1956:* Jan., 138
oral lesions, *1956:* Nov., 1741
treatment, *1956:* Sept., 1269, 1272
Adenine in malignant disease, *1956:* May, 944
Adenocarcinoma, parathyroid, *1955:* July, 1154
thyroid. See *Thyroid gland.*

Adenoidal - pharyngeal - conjunctival (APC) virus infection, *1956:* Nov., 1619
Adenoidectomy, indications and tonsillectomy, *1956:* Nov., 1751, 1753
operative considerations, *1956:* Nov., 1756
poliomyelitis in relation to, *1956:* Nov., 1761
pre- and postoperative examination and care, *1956:* Nov., 1754, 1755, 1758
Adenoids, unsolved problem of, *1956:* Nov., **1749–1760**
Adenoma, bronchial, diagnosis, *1954:* May, 734; July, 1043
diagnosis and treatment *1954:* July, **1097–1107**
of stomach and duodenum, *1956:* March, 383
parathyroid, *1955:* July, 1154
rectal, surgical treatment in office, *1955:* Sept., 1547
sebaceous, senile, *1956:* Jan., 45
Adhesions, postcholecystectomy, *1956:* March, 494
postoperative, intestinal obstruction due to, *1954:* Jan., 127
Adie's pupil, *1956:* Nov., 1591
Adjustments, social and psychological, in old age, *1956:* Jan., 8
Adrenal cortex, functional tests, *1956:* Sept., 1262
hormones, *1956:* Sept., 1262
clinical use, *1955:* July, 1213
hyperfunction, diagnosis and treatment, *1955:* July, **1081–1099**; *1956:* Sept., 1262
insufficiency, diagnosis and treatment, *1955:* Jan., **65–79**, May, 817, 822, 823, July, **1111–1125**; *1956:* Sept., 1268
physiology, in health and disease, *1955:* Jan., 67, May, **811–829**
tumors, diagnosis, *1956:* July, 1266
Adrenal crisis, treatment, *1956:* Sept., 1269
Adrenal deficiency in cancer patient, major surgery and, *1956:* May, 669
Adrenal gland, disorders, hypertension in, *1955:* July, 1144
treatment, *1956:* Sept., **1261–1279**
function, after hypophysectomy, *1956:* May, 776
in carbohydrate metabolism, *1955:* May, 837
Adrenal hyperplasia, congenital, treatment, *1956:* Sept., 1267
Adrenal medulla, hormones, clinical use, *1955:* July, 1216
hyperfunction, *1955:* July, **1101–1110**
hypertension in, *1955:* July, 1145
treatment, *1956:* Sept., 1277
Adrenal products, clinical use, *1955:* July, 1213, 1216
Adrenal virilism, diagnosis and treatment, *1956:* Sept., 1266
Adrenalectomy, adrenal insufficiency after, treatment, *1955:* Jan., 75, July, 1115
for carcinoma, of breast, *1955:* July, 1183; *1956:* Jan., 58, 139, May, 762, 769
of prostate, *1955:* July, 1182; *1956:* Jan., 139, 254
for hypertension, *1956:* Sept., 1336
hormonal substitution therapy during, *1956:* Sept., 1265
Adrenalin. See *Epinephrine.*
Adrenergic drugs in vasomotor rhinitis, *1955:* Sept., 1447
Adrenocorticotropic hormone. See *ACTH.*
Adrenogenital syndrome, *1955:* May, 824, July, 1088, 1091
diagnosis, *1956:* Sept., 1264
hypertension in, *1955:* July, 1145
treatment, *1955:* July, 1094
Aero-otitis media, *1954:* Jan., 246
Aerosol therapy in bronchiectasis, *1954:* July, 1023
Agammaglobulinemia, *1956:* July, 1203–1207
Aged, anemias of, macrocytic, *1956:* Jan., **145–151**
bronchial asthma in, *1956:* Jan., **115–134**
cancer surgery in, *1956:* May, 669
cardiac arrhythmias in, *1956:* Jan., **153–175**
cardiovascular disease in, *1954:* Nov., **1767–1784**
chronic cough in, differential diagnosis, *1956:* Jan., **79–87**
combination of diseases in *1956:* Jan., **257–266**
congestive heart failure in, *1956:* Jan., **185–194**
coronary artery disease in, *1956:* Jan., **177–180**
emotional problems, *1956:* Jan., **11–19**
endocrine therapy in, *1956:* Jan., **135–144**
gastrointestinal diseases in, *1956:* Jan., **223–237**
hypertension in, management, *1956:* Jan., **195–202**
in industry, *1956:* Jan., 26
medical problems of, symposium on, *1956:* Jan., **1–266**
nutritional aspects, *1954:* Sept., **1485–1492**
obliterative vascular disease in, *1956:* Jan., **203–210**
pneumonia in, *1956:* Jan., **89–96**
prostatic disease in, *1956:* Jan., **249–255**
pulmonary emphysema in, *1956:* Jan., **97–113**
skin changes and diseases in, *1956:* Jan., **33–49**

Aged, strokes in, behavior and management, *1956:* Jan., **211–221**
Agglutination of sensitized sheep cells as test for rheumatoid arthritis, *1955:* March, **379–391**, May, **772**
Aging, nutritional aspects, *1954:* Sept., **1485–1492**
Aging population, problems of, *1956:* Jan., **3–10**
Aging process in industrial employees, *1956:* Jan., **21–32**
Agranulocytosis, bone marrow findings in, *1956:* July, 1230
due to drugs, *1956:* July, 1079
Air, embolism, cerebral, from air injection into maxillary antrum, *1954:* Jan., 178
passages, foreign bodies in, *1954:* Jan., 251
pollution and cancer, *1956:* May, 638
residual, in lung, determination, *1955:* Jan., 143
Airway, maintaining, in crash injuries, *1954:* Jan., 80
in poisoning, *1954:* Jan., 207
Albumin, body content and daily turnover, normal and abnormal, *1955:* May, 721
in blood, deficiencies, *1955:* May, 874
metabolism, in liver disease, *1955:* May, 719
salt-poor, in liver disease, *1955:* Sept., 1413
test, in liver disease, *1955:* May, 723
Albuminuria in diabetes, incidence, *1955:* Nov., 1620
in intercapillary glomerulosclerosis, *1955:* July, 1007
Alcohol, as carcinogen, *1956:* May, 635
in angina pectoris, *1954:* Nov., 1663
injection, for angina pectoris, *1954:* Nov., 1665
for cancer pain, *1956:* May, 696, 700
retrobulbar, *1956:* Nov., 1714
poisoning, diagnosis and treatment, *1956:* Sept., 1492
use, in chronic liver disease, *1955:* Sept., 1402
in peptic ulcer, *1955:* Sept., 1390
Alcoholic cirrhosis, evolution of, clinical, biochemical and histologic correlations, *1955:* Jan., **241–259**
Alcoholic polyneuritis, *1955:* Jan., 4
Alcoholic psychoses, treatment, *1956:* Sept., 1391, 1395
Alcoholism, acute, *1956:* Sept., 1492
Antabuse in, *1954:* March, **515–524**
polyneuropathy in, *1954:* Sept., 1328, 1334, 1335
Aldolase, serum, in cancer, *1956:* May, 623
Aldosterone, *1955:* May, 813
in Addison's disease, *1956:* Sept., 1274
Alkalosis, hypochloremic, correction, *1955:* May, 640
metabolic, correction, *1955:* May, 640
respiratory, *1955:* May, 666
Alkavervir in hypertension, *1956:* Sept., 1330
Alkylating agents, polyfunctional, comparative therapeutic efficiency, in cancer, *1956:* May, **837–856**
Allergens in occupational asthma and rhinitis, *1956:* Jan., 118
Allergic emergencies, treatment, *1954:* Jan., **63–73**
Allergic reaction, *1955:* May, **751–764**
to blood transfusions, *1956:* July, 1219
Allergy, bronchial disease and, *1954:* July, **963–968**
concept of, *1955:* May, 751
desensitization in, *1955:* May, 763
drug, in infants and children, *1954:* Sept., 1271
in infancy and childhood, *1954:* Sept., **1255–1279**
pharmacopeia, *1954:* Sept., 1276
nose and sinuses, *1954:* Sept., 1313; *1956:* Nov., **1717–1724**
in infants and children, *1954:* Sept., 1265
Piromen in, *1954:* March, **561–568**
skin tests for, *1955:* May, 761
tuberculin, *1955:* May, 754
vertigo due to, *1956:* Nov., 1796
Alloxan diabetes, *1955:* May, 840
Aluminum hydroxide, gel, in nephrolithiasis, *1955:* July, 1077
in peptic ulcer, *1955:* Sept., 1388
Alveolar cell tumor of lung, *1954:* July, **1139–1142**
Alveolar-capillary block syndrome, *1955:* May, 676
Amblyopia exanopsia, *1956:* Nov., 1660
Amebiasis, intestinal, treatment, *1956:* March, 527
Amenorrhea, endocrine therapy, *1955:* July, **1189–1197**
primary, *1955:* Nov., 1712
secondary, *1955:* Nov., 1713
treatment, *1955:* Nov., 1717
A-methopterin in leukemia, *1955:* Jan., 200, 205, 206, 207, 209; *1956:* May, 753, July, 1113
Amino acids, daily requirements, *1955:* May, 868
metabolism, *1955:* May, 866, 867
Aminonucleoside in malignant disease, *1956:* May, 945
Aminophylline, in acute left ventricular failure, *1954:* Jan., 9
in asthma, *1954:* July, 972
in adults, *1956:* Jan., 130
in children, *1954:* Sept., 1263
Aminopterin in leukemia, *1955:* Jan., 202, 205, 206, 207, 208; *1956:* July, 1113
Aminopyrine, agranulocytosis due to, *1956:* July, 1079
Ammonia toxicity in liver disease, *1956:* May, 905
Ammonium chloride, as diuretic, mode of action, *1955:* May, 690

Ammonium chloride in congestive heart disease, *1954:* Nov., 1657
in aged, *1954:* Nov., **1773**
Amniotomy for inducing labor, *1955:* Nov., 1812
Amylase, *1956:* March, 283
serum, in pancreatitis, *1956:* March, 410, 453, 469
Amyloid disease, spleen and liver in, *1954:* May, 861
Amyloid nephrosis, *1955:* July, 931, 1019
Analgesia, caudal, *1955:* Sept., 1542
in obstetrics, *1954:* Sept., **1437–1445**
Analgesics, in cancer pain, *1956:* Jan., 61, May, 699
in painful shoulder, *1955:* March, 570
Anaphylactic reaction, *1955:* May, 753
severe, treatment, *1954:* Jan., 71
Androgens. See *Testosterone.*
Anemia(s), *1955:* May, **735–749**
aplastic, bone marrow findings in, *1956:* July, 1227
changes in ocular fundus in, *1956:* July, 1209
classification, *1955:* May, 737
detection, general methods, *1955:* May, 736
due to bone marrow dysfunction, *1955:* May, 742
to vitamin B_{12} and folic acid deficiencies, *1955:* May, 740
hemolytic, *1955:* May, 744, 746, 748
acquired, classical syndromes in, *1956:* July, 1017
diagnosis and treatment, *1956:* July, **1015–1024**
bone marrow findings in, *1956:* July, 1228
due to drugs, *1956:* July, 1087
hypochromic, bone marrow findings in, *1956:* July, 1228
hypoplastic, congenital, of childhood, bone marrow findings in, *1956:* July, 1227
or aplastic, due to drugs, *1956:* July, 1083
in cancer, major surgery and, *1956:* May, 659
mechanisms, *1956:* May, **857–870**
in chronic uremia, treatment, *1954:* Sept., 1454
in intercapillary glomerulosclerosis, *1955:* July, 1008
in pregnancy, *1955:* Nov., 1758
in rheumatoid arthritis, *1955:* March, **489–498**
in children, *1955:* March, 466
iron deficiency, diagnosis and treatment, *1955:* May, 738; *1956:* July, **983–991**
macrocytic, in aged, *1956:* Jan., **145–151**
megaloblastic, bone marrow findings in, *1956:* July, 1229
pernicious, Addisonian, *1955:* May, 740
bone marrow findings in, *1956:* July, 1229
Anemia(s), pernicious, diagnosis and treatment, *1956:* July, **1005–1014**
in aged, treatment, *1956:* Jan., 147
postgastrectomy, *1956:* March, 401
refractory, in aged, hormone therapy, *1956:* Jan., 144
sickle cell, *1955:* May, 746
changes in ocular fundus in, *1956:* July, 1214
splenic, *1954:* May, 872
Anesthesia, for office surgery, *1955:* Sept., 1521
for poor-risk patient with cancer, *1956:* May, 670
in cardiovascular disease, *1954:* Nov., **1733–1739**
in obstetrics, *1954:* Sept., **1437–1445**
perianal, *1955:* Sept., 1534
Angina pectoris, differentiation from other chest pain, *1954:* May, **743–751**
in aged, *1954:* Nov., 1775
treatment, *1956:* Jan., 180
pathogenesis, *1955:* May, 657
radioactive iodine in, *1956:* Sept., 1526
treatment, *1954:* Jan., 15, Nov., 1662
Angiocardiography, *1954:* May, 796
in pulmonary disease, *1954:* May, 727
Angioedema in infants and children, *1954:* Sept., 1269
Angiography, cerebral, *1954:* May, 801
Angioneurotic edema, acute severe, treatment, *1954:* Jan., 69
Anhydro-hydroxyprogesterone, clinical use, *1955:* July, 1224
Aniacinosis, *1956:* Sept., 1482
Ankyloglossia, *1956:* March, 292
Ankylosis of jaws, *1956:* March, 296
Anomalies, developmental, of mouth, *1956:* March, 291
of tongue, *1956:* March, 305
Anophthalmos, *1956:* Nov., 1693
Anoscopy, *1955:* Sept., 1532
Anoxemia, *1955:* May, 667, 673
Ansolysen in hypertension, *1956:* Sept., 1332
Antabuse, in alcoholism, *1954:* March, **515–524**
side and toxic effects, *1954:* March, 516
treatment, *1954:* March, 520
Antacids in peptic ulcer, *1955:* Sept., 1388; *1956:* March, 355
Antibiotics, *1955:* May, **899–910**. See also *Penicillin, Streptomycin,* etc.
antagonism and synergism, *1955:* May, 905
combined therapy, *1955:* May, 904
in bronchiectasis, *1954:* July, 1023
in colitis, ulcerative, *1956:* March, 553
in dermatology, *1955:* Sept., 1246
in enteritis, staphylococcal, *1955:* May, 910
in fevers, effect on laboratory results, *1954:* May, 898
in hepatitis, viral, *1956:* Sept., 1458

Antibiotics, in intestinal parasitic infections, *1956:* March, **527–539**
in leukemia, *1956:* May, **746**
in meningitis, *1955:* May, 908
in otolaryngology, *1956:* Nov., **1807**
in pneumonia, *1954:* July, 981
in pyelonephritis, *1955:* Jan., 300
in renal failure, acute, *1955:* July, 1053
in streptococcal infections, prophylactic, *1955:* May, 909
in urinary tract infections, *1955:* May, 906; *1956:* Sept., 1549
pharmacologic considerations, *1955:* May, 900
resistance, *1955:* May, 902, Sept., **1362**
selection of, *1955:* May, 905
spectrum of action, *1955:* May, 899
treatment with, causes of failure in, *1955:* Sept., **1351–1365**
untoward reactions, *1955:* Jan., **111–124**
Anticholinergic drugs, *1955:* May, **708**
in gastrointestinal disease, *1954:* March, **459–471**
in peptic ulcer, *1956:* March, 356
Anticoagulant therapy, evaluation, *1956:* Sept., **1337–1354**
in arterial occlusion, acute, *1954:* Jan., 33; *1956:* Sept., 1344
in cerebral vascular accident, *1954:* Jan., 32, 176; *1956:* Jan., 218, Sept., 1345, 1357
in cor pulmonale, acute, *1954:* Nov., 1690
in coronary heart disease, *1954:* March, **399–412**, Nov., 1668; *1956:* Sept., 1343
in aged, *1954:* Nov., **1778**; *1956:* Jan., 182
in phlebothrombosis, *1954:* Jan., 40, 306; *1956:* Sept., 1340
in pulmonary embolism, *1956:* Sept., 1340
in rheumatic heart disease with embolization, *1956:* Sept., 1341, 1346
in vascular disease, stellate ganglion block with, *1955:* Sept., 1511
principles and their application, *1955:* Jan., **227–240**
Anticonvulsant drugs, *1954:* March, **473–484**
side effects, control of, *1954:* Sept., **1339–1350**
Antidotes, *1954:* Jan., 201
Antiepileptic drugs, *1954:* March, **473–484**
control of side effects, *1954:* Sept., **1339–1350**
Antihistaminic drugs, in dermatology, *1955:* Sept., 1248
in nasal allergy, *1956:* Nov., 1720
in otolaryngology, *1956:* Nov., 1812
in Parkinson's disease, *1956:* Sept., 1406
in vasomotor rhinitis, *1955:* Sept., 1446
Antimetabolites in leukemia, chronic, *1956:* July, 1121
Antipyretics for cancer pain, *1956:* May, **700**
Antispasmodics, in functional gastrointestinal disturbances, *1956:* March, 338
in peptic ulcer, *1955:* Sept., 1389, *1956:* March, 356
in pulmonary emphysema, *1956:* Jan., 105
Antistreptococcal antibody tests, *1955:* March, 348, 354, 473, May, **766**
Antithrombin titer in pancreatic disease, *1956:* March, 411
Antithyroid drugs, goitrogenesis due to; *1955:* May, 806
in hyperthyroidism, *1955:* Jan., **57**
Antrenyl in gastrointestinal disease, *1954:* March, 466
Antrostomy, *1955:* Sept., 1458
Anuria, established, treatment, *1955:* July, 1049
in poisoning, treatment, *1954:* Jan., 206
Anus, diseases, office treatment, *1955:* Sept., **1531–1550**
fissures, office treatment, *1955:* Sept., 1535
fistula, office treatment, *1955:* Sept., 1544
incontinence, *1955:* Sept., 1549
ulcer, office treatment, *1955:* Sept., 1545
Anxiety, heart disease and, *1954:* Sept., 1536, Nov., **1796**
hypertension and, *1954:* Nov., **1797**
in cancer, *1956:* May, **709**, **711**
its bearing on disease, *1955:* May, **786**
neuroses manifested by, *1954:* Sept., 1355
role in neurotic symptom formation, *1954:* Sept., 1352
Aorta, arch of, anomalies, *1954:* Nov., 1635
coarctation of, *1954:* Nov., **1636**
hypertension in, *1954:* May, **763**
diseases, in aged, *1954:* Nov., **1782**
obliterative vascular disease of, *1956:* Jan., **203–210**
Aortography, *1954:* May, **790**
abdominal, *1954:* May, **799**
Aphonia, functional, *1956:* Nov., **1729**
Apoplexy, diagnosis and management, *1954:* May, **766**
Appendicitis, acute, *1954:* Jan., **117**
Apresoline in hypertension, *1954:* March, 367, 372, Nov., **1724**; *1956:* Sept., 1330
in aged, *1956:* Jan., 198
Aqueous flare, *1956:* Nov., 1681
Aqueous floaters, *1956:* Nov., 1681
Argyll Robertson pupil, *1956:* Nov., 1591
Ariboflavinosis, *1956:* Sept., 1482
Arm, rhabdomyosarcoma, survival, long-term, *1956:* May, **684**

Arrhythmias, cardiac, circulatory collapse precipitated by, *1954:* Jan., 19
in aged, *1956:* Jan., **153–175**, 183
in endocrine disease, *1955:* July, 1149
management, *1954:* Jan., 23; *1956:* Sept., 1313
mechanism, *1955:* May, 647
treatment, *1955:* Sept., **1367–1379**
Arsenic poisoning, polyneuropathy in, *1954:* Sept., 1329
BAL in, *1954:* Sept., 1333
Arsenicals, in balantidiasis, *1956:* March, 532
in leukemia, chronic, *1956:* July, 1119
Artane in parkinsonism, *1954:* March, 487, 490, 491, 492; *1956:* Sept., 1404
Arteries, cerebral and pial, headache and, *1954:* May, 679
disorders, organic, leg ulcers with, *1955:* Sept., 1302
treatment, *1955:* Sept., 1310
occlusions, *1954:* Jan., 30
acute, anticoagulants in, *1956:* Sept., 1344
treatment, immediate, definitive and late, *1954:* Jan., 32, 37, 38
peripheral, obliterative vascular disease of, *1956:* Jan., **203–210**
Arteriography, peripheral, *1954:* May, 790
Arteriolosclerosis, diabetic, *1955:* Nov., 1695
Arteriosclerosis, cerebral, anticoagulants in, *1956:* Sept., 1347
psychosis in, treatment, *1956:* Sept., 1397
hypertension due to, *1954:* May, 756
treatment, *1956:* Jan., 201
medial, *1956:* Nov., 1636
obliterans, *1956:* Jan., 203
of aorta in aged, *1954:* Nov., 1782
of intraocular blood vessels, *1956:* Nov., **1623–1640**
of leg arteries, *1956:* Jan., 206
Arteritis, temporal, *1954:* May, 691
Arthritis, degenerative, causes, recognition, and management, *1954:* Sept., 1475–1484; *1956:* Jan., **63–78**
gouty. See *Gout.*
hereditary factors, *1955:* March, **499–508**
in Reiter's syndrome, *1955:* March, 593
in rheumatic fever, *1954:* Nov., 1706
nerve block in, *1955:* Sept., 1517
rehabilitation in, with physical therapy, *1955:* Sept., **1493–1501**
rheumatoid, anemia of, *1955:* March, **489–498**
clinical manifestations, *1955:* March, **365–378**
in children, *1955:* March, 461
extra-articular manifestations, *1955:* March, 370
in children, *1955:* March, 465
gold therapy, *1955:* March, 401
Arthritis, rheumatoid, hemagglutination test, *1955:* March, **379–391**, May, 771
heredity in, *1955:* March, 501
hydrocortisone in, intra-articular, *1954:* March, **349–357**; *1955:* March, **413–437**
oral, *1954:* March, **337–347**
in aged, prednisone in, *1956:* Jan., 138
juvenile, *1955:* March, **459–487**
laboratory findings, *1955:* March, 376
in children, *1955:* March, 472
pathogenesis, *1955:* May, 770
physical medicine in, *1955:* Sept., 1497
protean manifestations, *1955:* March, **325–338**
tests of activity, *1955:* May, 771
basic, *1955:* March, **393–403**
evaluation by serial joint x-rays, *1955:* March, **439–445**
in children, *1955:* March, 476
long-term, cortisone, ACTH and phenylbutazone in, *1955:* March, **405–412**
symposium on, *1955:* March, **323–612**
Arthroses, temporomandibular, *1956:* March, 296
Arthus reaction, *1955:* May, 753
Ascariasis, Hetrazan in, *1954:* March, **591–597**
treatment, *1956:* March, 534
Ascites in liver disease, treatment, *1955:* Sept., 1411; *1956:* March, 432, May, 902
production, role of portal hypertension in, *1955:* May, 724
Asphyxial states, treatment, *1954:* Jan., 55, 251
Aspiration of foreign bodies, *1954:* Jan., 51
Aspiration biopsy of bone marrow, diagnostic value and technique, *1956:* July, **1225–1244**
Aspirin. See *Acetylsalicylic acid.*
Asthenia, neurocirculatory, *1954:* Sept., 1536, Nov., 1789
Asthma, bronchial, ACTH and cortisone in, *1954:* March, **449–457**, July, 975
allergens causing, *1956:* Jan., 117, 118
crises of, treatment, *1954:* July, **969–979**; *1956:* Sept., 1306
in aged, *1956:* Jan., **115–134**
adrenal steroids in, *1956:* Jan., 139
diagnosis, *1956:* Jan., 82
treatment, *1956:* Jan., 129
in infants and children, *1954:* Sept., 1261
prevention, *1956:* Jan., 129
treatment, *1954:* Sept., 1263
pathophysiology, *1955:* May, 675
treatment, *1956:* Sept., **1305–1311**

Asthma, intractable, causes and treatment, *1954:* Jan., 63, 251
occupational, allergens causing, *1956:* Jan., 118
A.T.10. See *Dihydrotachysteroi.*
Atabrine, in giardiasis, *1956:* March, 532
in Hymenolepis nana infections, *1956:* March, 516
in Taenia saginata infection, *1956:* March, 536
Atelectasis, *1954:* July, 1046
Atherogenesis, *1955:* May, 850
Atherosclerosis, coronary, *1956:* Jan., 158
combined with other disease, *1956:* Jan., 263
diabetic, *1955:* Nov., 1693
intraocular, *1956:* Nov., 1638
management, *1955:* May, 860
obesity and, *1955:* May, 850
Athlete's foot, treatment, *1955:* Sept., 1255
Atopy, *1955:* May, 753
Atrial septum, defects, *1954:* Nov., 1639
Atropine in Parkinson's disease, *1956:* Sept., 1403
Auditory training, *1956:* Nov., 1777
Aural rehabilitation, *1956:* Nov., 1776
Aureomycin, in bacterial endocarditis, *1954:* March, 394
in otolaryngology, *1956:* Nov., 1810
in pneumonia, *1954:* July, 982
reactions, *1955:* Jan., **111–124**
Auricular extrasystoles, *1956:* Jan., 163
Auricular fibrillation, *1956:* Jan., 165
in hyperthyroidism, *1955:* July, 1149
mechanism, *1955:* May, 648
treatment, *1954:* Jan., 23; *1955:* Sept., 1372; *1956:* Sept., 1316
Auricular flutter, *1956:* Jan., 164
mechanism, *1955:* May, 648
treatment, *1954:* Jan., 24; *1955:* Sept., 1372; *1956:* Sept., 1316
Auricular standstill, *1956:* Jan., 161
Auricular tachycardia, paroxysmal, *1956:* Jan., 164
Auriculoventricular block, *1956:* Jan., 169
Automobile crash victim, care of, *1954:* Jan., **75–94**
Avitaminosis. See under *Vitamins.*
Avulsion of nail, technique, *1955:* Sept., 1526
8-Azaguanine in malignant disease, *1956:* May, 937
Azaserine in leukemia, *1956:* May, 755
Azopyrin in colitis, ulcerative, *1956:* March, 552
Azotemia, *1955:* May, 685

BACILLURIA, *1955:* Jan., 297
Bacitracin, in bacterial endocarditis, *1954:* March, 395
in dermatology, *1955:* Sept., 1246
in otolaryngology, *1956:* Nov., 1812
reactions, *1955:* Jan., **111–124**
Back pain, low, and herniated disk, *1954:* May, 666; *1955:* Sept., 1472, 1479
medical management, *1956:* Sept., **1441–1449**
postural, *1954:* May, 666
Back strain, *1954:* May, 670
Backache, causes, diagnosis, *1954:* May, **655–672**
Bacteremia, problem cases, *1954:* May, 910
Bacteria as carcinogens, *1956:* May, 639, 923
Bacterids, pustular, of hands, *1955:* Sept., 1321
Bacteriologic studies, in pulmonary disease, importance, *1954:* July, **1219–1226**
in pulmonary tuberculosis, *1954:* July, 1158
BAL, in heavy metal poisoning, *1954:* Jan., 203, Sept., 1333
in mercury poisoning, *1955:* July, 1044
in peripheral neuropathies, *1954:* Sept., 1334
in psychosis of metallic poisonings, *1956:* Sept., 1395
Balanitis in Reiter's syndrome, *1955:* March, 591
Balantidiasis, treatment, *1956:* March, 532
Ballistocardiography, *1954:* Nov., **1601–1615**
Banthine, as cholinergic blocking agent, *1955:* May, 709
in gastrointestinal disease, *1954:* March, 463
in peptic ulcer, *1955:* Sept., 1389
Banti's syndrome, *1954:* May, 872
Barany examination of vestibular apparatus, *1956:* Nov., 1792
Barbiturates, delirium due to, drug therapy, *1956:* Sept., 1392
for cancer pain, *1956:* May, 700
in obstetrics, *1954:* Sept., 1440
poisoning, *1954:* Jan., 212
diagnosis and treatment, *1956:* Sept., 1489
Basal metabolic rate. See *Metabolism, basal.*
Basaljel in prevention of stone formation, *1955:* Jan., 289
Basic sciences in medical practice, symposium on, *1955:* May, **621–910**
Basilar arterial system, intermittent insufficiency, *1956:* Jan., 215
B.C.G. vaccine in prevention of tuberculosis, *1954:* Sept., 1528
Beard, ringworm, treatment, *1955:* Sept., 1258
radiation, *1955:* Sept., 1280
Beau's nails and lines, *1955:* Sept., 1326
Bed rest. See under *Rest.*
Bed sores, prevention, in spinal injuries, *1956:* Sept., 1379
Bee stings, reactions in children, *1954:* Sept., 1273

Bell's palsy, *1954:* Sept., 1330
cortisone in, *1954:* Sept., 1337
stellate ganglion block in, *1955:* Sept., 1512
Bellabulgara in parkinsonism, *1954:* March, 488, 492, 494; *1956:* Sept., 1403
Belladonna in peptic ulcer, *1955:* Sept., 1389
Belt, sacroiliac, *1955:* March, 525
Benadryl, in parkinsonism, *1954:* March, 487, 490, 492, 494; *1956:* Sept., 1406
Benemid, in bacterial endocarditis, *1954:* March, 396
in gout, *1955:* Jan., 313, March, 551, 552, May, 778
Benodaine in diagnosis of pheochromocytoma, *1954:* March, **375–384**; *1955:* July, 1108
Benzedrine in Parkinson's disease, *1956:* Sept., 1407
Betatron, electron beam, *1956:* May, 798
x-ray beam, *1956:* May, 796
Betel nut chewing, cancer and, *1956:* May, 640
Bicillin in rheumatic fever prophylaxis, *1955:* March, 356
Bicipital syndrome, *1956:* Sept., 1434
Bile ducts, diseases, diarrhea and bloody stools in, *1954:* May, 819
x-ray diagnosis, *1954:* May, 814
Bile flow, disturbances, postcholecystectomy, *1956:* March, 494
Biliary cirrhosis, *1956:* March, **423–431**
Biliary dyskinesia, *1956:* March, 478
postcholecystectomy, *1956:* March, 495
Biliary tract, carcinoma, incidence and curability, *1956:* May, 586
disease, diagnosis, *1954:* Sept., **1403–1417**; *1956:* March, **437–449**
treatment, *1954:* Sept., **1403–1417**
Bilirubin test of liver function, *1956:* March, 442
Biopsy, aspiration, of bone marrow, diagnostic value and technique, *1956:* July, **1225–1244**
in diagnosis of cancer, *1954:* May, 641
in postmenopausal bleeding, *1955:* Nov., 1737
liver, *1956:* March, 443
needle, in bronchogenic carcinoma, *1954:* July, 1121
of lymph nodes in bronchogenic carcinoma, *1954:* July, 1121
Bismuth glycolylarsanilate in amebiasis, *1956:* March, 531
Bite, dog, *1954:* Jan., 107
human, *1954:* Jan., 106
snake, *1954:* Jan., 108
Black eye, treatment, *1956:* Nov., 1604
Bladder, carcinoma, incidence and curability, *1956:* May, 588
survival, long-term, *1956:* May, 679
care, in spinal injuries, *1956:* Sept., 1379
lymphosarcoma, *1956:* May, 737
neck, obstruction, *1954:* Jan., 281
Bladder, rupture, *1954:* Jan., 287
Blastomycosis of lung, diagnosis, *1954:* May, 739
Bleeding. See *Hemorrhage* and *Hemorrhagic.*
Blepharitis, marginal, *1956:* Nov., 1609
seborrheic, treatment, *1955:* Sept., 1251
Blepharophymosis, ptosis with, *1956:* Nov., 1691
Blindness, faking, tests for, *1956:* Nov., 1584
Bloating, hysterical, *1956:* March, 332
Blood, adverse effects of drugs on, *1956:* July, **1077–1090**
biochemical alterations, in neoplastic disease, *1956:* May, **611–628**
diseases, bone marrow aspiration in, diagnostic value, *1956:* July, **1225–1244**
changes in ocular fundus in, *1956:* July, **1209–1216**
oral lesions, *1956:* Nov., 1745
symposium on, *1956:* July, **975–1244**
disorders, in connective tissue diseases, *1955:* March, 334
enzymes, in cancer, *1956:* May, 621
flow, renal, measurements, *1955:* July, 950
in lymphosarcoma, *1956:* May, 739
in stool, differential diagnosis, *1954:* May, **817–833**
nonprotein nitrogen in, in cancer, *1956:* May, 616
occult, in stools, *1955:* May, 716
oxygenation, tests of impairment, *1954:* July, 1232
pressure, as test of cardiac function, *1955:* Jan., 36
high. See also *Hypertension.*
differentiation, *1954:* May, **753–764**
intravascular, measurement, *1954:* May, 792
smear, evaluation, *1956:* July, 980
sugar, in cancer, *1956:* May, 615
transfusions. See *Transfusions.*
uric acid, in cancer, *1956:* May, 617
vessels, intraocular, arteriosclerosis of, *1956:* Nov., **1623–1640**
volume, circulating, measurements, *1955:* May, 626, 650
determinations, I^{131} in, *1956:* Sept., 1526
Body water, total, *1954:* May, 875
Boeck's sarcoid, *1954:* July, 1004; *1955:* May, 895
Boils, radiation therapy, *1955:* Sept., 1277
Bone(s), absorption of radiation in, *1956:* May, 791
changes, in hyperparathyroidism, *1955:* July, 1158
composition, *1955:* May, 881
disease, urinary calculi in, *1954:* Sept., 1465
lymphosarcoma, *1956:* May, 738
survival, long-term, *1956:* May, 683

Bone(s), manifestations, in connective tissue disease, *1955:* March, 335
Bone marrow, adverse effects of drugs on, *1956:* July, **1077–1090**
aspiration, diagnostic value, *1956:* July, **1225–1244**
technique, *1956:* July, 1225
dysfunction, anemia due to, *1955:* May, 742
in polycythemia vera, *1956:* July, 1049
Boric acid as antiseptic, the case against, *1954:* Jan., **299–304**
Borst diet, *1955:* July, 1068
Bowel distress, functional, in aged, *1956:* Jan., 223, 225
Bowen's disease, *1956:* Jan., 44
of vulva, *1955:* Nov., 1752
Braces in rheumatoid spondylitis, *1955:* March, 524, 526
Brachial artery, thrombosis or embolism, stellate ganglion block in, *1955:* Sept., 1510
Brachial neuritis, *1954:* Sept., 1330
Brachiocephalic vessels and aortic arch, anomalous position, *1954:* Nov., 1635
Bradycardia, mechanism, *1955:* May, 647
sinus, *1956:* Jan., 160
Brain, abscess, *1954:* Jan., 172
arteriosclerosis, psychosis in, treatment, *1956:* Sept., 1397
carcinoma, incidence and curability, *1956:* May, 589
circulation, physiology of, *1954:* Nov., 1572
degeneration, role in emotional disorders in aged, *1956:* Jan., 12
injuries, diagnosis and treatment, *1956:* Sept., 1369
in auto crash, *1954:* Jan., 89
involvement in lymphomas, *1956:* July, 1157
lesions, headache due to, *1954:* May, 674
vascular, acute, differential diagnosis, *1954:* May, **765–779**
treatment, *1954:* Jan., 43; *1956:* Sept., **1355–1368**
anticoagulants in, *1956:* Sept., 1345
vestibular tests in, *1956:* Nov., 1793
tumors, localization, I^{131} in, *1956:* Sept., 1527
P^{32} in, *1956:* Sept., 1528
positron emitters in, *1956:* Sept., 1537
polycythemia secondary to, *1956:* July, 1072
Breast, carcinoma, adrenalectomy in, *1956:* Jan., 58, 139, May, 762, 769
advanced, endocrine therapy, *1955:* July, **1181–1188**, 1221, 1227; *1956:* Jan., 57, 142, May, **761–772**
detection and early diagnosis, *1954:* May, 646; *1956:* May, 593
Breast, carcinoma, incidence and curability, *1956:* May, 587
survival, long-term, *1956:* May, 675
care, postpartum, *1955:* Nov., 1771
examination, technique, *1956:* May, 594
male, carcinoma, survival, long-term, *1956:* May, 676
self-examination, *1956:* May, 595
Breathing capacity, maximum, determination, *1955:* Jan., 143, May, 671
Bright's disease. See *Nephritis.*
Bromhidrosis, radiation therapy, *1955:* Sept., 1278
Bromides, in epilepsy, *1954:* March, 476
intoxication, treatment, *1956:* Sept., 1393
Bromine-82, *1956:* May, 803
Bromsulphalein test of liver function, *1956:* March, 439
Bronchiectasis, cysts, *1954:* July, 1075
diagnosis, *1954:* May, 736; *1955:* Jan., **149–160**
in aged, diagnosis, *1956:* Jan., 83
treatment, *1954:* July, **1019–1026**; *1955:* Jan., **149–160**
Bronchitis, chronic, in aged, diagnosis, *1956:* Jan., 81
in cancer patient, major surgery and, *1956:* May, 667
in asthma, control of, *1954:* July, 977
Bronchodilators in asthma, *1954:* July, 970
in children, *1954:* Sept., 1278
Bronchogenic carcinoma. See *Lungs, carcinoma.*
Bronchogenic cysts, congenital, *1954:* July, 1075
Bronchography, in bronchiectasis, *1955:* Jan., 152
techniques and application, *1954:* July, **1207–1214**
Broncholithiasis, *1954:* July, 1043
Bronchopulmonary sequestration, intralobar, *1954:* July, **1081–1090**
Bronchorespirometry, *1955:* May, 677
Bronchoscopy, diagnostic value, *1954:* July, **1215–1218**
in bronchial adenoma, *1954:* July, 1100
in bronchogenic carcinoma, *1954:* July, 1118
Bronchostenosis, *1954:* July, 1044
in asthma, control of, *1954:* July, 978
Bronchus, adenoma, diagnosis and treatment, *1954:* July, **1097–1107**
compression by contiguous growths, *1954:* July, 1048
diseases, allergic, *1954:* July, **963–968**
symposium on, *1954:* July, **943–1241**
foreign bodies in, *1954:* July, 1040
obstruction, benign, problem of, *1954:* July, **1039–1049**
secretions, cytology, in diagnosis of pulmonary disease, *1954:* May, 725; July, 1118, 1223
tumors, benign, *1954:* July, 1043

Brucellosis, ACTH and cortisone in, *1955:* Jan., 92
chronic, and psychogenic rheumatism, *1955:* March, 603
Brunner's glands, tumor, *1956:* March, 388
Bunion treatment, *1956:* Sept., 1423
Burns, emergency care, *1954:* Jan., **95–100**
management, *1956:* Sept., **1503–1513**
of eye, *1954:* Jan., 240
actinic, *1956:* Nov., 1606, 1619, 1676
chemical, *1956:* Nov., 1606, 1615, 1620, 1676
shock in, *1954:* Jan., 98; *1956:* Sept., 1504
Bursitis, clinical and therapeutic aspects, *1955:* Sept., **1483–1491**
nerve block in, *1955:* Sept., 1517
of shoulder, *1955:* March, 574, 581
exercises in, *1955:* Sept., 1487
Butazolidin. See *Phenylbutazone.*

CALCIUM, blood, increased, in cancer, clinical aspects and management, *1956:* May, **857–870**
deficiency, in uremia, *1954:* Sept., 1454
in peptic ulcer, *1955:* Sept., 1388
in renal failure, acute, *1955:* July, 1052
chronic, *1955:* July, 1038
metabolism, after hypophysectomy, *1956:* May, 782
in health and disease, *1955:* May, **881–898**
serum, in pancreatic disease, *1956:* March, 413, 454
Calculi, biliary, overlooked, at cholecystectomy, *1956:* March, 487
bronchial, *1954:* July, 1043
common duct, *1954:* Sept., 1412
gallbladder. See *Gallstones.*
on teeth, *1956:* March, 299
renal, *1955:* July, **1073–1079**, 1160
ureteral or renal, *1954:* Jan., 283
urinary, formation of, *1955:* Jan., 281, 285
medical management, *1954:* Sept., **1461–1474**; *1955:* **281–295**
types and causes, *1954:* Sept., 1462
Calculus disease, plasma and urinary proteins in, *1955:* July, 1021
Caldwell-Luc operation, *1955:* Sept., 1458
Caloric test in vertigo, *1956:* Nov., 1792, 1793
Calories, requirements in aged, *1954:* Sept., 1487
Cancer. See *Carcinoma*
Canker sore, *1956:* Nov., 1735
Capillaries, disease, in diabetes, *1955:* Nov., 1695
fragility, in peripheral vascular disease, *1954:* May, 789
permeability, *1954:* May, 879
Capsulitis, adhesive, of shoulder, *1955:* March, 578
Carbarsone, in amebiasis, *1956:* March, 531
in trichomoniasis, *1956:* March, 532
Carbohydrates, metabolism, *1955:* May, **831–844**
after hypophysectomy, *1956:* May, 780
in cancer, *1956:* May, **887–900**
Carbon dioxide, in respiration, *1955:* May, 664
inhalations, in asthma, *1954:* July, 973
tension of arterial blood, measurement, *1955:* Jan., 146
Carbon monoxide poisoning, *1954:* Jan., 59, 215; *1956:* Sept., 1494
Carbon tetrachloride poisoning, *1954:* Jan., 59; *1956:* Sept., 1494
Carbuncles, radiation therapy, *1955:* Sept., 1277
Carcinogenesis, radiations in, *1956:* May, **647–654**
Carcinogens, *1956:* May, 630, 631
Carcinoma, anemia in, mechanisms, *1956:* May, **857–870**
blood biochemical alterations in, *1956:* May, **611–628**
bronchogenic. See *Lungs, carcinoma.*
causes, environmental, in man, *1956:* May, **629–645**
chemotherapy, basic principles, *1956:* May, 925
detection methods, *1954:* May, 642
diabetes mellitus and carbohydrate metabolism in, *1956:* May, **887–900**
diagnosis, early, *1954:* May, **639–654**
early, detection, diagnosis and management, *1956:* May, **591–610**
electrolyte and pH changes in, *1956:* May, 619
endocrine therapy, *1954:* Sept., 1285
gastrointestinal, diagnosis, exfoliative cytology in, *1955:* Jan., **261–280**
hypercalcemia in, clinical manifestations and management, *1956:* May, **857–870**
incidence, *1956:* May, 581
infections complicating, *1956:* May, **915–922**
intractable pain in, control of, *1954:* Sept., 1296
intraoral, *1956:* March, 313
liver disease in, electrolyte abnormalities with, *1956:* May, **901–914**
liver function in, *1956:* May, 618
medical aspects, symposium on, *1956:* May, **575–961**
metabolic antagonists in, *1954:* Sept., 1290
metastatic, adrenal insufficiency due to, *1955:* Jan., 76
hypercalcemia in, *1955:* May, 896
laboratory methods for estimating activity of, *1954:* Sept., 1290
treatment, *1954:* Sept., **1281–1299**
mortality, *1956:* May, 582

Carcinoma, nitrogen mustards and allied compounds in, *1954:* Sept., 1284
comparative therapeutic activity, *1956:* May, **837–856**
nonresectable, palliative radiotherapy in, principles and techniques, *1956:* May, **807–820**
of organs. See under organ names.
overlooked, at cholecystectomy, *1956:* March, 489
pain in, control of, *1956:* Jan., **51–62**, May, **687–703**
palliative treatment, *1954:* Sept., 1281–1299; *1956:* Jan., **51–62**, 139, 142, 253, 254, May, **807–820**
poor-risk patient with, evaluation and preparation for major surgery, *1956:* May, **657–672**
preventive measures, *1956:* May, 631
psychological impact, and its therapy, *1956:* May, **705–720**
purines in, clinical effects, *1956:* May, **935–949**
radiation therapy, *1954:* Sept., 1283
comparative therapeutic activity and indications for various types, *1956:* May, **787–806**
radiation-induced, *1956:* May, **647–654**
radioactive gold therapy, *1954:* Sept., 1285
serous effusions secondary to, radiogold in, *1956:* Sept., 1532
statistics, *1956:* May, **581–590**
survivals, long-term, *1956:* May, **673–686**
terminal patient, *1956:* May, 717
treatment, relationship of nucleic acid metabolism to, *1956:* May, **923–933**
results, *1956:* May, 584
Cardiac. See also *Heart.*
Cardiac arrest, treatment, *1956:* Sept., 1318
Cardiac emergencies, treatment, *1954:* Jan., 7–28; *1956:* Sept., **1313–1323**
Cardiology, clinical, contributions of physiologic research to, *1954:* Nov., **1565–1573**
Cardiopulmonary system, defects in, polycythemia due to, *1956:* July, 1062
Cardiovascular disease, anesthesia in relation to, *1954:* Nov., **1733–1739**
congenital, diagnosis and treatment, *1954:* Nov., **1635–1648**
home care, rehabilitation and placement in injury in, *1954:* Nov., **1785–1788**
in aged, *1954:* Nov., **1767–1784**
symposium on, *1954:* Nov., **1561–1800**
Cardiovascular manifestations, of connective tissue diseases, *1955:* March, 332
of endocrine disease, *1955:* July, **1143–1151**
Cardiovascular manifestations, of Reiter's syndrome, *1955:* March, 595
of rheumatoid arthritis, *1955:* March, 375
Cardiovascular syphilis, penicillin in, *1954:* Nov., **1757–1765**
Carditis in rheumatic fever, *1954:* Nov., 1706
response to ACTH and cortisone, *1955:* March, 359
value of salicylates in, *1955:* March, 361
Caries, dental, *1956:* March, 297
Carotid artery, thrombosis, *1954:* Jan., 175, May, 768
stroke due to, *1956:* Jan., 215
Carotid sinus, pressure, in paroxysmal atrial tachycardia, *1955:* Sept., 1368
syncope, treatment, *1956:* Sept., 1317
Castrates, functional, prepuberal, *1955:* July, 1203
Castration. See *Oophorectomy* and *Orchiectomy.*
Casts in rheumatoid arthritis, *1955:* March, 396
Cataract, congenital, *1956:* Nov., 1702
diabetic, *1955:* Nov., 1697; *1956:* Nov., 1642
incidence, *1955:* Nov., 1609
senile, surgical management, *1956:* Nov., 1712
Catheterization, cardiac. See under *Heart.*
Cation exchange resins. See under *Resins.*
Cauda equina compression, syndrome of, diagnosis and treatment, *1955:* Sept., 1476
Caudal anesthesia in obstetrics, *1954:* Sept., 1443
Causalgia, lower, extremity, lumbar sympathetic block in, *1955:* Sept., 1513
upper extremity, stellate ganglion block in, *1955:* Sept., 1507
Cauterization, diathermy, in vasomotor rhinitis, *1955:* Sept., 1442
Cedilanid, in acute pulmonary edema in pregnancy, *1954:* Nov., 1750
in congestive heart failure, *1954:* Nov., 1655
in paroxysmal atrial tachycardia, *1955:* Sept., 1371
Cephalin flocculation test in liver disease, *1955:* May, 731
Cerebral. See also *Brain.*
Cerebral vascular accidents, anticoagulants in, *1954:* Jan., 32, 176; *1956:* Sept., 1345, 1357
differential diagnosis, *1954:* May, **765–779**
emergency treatment, *1954:* Jan., 43
in later life, behavior and management, *1956:* Jan., **211–221**
prevention, *1956:* Sept., 1357
space-occupying lesions and, differentiation, *1954:* May, **774**

Cerebral vascular accidents, spontaneous, differentiation, *1954:* May, **765–779**
stellate ganglion block in, *1954:* Jan., 32, 176; *1955:* Sept., 1509; *1956:* Sept., 1361
supportive measures, *1956:* Sept., 1358
treatment, *1956:* Sept., **1355–1368**
Cervical radiculitis syndrome, diagnosis and treatment, *1955:* Sept., 1464
Cervical rib, *1955:* March, 582
Cervical syndrome, lower, *1956:* Sept., 1436
Cervix uteri, carcinoma, detection and early diagnosis, *1954:* May, 644; *1956:* May, 596
in pregnancy, *1955:* Nov., 1762
incidence and curability, *1956:* May, 587
survival, long-term, *1956:* May, 677
Cestode infections, intestinal, treatment, *1956:* March, 536
Chair treatment of myocardial infarction, *1954:* Nov., 1667
Chalazion, *1956:* Nov., 1611
Chemical burns of eye, *1956:* Nov., 1606, 1615, 1620, 1676
Chemotherapy, of cancer, basic principles, *1956:* May, 925
palliative, *1956:* Jan., 56
of intestinal parasitic infections, *1956:* March, **527–539**
of leukemia, chronic, *1956:* July, 1119
of lymphomas, malignant, *1956:* July, 1135
of lymphosarcoma, *1956:* May, 726
of tuberculosis, present status, *1954:* July, **1167–1176**
Chest. See *Thorax.*
Cheyne-Stokes respiration in acute renal failure, treatment, *1955:* July, 1063
Childbirth. See also *Labor.*
natural, *1955:* Nov., **1789–1799**
Children, acute leukemia in, differential diagnosis, *1956:* July, **1103–1109**
allergy in, *1954:* Sept., **1255–1279**
deafened, *1956:* Nov., 1780
diarrhea in, nonspecific, and its treatment, *1955:* Sept., **1425–1437**
glomerulonephritis in, *1955:* July, **991–994**
immunization schedules, *1954:* Sept., 1506
ocular surgery in, *1956:* Nov., 1689
purpura in, management, *1956:* July, 1197–1202
rheumatic fever in, recognition and management, *1954:* Nov., **1693–1716**
rheumatoid arthritis in, *1955:* March, **459–487**
strabismus in, *1956:* Nov., **1653–1663**
urinary tract infections in, recurring, *1955:* July, **965–974**
vision of, testing, *1956:* Nov., 1582
Chloral hydrate in asthma, *1954:* July, 975
Chloramphenicol, in bacterial endocarditis, *1954:* March, 394
in otolaryngology, *1956:* Nov., 1811
in typhoid fever, *1954:* March, 578, 586
pharmacology, *1955:* May, 902
reactions, *1955:* Jan., **111–124**
Chloride in gastrointestinal fluids, *1955:* May, 714
Chlorine poisoning, *1954:* Jan., 59
Chloromycetin. See *Chloramphenicol.*
6-Chloropurine in leukemia, *1956:* May, 750, 755, 942
in malignant disease, *1956:* May, 942
Chloroquine in amebiasis, *1956:* March, 531
Chlorpromazine, agranulocytosis due to, *1956:* July, 1079
for cancer pain, *1956:* Jan., 62, May, 700
in arteriosclerotic and senile psychoses, *1956:* Sept., 1397
in central nervous system disease with psychosis, *1956:* Sept., 1396
in chronic glomerulonephritis, *1955:* July, 987
in functional gastrointestinal disturbances, *1956:* March, 338
in manic-depressive psychosis, *1956:* Sept., 1390
in Parkinson's disease, *1956:* Sept., 1407
in schizophrenia, *1956:* Sept., 1388
in toxic psychoses, *1956:* Sept., 1394
in traumatic delirium, *1956:* Sept., 1394
in vomiting of acute renal failure, *1955:* July, 1064
side effects, *1956:* Sept., 1386
Cholangitis, postcholecystectomy, *1956:* March, 493
Cholecystectomy, symptoms following, evaluation, *1956:* March, 332, **485–497**
Cholecystitis, acute, *1954:* Jan., 133, Sept., 1409; *1956:* March, 481
chronic, *1954:* Sept., 1403; *1956:* March, 479
Cholecystography, *1956:* March, 476
Cholelithiasis, *1954:* Sept., 1403; *1956:* March, 481
Cholera, immunization, *1954:* Sept., 1517
Cholesterol, blood, test of liver function, *1956:* March, 442
competitors, in atherosclerosis, *1955:* May, 860
pneumonia, *1954:* July, 990
serum, fasting level, as test of thyroid function, *1955:* May, 805
Cholesterosis, *1954:* Sept., 1407
Cholinesterase determination in liver disease, *1955:* May, 724
Chordotomy for cancer pain, *1956:* Jan., 60, May, 697
Chorea in rheumatic fever, *1954:* Nov., 1705
response to ACTH and cortisone, *1955:* March, 358

Chorionepithelioma of vulva, *1955:* Nov., 1754
Choroiditis, *1956:* Nov., 1680
Chromhidrosis, radiation therapy, *1955:* Sept., 1278
Chromium, radioactive, in hematology, *1956:* July, **1025–1031**
uses in medicine, *1956:* Sept., 1535
Chrysotherapy. See *Gold.*
Chymotrypsin, *1956:* March, 284
lavage and cytologic study, *1956:* March, 404
Ciliary flush, *1956:* Nov., 1669, 1681
Ciliary injection, *1954:* Jan., 227, 229
Circulation, dynamics of, *1955:* May, **643–659**
regional, new knowledge about, *1954:* Nov., 1569
time, as test of cardiac function, *1955:* Jan., 34, May, 651
determinations, *1954:* Nov., 1567
in peripheral vascular disease, *1954:* May, 787
Circulatory reactions to blood transfusion, *1956:* July, 1220
Circumcision and cancer, *1956:* May, 637
Cirrhosis, alcoholic, evolution of, clinical, biochemical and histologic correlations, *1955:* Jan., **241–259**
biliary, *1956:* March, **424–431**
cholangiolitic, *1956:* March, 425
fatty, *1955:* Jan., 242
hepatic function and protein metabolism in, *1955:* May, **719–734**
Laennec's, *1955:* Jan., **241–259**
of liver, diagnosis, *1954:* May, 866
treatment, *1956:* March, **432–435**
postnecrotic, differentiated from Laennec's cirrhosis, *1955:* Jan., 242
Clearance rate, plasma iron, Fe^{59} in measurement, *1956:* July, 995
Clearance tests of renal function, *1955:* July, 949
Climacteric. See also *Menopause.*
male, testosterone in, *1956:* Jan., 143
treatment, *1955:* July, 1225
Climate in rheumatoid arthritis, *1955:* March, 403
Clinicopathologic conference, *1954:* May, **921–932**
Coagulation, factors, plasma, *1956:* July, 1174, 1176
deficiencies, *1956:* July, 1176, 1179
treatment, *1956:* July, 1182
mechanism, derangement, presence of substances producing, *1956:* July, 1176, 1179, 1183
Coarctation of aorta. See under *Aorta.*
Cobalt, radioactive, *1956:* May, 795, 803
uses in medicine, *1956:* Sept., 1535
Cobra venom for cancer pain, *1956:* May, 699
Coccidioidomycosis of lung, diagnosis, *1954:* May, 739
Cogentin in Parkinson's disease, *1956:* Sept., 1405
Coin lesions of lung, diagnosis and management, *1955:* Jan., **161–169**
Colchicine in gout, *1955:* Jan., 309, March, 549, 551
Cold sore, *1956:* Nov., 1736
Colic, biliary, *1954:* Jan., 132
Colitis, diarrhea and bloody stools in, *1954:* May, 823, 824
mucous, in aged, *1956:* Jan., 223
treatment, *1955:* Sept., 1536
ulcerative, electrolyte losses in, *1955:* May, 715
management, *1955:* Sept., 1537; *1956:* March, **541–556**
Collagen diseases, *1955:* Jan., **125–139**
laboratory indices, *1955:* May, 779
protean manifestations, *1955:* March, **325–328**
Collapse therapy in tuberculosis, *1956:* Sept., 1287
Colon, absorption in, *1955:* May, 713
carcinoma, cytodiagnosis in, *1955:* Jan., 272
detection and early diagnosis, *1954:* May, 647; *1956:* May, 598
incidence and curability, *1956:* May, 585
obstruction due to, *1954:* Jan., 125
survival, long-term, *1956:* May, 677, 679
diseases, diarrhea and bloody stools in, *1954:* May, 822
x-ray diagnosis, *1954:* May, 814
diverticula, *1954:* Jan., 130; *1956:* March, 563
in aged, *1956:* Jan., 230, 244
irritable, anticholinergic drugs in, *1954:* March, 459
in aged, *1956:* Jan., 223
lymphosarcoma, *1956:* May, 735
motor disturbances, *1955:* May, 708
mucous membrane, reactions to threats, *1955:* May, 791
Color vision, testing, *1956:* Nov., 1589
Coma, diabetic, diagnosis, *1955:* Nov., 1582
treatment, guide to, *1955:* Nov., 1583
hepatic, electrolyte alterations in, *1956:* May, **901–914**
prevention, *1955:* Sept., 1415
treatment, *1955:* Sept., 1417; *1956:* March, 434, Sept., 1461
Common duct, stone in, *1954:* Sept., 1412
stricture, postcholecystectomy, *1956:* March, 492
Compound E. See *Cortisone.*
Condyloma acuminatum, *1955:* Nov., 1744
Confrontation test, *1956:* Nov., 1584
Congestion, pulmonary, in aged, diagnosis, *1956:* Jan., 86
Conjunctiva, diseases, drug therapy, *1956:* Nov., 1621
foreign bodies in, *1956:* Nov., 1597
inflammations, *1956:* Nov., **1609–1622**
injection, *1954:* Jan., 227, 228

Conjunctivitis, *1954:* Jan., 228
acute, *1956:* Nov., 1616
catarrhal, *1956:* Nov., 1617
angular, *1956:* Nov., 1618
in Reiter's syndrome, *1955:* March, 590, 592
inclusion, *1956:* Nov., 1619
Koch-Weeks, *1956:* Nov., 1617
phlyctenular, *1956:* Nov., 1619
swimming pool, *1956:* Nov., 1619
traumatic, *1956:* Nov., 1619
vernal, *1956:* Nov., 1618
Connective tissue diseases, protean manifestations, *1955:* March, **325–338**
Constipation, in aged, *1956:* Jan., 231
in poliomyelitis, *1955:* Jan., 107
treatment, *1955:* Sept., 1540
Contact dermatitis. See under *Dermatitis.*
Contraception measures, *1955:* Nov., 1777
Contusions, of eyeball, *1956:* Nov., 1603
of eyelids, *1956:* Nov., 1615
Convergence, eyes, testing, *1956:* Nov., 1581
Conversion symptoms in office patient, *1954:* Sept., 1356
Convulsions, differential diagnosis, *1954:* May, **693–704**
etiology, *1954:* May, 694
in acute renal failure, treatment, *1955:* July, 1063
uremic, treatment, *1954:* Sept., 1458
Convulsive disorders, drugs used in, control of side effects, *1954:* Sept., **1339–1350**
psychosis in, treatment, *1956:* Sept., 1396
Coombs test, *1955:* May, 748
Coproporphyria, asymptomatic idiopathic, *1955:* Jan., 27, 28
Coproporphyrin, *1955:* Jan., 13
test for, *1955:* Jan., 30
urinary, test of liver function, *1956:* March, 441
Cor pulmonale, *1954:* Nov., **1675–1692**
physiologic research in, *1954:* Nov., 1571
Coramine. See *Nikethamide.*
Cornea, abnormal signs in, *1956:* Nov., 1666
abrasions, *1956:* Nov., 1600
treatment, *1956:* Nov., 1599
burns, chemical, *1956:* Nov., 1676
diseases, *1956:* Nov., **1665–1678**
dystrophies, *1956:* Nov., 1676
erosion, recurrent, *1956:* Nov., 1601
foreign bodies in, *1956:* Nov., 1598
treatment after removal, *1956:* Nov., 1599
foreign body sensation in, *1956:* Nov., 1668
inflammations, *1956:* Nov., 1669
lacerations, *1956:* Nov., 1601
regeneration, *1956:* Nov., 1669
sensitivity, testing, *1956:* Nov., 1589
staining, *1956:* Nov., 1667
Cornea, toxic injuries, *1956:* Nov., 1676
transplantation, *1956:* Nov., 1714
Coronary artery, disease, anticoagulants in, *1954:* March, **399–412**; *1956:* Sept., 1343
combined with other disease, *1956:* Jan., 263
diagnosis and treatment, *1954:* Nov., **1659–1674**
in aged, *1954:* Nov., 1775; *1956:* Jan., **177–184**
obesity and, *1955:* May, 856
pain of, vs. noncardiac pain, *1954:* May, **743–751**
surgical risk in, *1954:* Nov., 1672
treatment, *1954:* March, **399–412**, Nov., **1659–1674**; *1956:* Sept., 1321
Coronary circulation, *1955:* May, 656
physiologic research in, *1954:* Nov., 1569
Coronary insufficiency, treatment, *1954:* Jan., 15, Nov., 1659, 1775
Corticoids, excretion, as test of adrenal function, *1955:* May, 817
Corticosterone, *1955:* May, 813
Corticotropin. See ACTH.
Cortisone, *1955:* May, 814
after hypophysectomy, maintenance, *1956:* May, 773, 779
diagnostic, in pulmonary disease, *1954:* May, 727
in Addison's disease, *1956:* Sept., 1269
in aged, *1956:* Jan., 138
in adrenal insufficiency, *1955:* Jan., 69, 73, 74, 89, May, 822, 823, July, 1121, 1122
in adrenogenital syndrome, *1955:* May, 827, July, 1094
in anemia, hemolytic, *1956:* July, 1019
in arthritis, rheumatoid, *1955:* March, 401
effects on anemia, *1955:* March, 495
in children, *1955:* March, 480
long-term, *1955:* March, **405–412**
results shown by serial joint x-rays, *1955:* March, 440
in asthma, *1954:* March, **449–457**, July, 975; *1956:* Jan., 132, Sept., 1308
in infants and children, *1954:* Sept., 1264
in cancer, for pain, *1956:* May, 700
of breast, *1956:* May, 768, 769
in cirrhosis, biliary, *1956:* March, 430
in colitis, ulcerative, *1956:* March, 549
in dermatitis, atopic, in infants, *1955:* Sept., 1294
in dermatology, *1955:* Sept., 1247
in eczema, infantile, *1954:* Sept., 1260
in gout, *1955:* Jan., 309, March, 550
in hepatitis, viral, *1956:* March, 418, Sept., 1460
in hypercalcemia of cancer, *1956:* May, 880
in infectious diseases, *1955:* Jan., 89

Cortisone, in leukemia, *1955:* Jan., **203**, 205, 206, 208, 209, 215, 218; *1956:* July, 1113
in liver disease, *1955:* Sept., 1409
in lymphomas and leukemia, palliative, *1956:* Jan., 140, May, **729**, **748**, July, 1139
in meningitis, tuberculous, *1955:* Sept., 1341
in menstrual disorders, *1955:* Nov., 1722
in mononucleosis, infectious, *1956:* July, 1097, 1098
in myelocytic myeloma, *1955:* Jan., 222
in nephrotic syndrome, *1955:* July, 996
in neuropathies, peripheral, *1954:* Sept., 1336
in otolaryngology, *1956:* Nov., 1814
in painful shoulder, *1955:* March, **572**
in pancreatitis, acute, *1956:* March, 461
in pulmonary fibrosis, *1954:* July, 1017
in purpura in children, *1956:* July, 1200
in Reiter's syndrome, *1955:* March, 597
in rheumatic fever, *1954:* Nov., 1711; *1955:* March, 358
in spondylitis, rheumatoid, *1955:* March, 408, 523
in status asthmaticus, *1954:* Jan., 68
in stress in aged, *1956:* Jan., 139
in thrombocytopenia, *1956:* July, 1181
in thrombocytopenic purpura, idiopathic, *1956:* July, 1189, 1191
in tuberculosis, *1954:* July, 1173
in typhoid fever, *1954:* March, 578, 586
in urticaria, *1954:* Jan., **70**
in uveitis, *1956:* Nov., 1685
in vasomotor rhinitis, *1955:* Sept., 1447, 1449
in Waterhouse-Friderichsen syndrome, *1955:* July, 1113
relation to infection, *1955:* Jan., **81–94**
role, in diabetic retinopathy and nephropathy, *1956:* Nov., 1648
side and toxic effects, *1954:* March, 453
treatment with, postoperative adrenal insufficiency after, *1955:* July, 1115
uses and dosage, *1955:* July, 1213
in aged, *1956:* Jan., 138
Corynebacterium infections, erythromycin in, *1954:* March, **572**
Costoclavicular syndrome, *1955:* March, 582
Cough, causes and treatment, *1954:* July, **949–962**
chronic, in aged, differential diagnosis, *1956:* Jan., **79–87**
differential diagnosis, *1954:* May, **705–719**
mechanism, *1954:* May, **707**
Coumadin, as anticoagulant, *1955:* Jan., **227**, 232, 233
in coronary heart disease, *1954:* March, 411
Cover test for esotropia and exotropia, *1956:* Nov., 1657, 1661
Coxa plana, *1956:* Sept., 1426
Coxa vara, adolescent, *1956:* Sept. 1430
Cradle cap, *1955:* Sept., 1286
Cranial involvement in lymphomas, *1956:* July, 1157
Craniocerebral injuries, acute, diagnosis and treatment, *1956:* Sept., 1369
delirium in, treatment, *1956:* Sept., 1394
Crash victim, automobile, care of, *1954:* Jan., **75–94**
C-reactive protein in rheumatic fever, *1955:* March, **355**, May, **769**
in rheumatoid arthritis, *1955:* May, **771**
Creamalin in prevention of stone formation, *1955:* Jan., 289
Cretinism, *1955:* July, 1137
thyroid therapy, *1955:* July, 1219
Cross-eyes. See *Strabismus.*
Crush kidney, *1955:* July, 942
Cryptorchidism, endocrine therapy, *1955:* July, 1212, 1226
Cumopyran, as anticoagulant, *1955:* Jan., **227**, 232, 233, 238
in cerebral vascular accident, *1956:* Sept., 1358
in coronary heart disease, *1954:* March, 411
Curettage, diagnostic, in menstrual disorders, *1955:* Nov., 1714, 1718
Cushing's disease, *1955:* July, 1088
hypertension in, *1955:* July, 1143
treatment, *1956:* Sept., 1263
Cushing's syndrome, *1955:* May, 824, July, 1086, 1091
diagnosis and treatment, *1955:* July, 1093; *1956:* Sept., 1263
hypertension in, *1954:* May, 762; *1955:* July, 1145
Cutaneous. See *Skin.*
Cutler-Power-Wilder test for Addison's disease, *1955:* July, 1119
Cyanide poisoning, *1954:* Jan., 220
Cyanosis, *1955:* May, **667**
retinae, *1956:* July, 1210
Cyclitis, *1956:* Nov., 1680
Cycloplegics, *1956:* Nov., 1591
Cyclopropane anesthesia in obstetrics, *1954:* Sept., 1442
Cylindroma of trachea, *1954:* July, 1092
Cylindruria, in glomerulonephritis, *1955:* July, 980
in hypertensive renal disease, *1955:* July, 1033
physiology, *1955:* May, 686
Cyst(s), air-containing, thin-walled, of lung, *1954:* July, 1078
bronchiectatic, *1954:* July, 1075
bronchogenic, congenital, *1954:* July, 1075
of kidney, *1955:* July, 944
of lungs, *1954:* July, **1075–1079**
oral, *1956:* March, 312, 313

Cyst(s), pilonidal, office surgery, *1955:* Sept., 1548
Cystic duct remnant, postcholecystectomy, *1956:* March, 486
Cystinuria, renal, *1955:* May, 692
urinary stone formation in, *1955:* Jan., 287
Cytological smears in menstrual disorders, *1955:* Nov., 1715
in postmenopausal bleeding, *1955:* Nov., 1736
Cytological test for cancer, *1954:* May, 641
Cytology, exfoliative, in diagnosis of gastrointestinal cancer, *1955:* Jan., **261–280**
of sputum and bronchial secretions, *1954:* May, 725, July, 1118; *1956:* May, 606
of vaginocervical secretions, *1956:* May, 596
studies, in cancer diagnosis, *1956:* May, 593

DACRYOCYSTORHINOSTOMY, *1956:* Nov., 1704
Daraprim in polycythemia vera, *1955:* Jan., 222
Dark adaptation, testing, *1956:* Nov., 1587
Darstine in gastrointestinal disease, *1954:* March, 467
DDS in leprosy, *1954:* March, 599, 603
Deafness, *1956:* Nov., **1771–1780**
aural rehabilitation, *1956:* Nov., 1776
in children, *1956:* Nov., 1780
prevention and treatment, *1956:* Nov., 1775
vertigo with, *1956:* Nov., 1791
Death, threat, handling, in cancer, *1956:* May, 717
Deglutition, physiology of, *1956:* March, 273
Dehydration, simple, treatment, *1955:* May, 640
Delirious states, management, *1954:* Jan., 146
Delirium, barbiturate, drug therapy, *1956:* Sept., 1392
in systemic disease, treatment, *1956:* Sept., 1393
traumatic, treatment, *1956:* Sept., 1394
tremens, drug therapy, *1956:* Sept., 1391
Demerol, for cancer pain, *1956:* Jan., 62
in obstetrics, *1954:* Sept., 1440
poisoning, nalorphine hydrochloride in, *1954:* Jan., 203, 220
Dendritic ulcer, *1956:* Nov., 1672
DEPA in cancer, evaluation, *1956:* May, 846, 848
Depressions, drug therapy, *1956:* Sept., 1388
postoperative, in cancer, *1956:* May, 711
Depressions, with somatic manifestations, *1954:* Sept., 1357
Dermatitis, atopic, infantile, *1954:* Sept., 1256
diagnosis, *1955:* Sept., 1287
management, *1954:* Sept., 1257; *1955:* Sept., **1285–1300**
radiation therapy, *1955:* Sept., 1277
contact, defined, *1955:* May, 754
emergency treatment, *1954:* Jan., 72
in infants and children, *1954:* Sept., 1271
radiation therapy, *1955:* Sept., 1277
treatment, *1955:* Sept., 1249
eczematous, of vulva, *1955:* Nov., 1747
exfoliative, in aged, *1956:* Jan., 47
in lymphomas, *1956:* July, 1142
hydrocortisone ointment in, *1954:* March, **321–336**
infectious, radiation therapy, *1955:* Sept., 1277
medicamentosa, treatment, *1955:* Sept., 1251
nummular, radiation therapy, *1955:* Sept., 1277
of eyelids, *1956:* Nov., 1613
of hands and analogous disorders of nails, *1955:* Sept., **1317–1329**
seborrheic, of vulva, *1955:* Nov., 1748
radiation therapy, *1955:* Sept., 1277
treatment, *1955:* Sept., 1251
Dermatology, newer drugs in, appraisal of, *1955:* Sept., 1246
radiation therapy in, *1955:* Sept., **1267–1284**
Dermatomycoses, treatment, *1955:* Sept., 1255
Dermatomyositis, *1955:* Jan., **125–139**
protean manifestations, *1955:* March, **325–338**
Dermatophytoses, radiation therapy, *1955:* Sept., 1277
treatment, *1954:* Sept., **1301–1308**; *1955:* Sept., 1255
Dermatoses, generalized, x-ray treatment, *1955:* Sept., 1274
Desensitization, in allergy, *1955:* May, 763
in asthma, *1956:* Sept., 1308
Desoxycorticosterone, *1955:* Jan., 67, 68, May, 818
in Addison's disease in aged, *1956:* Jan., 138
in adrenal insufficiency, *1955:* Jan., 69, 73, 74, May, 822, 823, July, 1121
postadrenalectomy, *1955:* July, 1115
trimethylacetate salt, in Addison's disease, *1955:* July, 1122
uses and dosage, *1955:* July, 1215
Dexedrine in Parkinson's disease, *1956:* Sept., 1407
Diabetes, alloxan, *1955:* May, 840
Diabetes insipidus, after hypophysectomy, *1956:* May, 783
posterior pituitary preparations in, *1955:* July, 1211

Diabetes mellitus, *1955:* May, 840
acidosis in, *1955:* May, 841
arteriolar sclerosis in, *1955:* Nov., 1695
asymptomatic, *1955:* Nov., 1571
atherosclerosis in, *1955:* Nov., 1693
bilateral foot drop with, *1955:* Jan., 8
biochemical abnormality in, *1955:* May, 835
brittle cases, treatment, *1955:* Jan., 49
capillary disease in, *1955:* Nov., 1695
cataracts in, *1955:* Nov., 1609, 1697; *1956:* Nov., 1642
coma in, diagnosis, *1955:* Nov., 1582
treatment guide, *1955:* Nov., 1583
combined with other disease, *1956:* Jan., 261
complications, *1955:* Nov., **1607–1629**
acute, management, *1955:* Nov., 1581
incidence, *1955:* Nov., 1576
degenerative manifestations, incidence, *1955:* Nov., 1575
pathology, *1955:* Nov., **1693–1700**
diagnosis, *1955:* Nov., **1571–1577**, 1579
emergency complications, *1954:* Jan., **183–197**
eye changes in, *1955:* Nov., **1671–1683**; *1956:* Nov., **1641–1652**
gallbladder disease with, *1956:* March, 483
glomerulosclerosis in, *1955:* July, 929, **1001–1013**, Nov., 1675, 1696
heart disease in, incidence, *1955:* Nov., 1617
heredity as factor, *1955:* Nov., 1574
hypertension in, diastolic, incidence, complications and management, *1955:* Nov., 1614, **1631–1642**
hyperthyroidism and, *1955:* Jan., 63
in cancer patients, *1956:* May, **887–900**
major surgery and, *1956:* May, 668
in childhood, retinopathy in, *1955:* Nov., 1672
in pregnancy, *1955:* Nov., 1768; *1956:* Nov., 1647
retinopathy of, *1955:* Nov., 1675
incidence and diagnosis in a diagnostic clinic, *1955:* Nov., **1571–1577**
insulin in, plan for, *1955:* Nov., 1580
ketonemia in, *1955:* Nov., 1582
kidney damage in, incidence, *1955:* Nov., 1620
lens opacities in, *1955:* Nov., 1696; *1956:* Nov., 1642
management, *1955:* Nov., **1579–1586**
fluid balance and electrolyte problems in, *1955:* Nov., **1587–1598**
neuropathies in, *1954:* Sept., 1328, 1334, 1335; *1955:* Nov., 1625, 1698
Diabetes mellitus, obesity in, *1955:* Nov., 1634
incidence, *1955:* Nov., 1574
management, *1955:* Nov., **1599–1606**
pancreatitis with, management of patient, *1955:* Nov., **1655–1664**
peripheral paralysis of radial nerve with, *1955:* Jan., 8
peripheral vascular disease in, incidence, *1955:* Nov., 1623
refractive error changes in, *1956:* Nov., 1641
retinopathy in, *1955:* Nov., 1612; *1956:* Nov., 1643
treatment, *1955:* Nov., **1671–1683**; *1956:* Nov., 1649
symposium on, *1955:* Nov., **1571–1709**
treatment, selection of, *1955:* Jan., **39–54**
tuberculosis with, *1955:* Nov., **1643–1654**
urinary tract infections with, *1955:* Nov., **1665–1670**
viral hepatitis and, *1955:* Nov., **1685–1691**
Diabetes, starvation, *1955:* May, 840
Diagnosis, differential, symposium on, *1954:* May, **637–932**
Dialysis, peritoneal, in acute renal failure, *1955:* July, 1058
2-6-Diaminopurine in, malignant disease, *1956:* May, 935
Diamox, agranulocytosis due to, *1956:* July, 1079
in congestive heart failure, *1954:* Nov., 1657
in liver disease with ascites, *1956:* May, 903
in pulmonary emphysema, *1956:* Jan., 108
Diarrhea, differential diagnosis, *1954:* May, **817–833**
in poliomyelitis, treatment, *1955:* Jan., 107
loss of water and electrolytes in, *1955:* May, 713
nonspecific, of infancy and childhood and its treatment, *1955:* Sept., **1425–1437**
Diarrheal diseases, causes and treatment, *1955:* Sept., 1536
Diasone in leprosy, *1954:* March, 599, 603
Dibenamine test for pheochromocytoma, *1955:* July, 1108
Dibenzyline in hypertension, *1954:* Nov., 1726
Dicumarol, as anticoagulant, *1955:* Jan., 227, 232–234, 238; *1956:* Sept., 1352
excessive hypoprothrombinemia due to, Mephyton in, *1954:* March, **413–417**
in cerebral vascular accident, *1956:* Sept., 1357

Dicumarol, in cor pulmonale, acute, *1954:* Nov., 1690
in coronary heart disease, *1954:* March, 409, Nov., 1669
in aged, *1954:* Nov., 1778; *1956:* Jan., 182
Dieckmann salt test for preeclampsia, *1955:* Nov., 1787
Diet, aged persons, *1954:* Sept., **1485–1492**
elimination, in atopic dermatitis in infants, *1955:* Sept., 1290
high calorie, low protein, in acute renal failure, *1955:* July, 1052, 1053
preparation, *1955:* July, 1068
in atherosclerosis, *1955:* May, 860
in bowel distress, functional, *1956:* Jan., 225, 226
in cirrhosis of liver, *1956:* March, 432
in colitis, ulcerative, *1956:* March, 545, 548
in diabetes mellitus, *1955:* Jan., 43
with obesity, *1955:* Nov., 1602
in diarrhea in young children, *1955:* Sept., 1431
in gastrointestinal disturbances, functional, *1956:* March, 337
in gout, *1955:* Jan., 313, March, 551, 552
in hepatitis, viral, *1956:* Sept., 1451
in hypercalcemia of cancer, *1956:* May, 876
in hypercholesterolemia, *1955:* May, 860
in hypertension, *1956:* Sept., 1327
in liver disease, *1955:* Sept., 1402, 1411
in myocardial infarction, *1954:* Nov., 1667
in nephrolithiasis, *1955:* July, 1076
in obesity, *1955:* May, 859, Nov., 1705
in peptic ulcer, *1955:* Sept., 1387; *1956:* March, 354
in pregnancy, *1955:* Nov., 1757
in renal failure, chronic, *1955:* July, 1036
in rheumatoid arthritis, *1955:* March, 394
in uremia, acute, *1955:* July, 1069
in urolithiasis prevention, *1955:* Jan., 288
influence on uric acid, *1955:* March, 533
low protein, in hepatic coma, *1955:* Sept., 1419
rice, in hypertension, *1956:* Sept., 1327
sodium-poor, in hypertension, *1956:* Sept., 1327
in liver disease, *1955:* Sept., 1412
Diethylstilbestrol. See *Estrogen therapy.*
Diffusion, pulmonary, *1955:* May, 669
Digestive tract, diseases, symposium on, *1956:* March, **271–566**
physiology, *1956:* March, **273–290**
Digitalis, in acute left ventricular failure, *1954:* Jan., 10
in cardiac arrhythmias, *1956:* Jan., 173
Digitalis, in heart disease in pregnancy, *1954:* Nov., 1749
in heart failure, congestive, *1954:* Nov., 1655
in aged, *1954:* Nov., 1773
in myocardial infarction, acute, *1954:* Jan., 14
in pulmonary edema in pregnancy, acute, *1954:* Nov., 1750
in rheumatic heart disease, *1954:* Nov., 1710
Digitoxin, in congestive heart failure, *1954:* Nov., 1655
in myocardial infarction, *1954:* Nov., 1671
Digoxin in congestive heart failure, *1954:* Nov., 1655
Di Guglielmo's disease, bone marrow findings in, *1956:* July, 1237
Dihydrostreptomycin, in otolaryngology, *1956:* Nov., 1811
in tuberculosis, *1954:* July, **1167–1176**; *1956:* Sept., 1283
reactions, *1954:* July, 1171; *1955:* Jan., **111–124**, May, 902
Dihydrotachysterol, in hypoparathyroidism, *1955:* July, 1168
uses and dosage, *1955:* July, 1220
Diiodohydroxyquin in amebiasis, *1956:* March, 531
Dilantin sodium, in epilepsy, *1954:* March, 475
side effects, *1954:* Sept., 1341
Dilaudid for cancer pain, *1956:* Jan., 61
Dilution principle, in measurement of body fluids, *1955:* May, 625
Dimercaprol. See *BAL.*
Dipaxin as anticoagulant, *1955:* Jan., 227, 232, 233, 238
Diphenylhydantoin sodium. See *Dilantin sodium.*
Diphtheria immunization, *1954:* Sept., 1501
polyneuritis of, *1954:* Sept., 1328
Diplopia in diabetes, *1956:* Nov., 1643
Dipole theory of heart action, *1955:* May, 644
Diseases, two, combination in single patient, *1956:* Jan., **257–266**
Disk syndrome, backache in, *1954:* May, 666
diagnosis and management, *1955:* Sept., **1463–1482**; *1956:* Sept., **1441–1449**
Disulfiram. See *Antabuse.*
Diuretics, in liver disease, chronic, *1955:* Sept., 1413
mercurial, in congestive heart failure, *1954:* March, **431–435**, Nov., 1656
in aged, *1954:* Nov., 1774
mode of action, *1955:* May, 690
Diverticula, gastrointestinal, *1956:* Jan., **239–247**, March, **557–566**
Diverticulitis of colon, *1954:* Jan., 130
Diverticulum, Meckel's, *1956:* Jan., 243, March, 562

Dog bite, *1954:* Jan., 107
Drainage, postural, in bronchiectasis, *1954:* July, 1062
suction, in spontaneous pneumothorax, *1954:* July, 1069
Dressings, burn, *1956:* Sept., 1508
Drowning, *1954:* Jan., 58
Drugs, adverse effects, on blood and bone marrow, *1956:* July, **1077–1090**
allergy to, in infants and children, *1954:* Sept., 1270
associated with toxic reactions, tests of, *1956:* July, 1080, 1084, 1085, 1087
hepatitis from, *1956:* March, 421
idiosyncrasy to, oral lesions in, *1956:* Nov., 1745
new, efficacy of, symposium on, *1954:* March, **319–628**
reactions to, treatment, *1954:* Jan., 71
Ductus arteriosus, patent, *1954:* Nov., 1637
reverse, *1954:* Nov., 1639
Dumping syndrome, postgastrectomy, *1956:* March, 397
Duodenal drainage in gallbladder disease, *1956:* March, 478
Duodenobiliary drainage, diagnostic, *1956:* March, 446
Duodenum, carcinoma, cytodiagnosis in, *1955:* Jan., 271
diseases, x-ray diagnosis, *1954:* May, 812
diverticula, *1956:* Jan., 242, March, 560
stump, "blow-out," after gastric resection, *1956:* March, 396
tumors, benign, *1956:* March, **381–389**
Duplay's disease, *1955:* March, 578
Dwarfism, panhypopituitary, *1955:* July, 1201
Dysentery, amebic, treatment, *1956:* March, 527
Dyskinesia, biliary, *1954:* Sept., 1408; *1956:* March, 322, 478
postcholecystectomy, *1956:* March, 495
Dysmenorrhea, *1954:* Sept., 1419
endocrine therapy, *1955:* July, **1189–1197**
Dysplasia of hip, congenital, *1956:* Sept., 1424
Dyspnea, functional, *1954:* July, 1231
in congestive heart failure, *1954:* Jan., 7
in endocrine disease, *1955:* July, 1150
Dystocia, management, *1955:* Nov., 1763
Dystrophy, reflex, lower extremity, lumbar sympathetic block in, *1955:* Sept., 1513
upper extremity, stellate ganglion block in, *1955:* Sept., 1507

Ear, cough, reflex, *1954:* May, 715
diseases, *1954:* Sept., 1319
headache in, *1954:* May, 689
Ear, nose and throat, emergencies, *1954:* Jan., **241–263**
symposium on, *1956:* Nov., **1715–1815**
Earache, *1954:* Jan., 244
Eclampsia, *1955:* Nov., 1762
course, recognition and prevention, *1955:* Nov., **1781–1788**
kidney in, *1955:* July, 932
Ecthyma of vulva, *1955:* Nov. 1741
Ectasia, senile, *1956:* Jan., 45
Ectropion, *1956:* Nov., 1613, 1704
Eczema, herpeticum, *1955:* Sept., 1297
infantile. See *Dematitis, atopic, infantile.*
nutritional, in aged, *1956:* Jan., 47
of hands, *1955:* Sept., 1319
of nails, *1955:* Sept., 1326
vaccinatum, *1955:* Sept., 1298
Edema, angioneurotic, acute severe, treatment, *1954:* Jan., 69
complicating blood transfusion, *1956:* July, 1219
in liver disease, treatment, *1956:* March, 432, May, 902
in uremia, management, *1954:* Sept., 1452
pathogenesis and differential diagnosis, *1954:* May, **875–889**
pitting, in rheumatoid arthritis, *1955:* March, 375
post-thrombophlebitic, prevention and treatment, *1954:* Jan., 311
pulmonary, acute, in pregnancy, *1954:* Nov., 1750
treatment, *1956:* Sept., 1320
in acute renal failure, treatment, *1955:* July, 1062
in poliomyelitis, *1955:* Jan., 106
physiologic research in, *1954:* Nov., 1571
reduction, in anuric patients, *1955:* July, 1049
sodium retention and, *1955:* May, 684
Effort syndrome, *1954:* Sept., 1536, Nov., 1789
Egg sensitivity in atopic dermatitis in infants, *1955:* Sept., 1291
Electrocardiogram, in myocardial infarction, *1954:* Nov., 1591, 1595
in potassium intoxication and depletion, *1955:* Nov., 1589
in various electrical positions of heart, *1954:* Nov., 1586
Electrocardiography, recent advances, *1954:* Nov., 1583–1599
Electrolyte(s), body, distribution, *1955:* May, 624, 627
regulation, *1955:* May, 631
control, in acute renal failure, *1955:* July, 1050
defined, *1955:* May, 627
distribution, in gastrointestinal fluids, *1955:* May, 714
disturbances, in cancer, *1956:* May, 619

Electrolyte(s), disturbances, in diabetes mellitus, *1955:* Nov., **1587–1598**
in liver disease and hepatic coma, *1956:* May, **901–914**
metabolism, physiologic considerations, *1955:* May, **623–642**, 814
normal concentrations in body fluids, *1955:* May, 627
replacement, in chronic renal failure, *1955:* July, 1036
in diarrhea of young children, *1955:* Sept., 1434
in pyloric obstruction in peptic ulcer, *1955:* Sept., 1393
tests of renal function, *1955:* July, 952
Electron beam, betatron, *1956:* May, 798
Van de Graaf, *1956:* May, 795, 797
Electrophoresis for measuring plasma protein fractions, *1955:* May, 873
Electroshock therapy, outpatient, in psychoses, *1954:* Sept., **1363–1378**
Elorine sulfate in gastrointestinal disease, *1954:* March, 467
Embolectomy, in pulmonary embolism, *1954:* Jan., 43
Embolism, air, cerebral, from air injection into maxillary antrum, *1954:* Jan., 178
cerebral, anticoagulants in, *1956:* Sept., 1345, 1346
diagnosis, *1954:* May, 769
stellate ganglion block in, *1955:* Sept., 1509; *1956:* Sept., 1361
treatment, *1956:* Sept., **1355–1368**
prevention, in acute cor pulmonale, *1954:* Nov., 1689
pulmonary, anticoagulants in, *1956:* Sept., 1340
circulatory collapse due to, *1954:* Jan., 18
cor pulmonale due to, *1954:* Nov., 1686
prevention and emergency treatment, *1954:* Jan., 41
thrombosis and, differentiation, *1954:* Jan., 36
Emergencies in general practice, symposium on, *1954:* Jan., **1–297**
Emesis in poisonings, *1954:* Jan., 204
Emetine in amebiasis, *1956:* March, 531
Emotional problems of aged, *1956:* Jan., **11–19**, 30
Emotions, allergy, and, *1955:* May, 761
cancer and, *1956:* May, **705–720**
cardiac disturbances originating in, diagnosis, *1954:* Sept., **1535–1545**
diarrhea and, *1954:* May, 828
disturbances, effect on gastrointestinal tract, *1956:* March, 330
rheumatoid arthritis and, *1955:* March, **447–458**
Emphysema, in cancer patient, major surgery and, *1956:* May, 667
pulmonary, *1954:* July, **1051–1063**; *1956:* Jan., 84, **97–113**
cor pulmonale due to, physiologic aspects, *1954:* Nov., 1677
Emphysema, pulmonary, in asthma, control of, *1954:* July, 979
pathophysiology, *1955:* May, 674
treatment, *1954:* July, 1061
subcutaneous, and mediastinal, in thoracic injury, *1954:* July, 1186
periorbital, *1956:* Nov., 1605
Employees, industrial. See under *Industry.*
Encephalopathy, hypertensive, diagnosis, *1954:* May, 770
in glomerulonephritis in children, *1955:* July, 992
treatment in aged, *1956:* Jan., 200
Endocarditis, bacterial, drug therapy, *1954:* March, **385–397**
problem cases, *1954:* May, 915
in aged, *1954:* Nov., 1780
Endocrine disorders, and endocrine therapy, symposium on, *1955:* July, **1081–1227**
cardiovascular manifestations, *1955:* July, **1143–1151**
"polycythemia" and, *1956:* July, 1074
Endocrine products, natural and synthetic, clinical use, *1955:* July, **1209–1227**
Endocrine therapy, in advanced cancer, *1954:* Sept., 1285
in aged patient, *1956:* Jan., **135–144**
in amenorrhea, *1955:* July, **1189–1197**
in carcinoma, of breast, *1955:* July, **1181–1188**, 1221, 1227; *1956:* Jan., 57, May, **761–772**
of prostate, *1955:* July, **1181–1188**, 1222; *1956:* Jan., 142, 253
in dysfunctional uterine bleeding, *1955:* July, **1189–1197**
in dysmenorrhea, *1954:* Sept., 1429; *1955:* July, **1189–1197**
in lymphosarcoma, *1956:* May, 728
in menopause, *1955:* Nov., 1729
in menstrual disorders, *1955:* Nov., 1719
in purpuras in children, *1956:* July, 1200
in thrombocytopenic purpura, idiopathic, in adults, *1956:* July, 1189
Endometrium, studies, in menstrual disorders, *1955:* Nov., 1714
Endophthalmitis phakoanaphylactica, *1956:* Nov., 1684
Enteritis, staphylococcal, erythromycin in, *1955:* May, 910
Enterobiasis, treatment, *1956:* March, 533
Entropion, *1956:* Nov., 1613, 1704
Environmental causes of cancer in man, *1956:* May, **629–645**
Enzymatic débridement, of indolent, infected cutaneous ulcers, *1954:* March, **359–361**
of leg ulcers, *1955:* Sept., 1306

Enzymes, in thromboembolism, *1956:* Sept., 1352
pancreatic, *1956:* March, 284
in duodenal juice, as functional test, *1956:* March, 412
Eosinophils, circulating, test of adrenal function, *1955:* May, 820
Ephedrine in asthma, *1954:* July, 972; *1956:* Jan., 131
in children, *1954:* Sept., 1264, 1278
in cardiac arrhythmias, *1956:* Jan., 171
Epicanthus, ptosis with, *1956:* Nov., 1691
Epidermophytosis, radiation therapy, *1955:* Sept., 1277
Epidural abscess, spinal, acute, *1954:* Jan., 167
Epilation, x-ray, *1955:* Sept., 1275
Epilepsy, drug therapy, *1954:* March, **473–484**
control of side effects, *1954:* Sept., **1339–1350**
Epinephrine, in asthma, *1954:* July, 970; *1956:* Jan., 131
in children, *1954:* Sept., 1263
in cardiac arrhythmias, *1956:* Jan., 172
in Stokes-Adams attacks, *1955:* Sept., 1377
uses and dosage, *1955:* July, 1216
Epiphyseolysis, *1956:* Sept., 1430
Epistaxis, treatment, *1954:* Jan., 241, Sept., 1310
Epithelioma, *1956:* Jan., 42
basal cell, of vulva, *1955:* Nov., 1752
of eyelid, *1954:* Nov., 1705
treatment, *1956:* Jan., 44
Epithelitis, irradiation, *1956:* Nov., 1745
Eponychia, surgical treatment in office, *1955:* Sept., 1525
Equilibrium, normal and pathologic physiology, *1956:* Nov., 1788
Erosion of cornea, recurrent, *1956:* Nov., 1601
Erythema, palmar, in rheumatoid arthritis, *1955:* March, 372
Erythema multiforme, oral lesions, *1956:* March, 310, Nov., 1742
Erythrasma, of vulva, *1955:* Nov., 1743
treatment, *1955:* Sept., 1255
Erythroblastosis fetalis, management, *1956:* July, **1033–1043**
Erythrocytes, count, *1956:* July, 978
incorporation of radioactive iron into, *1956:* July, 997
mass, measurement, radiochromium in, *1956:* July, 1026
reticulated, count, *1956:* July, 979
sedimentation rate, in rheumatic fever, *1955:* May, 767
in rheumatoid arthritis, *1955:* May, 771
in children, *1955:* March, 473
in rheumatoid spondylitis, *1955:* March, 516
survival, measurement, radiochromium in, *1956:* July, 1026, Sept., 1535
Erythrocytes, volume determination, radiochromium in, *1956:* Sept., 1535
radiophosphorus in, *1956:* Sept., 1528
Erythroderma, universal, in lymphomas, *1956:* July, 1142
Erythroleukemia, bone marrow findings in, *1956:* July, 1237
Erythromycin, in amebiasis, *1956:* March, 530
in bacterial endocarditis, *1954:* March, 395
in infectious diseases, *1954:* March, **569–575**
in otolaryngology, *1956:* Nov., 1809
in staphylococcal enteritis, *1955:* May, 910
reactions, *1955:* Jan., **111–124**
Escape mechanisms, cardiac, *1956:* Jan., 161
Esophagitis, *1956:* March, **317–328**
Esophagoscopy in esophageal ulcer, *1956:* March, 319, 322
Esophagus, carcinoma, cytodiagnosis in, *1955:* Jan., 263
incidence and curability, *1956:* May, 585
diseases, x-ray diagnosis, *1954:* May, 808
diverticula, *1956:* Jan., 240, March, 557
foreign bodies in, *1954:* Sept., 1318
lymphosarcoma, *1956:* May, 733
ulcer, *1956:* March, **317–328**
varices, massive bleeding from, *1954:* Jan., 139
Esotropia, *1956:* Nov., 1696
cover test, *1956:* Nov., 1657
Estrogen therapy, in aged, *1956:* Jan., 141
in amenorrhea, *1955:* July, 1190
in atherosclerosis, *1955:* May, 860
in carcinoma of breast, *1955:* July, 1182, 1221; *1956:* Jan., 142, May, 667, 769
of prostate, *1955:* July, 1181, 1222; *1956:* Jan., 142, 253
in dysfunctional uterine bleeding, *1955:* July, 1191
in dysmenorrhea, *1954:* Sept., 1429; *1955:* July, 1194
in menopause, *1955:* Nov., 1729; *1956:* Jan., 143
in menstrual disorders, *1955:* Nov., 1719
in nephrolithiasis, *1955:* July, 1076
in osteoporosis, senile, *1956:* Jan., 142
in pruritus, senile, *1956:* Jan., 141
in refractory anemia in aged, *1956:* Jan., 144
in senility, *1956:* Jan., 143
in vaginitis, senile, *1956:* Jan., 141
uses and dosage, *1955:* July, 1220
Ether anesthesia in obstetrics, *1954:* Sept., 1442
Ethyl carbamate. See *Urethane.*

Ethyl vanillate in histoplasmosis, *1955:* Jan., 195
Ethyleninimes in cancer, evaluation, *1956:* May, 845
Eunuchoidal patient, noncastrated, prepuberal, *1955:* July, 1203
Eve's rocking method of artificial respiration, *1954:* Jan., 57
Examination, premarital, *1955:* Nov., **1773–1779**
Exchange resins. See *Resins.*
Exercises, in bursitis of shoulder, *1955:* Sept., 1487
in degenerative arthritis, *1956:* Jan., 75
in obesity, *1955:* Nov., 1707
in painful shoulder, *1955:* March, 571, 572
in preparation for natural childbirth, *1955:* Nov., 1791
in rheumatoid arthritis, *1955:* March, 399, 400
in children, *1955:* March, 476
Exophthalmos, malignant, treatment, *1955:* Jan., 62
Exotropia, *1956:* Nov., 1697
cover test, *1956:* Nov., 1661
Expectorants, in asthma, *1954:* July, 974
in children, *1954:* Sept., 1278
in cough, *1954:* July, 957, 958
in pulmonary emphysema, *1956:* Jan., 105
Exsanguinotransfusion in prevention of acute renal failure, *1955:* July, 1046
Extrasystoles, auricular, *1956:* Jan., 163
mechanism, *1955:* May, 647
treatment, *1956:* Sept., 1314
ventricular, *1956:* Jan., 167
Extremities, occlusive diseases, *1956:* Jan., 205
vascular disease in, diagnostic tests, *1954:* May, **781–794**
Exudates, retinal, in diabetes, *1955:* Nov., 1672
Eye(s), baggy pouches under, *1956:* Nov., 1615
blood vessels, arteriosclerosis of, *1956:* Nov., **1623–1640**
burns, *1954:* Jan., 241
actinic, *1956:* Nov., 1606, 1619, 1676
chemical, *1956:* Nov., 1606, 1615, 1620, 1676
dark circles under, *1956:* Nov., 1615
development, normal, in children, *1956:* Nov., 1653
diseases, for general practitioner, *1956:* Nov., **1573–1714**
headache in, *1954:* May, 689
emergencies, *1954:* Jan., **225–240**
enucleation, in adults, *1956:* Nov., 1714
in children, *1956:* Nov., 1700
examination, for corneal disease, *1956:* Nov., 1665
functional, *1956:* Nov., **1575–1594**
foreign bodies in, *1954:* Jan., 236; *1956:* Nov., 1597
Eye(s), foreign body sensation in, *1956:* Nov., 1668
fundus, changes in, in blood diseases, *1956:* July, **1209–1216**
in diabetes, *1956:* Nov., **1641–1652**
injuries, *1954:* Jan., 236
first aid in, *1956:* Nov., **1595–1608**
instruments and drugs employed in, *1956:* Nov., 1596
involvement, in connective tissue disease, *1955:* March, 336
in Reiter's syndrome, *1955:* March, 592
in rheumatoid arthritis, *1955:* March, 374
lymphosarcoma, *1956:* May, 730
muscle paralysis, in adults, *1956:* Nov., 1707
painful, *1954:* Jan., 232
red, *1954:* Jan., 226
surgery, what general practitioner should know about, *1956:* Nov., **1689–1714**
Eyeball, contusions, *1956:* Nov., 1603
foreign bodies in, *1956:* Nov., 1605
pressure, in paroxysmal atrial tachycardia, *1955:* Sept., 1369
testing, *1956:* Nov., 1592
Eyelid(s), burns, chemical, *1956:* Nov., 1615
contusions, *1956:* Nov., 1615
elevated nodules on, *1956:* Nov., 1616
inflammations, *1956:* Nov., **1609–1622**
lacerations, *1954:* Jan., 238; *1956:* Nov., 1602, 1615
ptosis, congenital, *1956:* Nov., 1689
surgical lesions, in adults, *1956:* Nov., 1704
swellings, orbital fat, *1956:* Nov., 1616
upper, foreign bodies under, *1956:* Nov., 1597
xanthelasma, *1956:* Nov., 1616

Face, injuries, *1954:* Jan., 258
pain in, *1954:* Jan., 249
Fainting. See *Syncope.*
Fallot, tetralogy of. See *Tetralogy of Fallot.*
Family planning, *1955:* Nov., 1777
Fanconi syndrome, *1955:* May, 692, 894
Fasciolopsiasis, treatment, *1956:* March, 537
Fat, metabolism, *1955:* May, **845–862**
requirements in aged, *1954:* Sept., 1490
Feces, impaction, in acute renal failure, treatment, *1955:* July, 1065
Feeding, intravenous, in chronic liver disease, *1955:* Sept., 1404
tube, in chronic liver disease, *1955:* Sept., 1404
Felon, office surgery, *1955:* Sept., 1527
Femur, epiphysis, capital, osteochondrosis of, *1956:* Sept., 1426
fractures, in auto crash, *1954:* Jan., 84
slipped, *1956:* Sept., 1430

Fever, differential diagnosis, *1954:* May, **891–904**
in poliomyelitis, treatment, *1955:* Jan., 107
in rheumatoid arthritis, *1955:* March, 370
in children, *1955:* March, 466
of uncertain origin, cancer and, *1956:* May, 922
present status of problem, *1954:* May, **891–904**
Fever blister, *1956:* Nov., 1736
Fibrinogen, deficiency, *1956:* July, 1176, 1179
in postpartum hemorrhage, *1954:* Jan., 268, 274
determination, in liver disease, *1955:* May, 724
Fibroma, of gingiva, *1956:* March, 311, 312
of stomach or duodenum, *1956:* March, 386
of vulva, *1955:* Nov., 1751
Fibrosarcoma, intraoral, *1956:* March, 313, 314
Fibrosis, of sphincter of Oddi, postcholecystectomy, *1956:* March, 493
pulmonary, diagnosis and treatment, *1954:* July, **1009–1018**
functional tests in, *1954:* July, 1234
pathophysiology, *1955:* May, 676
senile, of retinal arterioles, *1956:* Nov., 1636
Fibrositis, back pain from, *1954:* May, 664
clinical and therapeutic aspects, *1955:* Sept., **1489–1491**
primary, and psychogenic rheumatism, *1955:* March, 602
secondary, *1956:* Jan., 68, 70
Fick principle and formula for cardiac output, *1955:* May, 649
Filtration, renal, measurements, *1955:* July, 949
Fishback's operation for chronic suppurative sinusitis, *1955:* Sept., 1459
Fissures, anal, treatment, *1955:* Sept., 1535
of hands, *1955:* Sept., 1322
of nails, *1955:* Sept., 1326
Fistula, anal, office treatment, *1955:* Sept., 1544
arteriovenous, pulmonary, *1954:* Nov., 1645
biliary, postcholecystectomy, *1956:* March, 490
Flash burns of eye, *1956:* Nov., 1606
Fluid(s), administration, in acute renal failure, *1955:* July, 1049
in chronic renal failure, *1955:* July, 1037
in diabetes mellitus, *1955:* Nov., **1587–1598**
in diarrhea of young children, *1955:* Sept., 1432
in intestinal obstruction, *1956:* March, 523
Fluid(s), administration, in pyloric obstruction in peptic ulcer, *1955:* Sept., 1393
balance, physiologic considerations, *1955:* May, **623–642**
body, distribution, *1955:* May, 624
regulation, *1955:* May, 631, 636
intake and output, as test of cardiac function, *1955:* Jan., 36
liberal, in urolithiasis prevention, *1955:* Jan., 285
Fluorohydrocortisone, in Addison's disease in aged, *1956:* Jan., 138
in adrenal virilism, *1956:* Sept., 1267
Fluoroscopy, protection of physician and patient, *1956:* May, 652
Focal seizures, *1954:* May, 697
Foci of infection, removal, in rheumatoid arthritis, *1955:* March, 402
Folic acid, antagonists, in leukemia, *1955:* Jan., 202, 205, 206, 208; *1956:* May, 753, July, 1113
deficiency, anemia due to, *1955:* May, 742
treatment, *1956:* Sept., 1484
Folliculitis, pustular, of vulva, *1955:* Nov., 1741
Food allergy, oral lesions, *1956:* Nov., 1746
skin tests in, *1955:* May, 762
Foot, disorders, common, *1956:* Sept., 1417
drop, bilateral, with diabetes mellitus, *1955:* Jan., 8
weak, spastic and rigid, *1956:* Sept., 1421
Fordyce disease, *1956:* March, 306
Foreign body, aspiration of, *1954:* Jan., 51
in air passages, *1954:* Jan., 251
in bronchus, *1954:* July, 1040
in esophagus, *1954:* Sept., 1318
in eye, *1954:* Jan., 236; *1956:* Nov., 1597
in tracheobronchial tree, *1954:* Sept., 1318
intraocular, *1956:* Nov., 1605
sensation, in eye, *1956:* Nov., 1668
Foreign surface theory of stone formation, *1955:* Jan., 292
Fractures, general, in auto crash, *1954:* Jan., 93
of mandible, *1954:* Jan., 259
of nose, *1954:* Jan., 262
of orbit, *1956:* Nov., 1605
of pelvis and femur, in auto crash, *1954:* Jan., 84
of skull, in auto crash, *1954:* Jan., 91
of spine, in auto crash, *1954:* Jan., 91, 92
of zygoma, *1954:* Jan., 260
Franconi's syndrome, bone marrow findings in, *1956:* July, 1227
Friedländer's pneumonia, *1954:* May, 737, July, 984
Frozen shoulder, *1955:* Sept., 1486

Fructose, use, in diabetes, *1955:* May, 842
Fumagillin in amebiasis, *1956:* March, 529
Function, tests, liver, *1956:* March, 438
pancreatic, *1956:* March, 408
pulmonary, clinical applications, *1954:* July, **1227–1238**
Fundus, ocular, changes in, in blood diseases, *1956:* July, **1209–1216**
Fungus infections, of skin, treatment, *1954:* Sept., **1301–1308**; *1955:* Sept., 1255
of vulva, *1955:* Nov., 1743
problem cases, *1954:* May, 917
Furadantin in urinary infections, *1955:* Jan., 290; *1956:* Sept., 1549

GALACTOSE tolerance test of liver function, *1956:* March, 441
Gallbladder, diseases, diarrhea and bloody stools in, *1954:* May, 819
in aged, *1956:* Jan., 229
management, *1956:* March, **475–484**
x-ray diagnosis, *1954:* May, 814
inflammation. See *Cholecystitis.*
Gallop rhythm, *1956:* Jan., 171
Gallstones, intestinal obstruction due to, *1954:* Jan., 129
silent, *1954:* Sept., 1407
Gamma globulin. See under *Globulin.*
Ganglionic blocking agents in hypertension, *1956:* Sept., 1332
Gas bacillus infection, *1954:* Jan., 112
Gas exchange, respiratory, *1955:* May, 661, 667
tests of, *1955:* Jan., 144
Gases, noxious, inhalation of, *1954:* Jan., 59
Gastrectomy, anemia after, treatment, *1956:* Jan., 149
subtotal, undesirable sequelae, *1956:* March, **391–402**
Gastric. See also *Stomach.*
Gastric analysis, tubeless, *1955:* May, 701
Gastritis, differential diagnosis and treatment, *1956:* March, **343–352**
Gastrointestinal function in health and disease, *1955:* May, **999–718**
Gastrointestinal hemorrhage, massive, *1954:* Jan., 137
Gastrointestinal juices, output per 24 hours, *1955:* May, 714
Gastrointestinal motility, *1955:* May, 704
alterations in disease, *1955:* May, 706
clinical methods of study, *1955:* May, 706
Gastrointestinal tract, diseases, anticholinergic drugs in, *1954:* March, **459–471**
diarrhea and bloody stools in, *1954:* May, 817
in aged, *1956:* Jan., **223–237**
Gastrointestinal tract, diseases, x-ray diagnosis, *1954:* May, 808
symposium on, *1956:* March, **271–566**
diverticula, *1956:* Jan., **239–247**, March, **557–566**
effect of nervous disorders on, *1955:* May, 717
functional disorders, *1956:* March, **329–341**
lymphosarcoma, *1956:* May, 733
physiology, *1956:* March, **273–290**
Gastroscopy, *1956:* March, 344
Gaucher's disease, bone marrow findings in, *1956:* July, 1240
liver and spleen in, *1954:* May, 862
Gemonil in epilepsy, *1954:* March, 482
Generators, x-ray, *1956:* May, 792
Genetics, principles, *1955:* March, 499
Genitocrural regions, seborrheic dermatitis of, *1955:* Sept., 1252
Genitourinary tract, lymphosarcoma, *1956:* May, 737
Gentian violet, in enterobiasis, *1956:* March, 533
in fasciolopsiasis, *1956:* March, 537
Geriatrics, symposium on, *1956:* Jan., **1–266**
German measles, immunization, *1954:* Sept., 1529
Giardiasis, treatment, *1956:* March, 532
Gingivae, diseases, *1956:* March, 300, 302, 303
Glaucoma, infantile, *1956:* Nov., 1700
narrow angle, acute, *1954:* Jan., 230
primary, *1956:* Nov., 1707
testing for, *1956:* Nov., 1593
Globulin, gamma, body content and daily turnover, normal and abnormal, *1955:* May, 730
in prevention of infectious hepatitis, *1956:* Sept., 1466
of poliomyelitis, *1954:* Sept., 1525
metabolism, in liver disease, *1955:* May, 727
in blood, deficiency of, *1955:* May, 878
excess of, *1955:* May, 876
Glomerular dysfunction, *1955:* May, 682
Glomerular filtration rate, *1955:* May, 682, July, 949
Glomerular-tubular imbalance, *1955:* May, 693
Glomerulonephritis, acute, causes and treatment, *1955:* July, 1045
diffuse, *1955:* July, 924
hemorrhagic, *1955:* July, 976
treatment, *1955:* July, 982
pathogenesis, *1955:* May, 695
chronic, *1955:* July, 927, 983
pathogenesis, *1955:* May, 696
treatment, *1955:* July, 986
focal, *1955:* July, 928
in adults, *1955:* July, **975–989**
in children, *1955:* July, **991–994**
laboratory findings, *1955:* July, 980, 985
pathology, basic, *1955:* July, 924

Glomerulonephritis, plasma and urinary proteins in, *1955:* July, 1016
subacute, *1955:* July, 927
Glomerulopathy, membranous, pathology, basic, *1955:* July, 929
Glomerulosclerosis, intercapillary, *1955:* July, 929, 1001, Nov., 1675, 1696
pathogenic and clinical features and treatment, based on study of 100 cases, *1955:* July, **1001–1013**
plasma and urinary proteins in, *1955:* July, 1021
Glomerulosis, membranous, *1955:* July, 931
Glossitis, *1956:* March, 306, 308
functional, *1956:* March, 331
migratory, *1956:* Nov., 1740
Glucose tolerance test, for intestinal malabsorption, *1955:* May, 711
in diabetes, *1955:* May, 841, Nov., 1572, 1580
of pancreatic function, *1956:* March, 409
Glycogen storage disease, biochemical abnormalities in, *1955:* May, 836
Glycolysis, *1955:* May, 832
Glycosuria, renal, *1955:* May, 692
Goiter, nodular, toxic, in aged, treatment, *1956:* Jan., 137
toxic. See *Hyperthyroidism.*
Gold, colloidal, radioactive, intracavitary, in treatment of malignant pleural effusion, *1954:* July, **1133–1138**
in rheumatoid arthritis, *1955:* March, 401
in children, *1955:* March, 479
results shown by serial joint x-rays, *1955:* March, 440
radioactive, *1956:* May, 801, 804
in carcinoma of prostate, *1956:* Jan., 255, Sept., 1531
in metastatic carcinoma, *1954:* Sept., 1285
uses in medicine, *1956:* Sept., 1531
Gonadotropin, in menstrual disorders, *1955:* Nov., 1720, 1721
in testicular hypofunction, *1955:* July, 1202
uses and dosage, *1955:* July, 1212
Goniopuncture for infantile glaucoma, *1956:* Nov., 1702
Goniotomy for infantile glaucoma, *1956:* Nov., 1701
Gonorrhea, erythromycin in, *1954:* March, 572
Gout, diagnosis and treatment, *1955:* Jan., **307–318**, March, **543–561**, May, 775, 778
heredity in, *1955:* March, 501
metabolic defect of, *1955:* March, **529–542**
pathogenesis, *1955:* March, 538
phenylbutazone in, *1954:* March, **611–624**; *1955:* Jan., 209, March, 549, 551, May, 778
Gout, urinary stone formation in, *1955:* Jan., 286
Grafts, skin, in burns, *1956:* Sept., 1509
Grand mal seizures, *1954:* May, 695
Granuloma of lung, *1955:* Jan., 164
lipoid, *1954:* July, **989–996**
Granulomatous lesions in aspirated bone marrow, *1956:* July, 1242
Graves' disease, pathogenesis, *1955:* May, 807
Guillain-Barré syndrome, *1954:* Sept., 1327
Gums. See *Gingivae.*
Gynecology in general practice, symposium on, *1955:* Nov., **1711–1815**

HAIR, effect of x-rays on, *1955:* Sept., 1270
Halitosis, *1956:* March, 300
Hands, dermatitis, and analogous disorders of nails, *1955:* Sept., **1317–1329**
Hanging, *1954:* Jan., 58
Hart's syndrome, *1955:* May, 692
Hay fever, antihistamines in, *1956:* Nov., 1813
diagnosis and treatment, *1956:* Nov., 1717, 1719
in infants and children, *1954:* Sept., 1265, 1267
Head, carcinoma, detection and early diagnosis, *1954:* May, 649
injuries, closed, diagnosis and treatment, *1956:* Sept., 1369
delirium in, treatment, *1956:* Sept., 1394
lymphosarcoma, *1956:* May, 730
Headache, *1954:* May, **673–692**
due to lesions of teeth, ears, eyes, nose or neck, *1954:* May, 688
due to sustained muscular contraction, *1954:* May, 686
migrainous, *1954:* May, 682
varieties and their mechanism, *1954:* May, **673–692**
vascular, *1954:* May, 682
tissue damage during, *1955:* May, 793
Health, consultation, periodic, in industry, *1956:* Jan., 24
maintenance, in old age, *1956:* Jan., 7
programs for older workers, *1956:* Jan., 29
Hearing aids, *1956:* Nov., 1777
Hearing loss, *1956:* Nov., **1771–1780**. See also *Deafness.*
Heart, aging, physiologic, *1956:* Jan., 158
anomalies, diagnosis and treatment, *1954:* Nov., **1635–1648**
arrest, treatment, *1956:* Sept., 1318
arrhythmias. See *Arrhythmias.*
beat, reflex inhibition of, syncope due to, *1954:* Jan., 22
block, mechanism, *1955:* May, 649
treatment, *1955:* Sept., 1377
catheterization, in study of normal and diseased heart, *1954:* Nov., **1617–1634**

Heart, disease, anesthesia in relation to, *1954:* Nov., **1733–1739**
anxiety and, *1954:* Nov., 1796
cardiac catheterization in, *1954:* Nov., **1617–1634**
congenital, *1954:* Nov., **1635–1648**
cardiac catheterization in, *1954:* Nov., 1621
physiologic research in, *1954:* Nov., 1566
coronary. See *Coronary artery disease.*
emergencies in, *1954:* Jan., **7–28**; *1956:* Sept., **1313–1323**
functional, *1954:* Nov., 1789
gallbladder disease complicating, *1956:* March, 482
home care, rehabilitation and placement in injury in, *1954:* Nov., **1785–1788**
in aged persons, *1954:* Nov., **1767–1784**
in cancer patient, major surgery and, *1956:* May, 661
in diabetes, incidence, *1955:* Nov., 1617
in pregnancy, *1955:* Nov., 1767
management, *1954:* Nov., **1741–1755**
pain of, differentiation from noncardiac chest pain, *1954:* May, **743–751**
polycythemia in, *1956:* July, 1062
psychosomatic, *1954:* Nov., **1789–1800**
pulmonary, *1954:* Nov., **1675–1692**
rheumatic, *1954:* Nov., **1705–1716**
ACTH and cortisone in, *1955:* March, 359
salicylates in, *1955:* March, 361
roentgenologic aspects, *1954:* Nov., **1575–1581**
with embolization, anticoagulants in, *1956:* Sept., 1341, 1345
shock due to, *1954:* Jan., 16
symposium on, *1954:* Nov., **1561–1800**
syncope in, management, *1954:* Jan., 22
thyrotoxicosis and, *1955:* Jan., 62
traumatic, circulatory collapse in, *1954:* Jan., 20
valvular, rheumatic, cardiac catheterization in, *1954:* Nov., 1629
disturbances, of emotional origin, diagnosis, *1954:* Sept., **1535–1545**
failure, congestive, *1954:* Nov., **1649–1658**
cation exchange resins in, *1954:* March, **419–430**
clinical features, *1954:* Nov., **1651**
dyspnea from, management, *1954:* Jan., 7
edema of, *1954:* May, 883
functional tests in, *1955:* Jan., **31–37**
Heart, failure, congestive, in acute renal failure, treatment, *1955:* July, 1061
in aged, management, *1954:* Nov., 1769; *1956:* Jan., **185–194**
in chronic uremia, treatment, *1954:* Sept., 1457
mercurial diuretics in, *1954:* March, **431–435**
physiologic research in, *1954:* Nov., 1568
radioactive iodine in, *1956:* Sept., 1526
treatment, *1954:* Nov., 1654; *1956:* Sept., 1320
physiologic and hemodynamic alterations in, *1955:* May, 651
terminal, shock in, *1954:* Jan., 21
functional disturbances, diagnosis, *1954:* Sept., **1535–1545**
functional tests, application of, *1955:* Jan., **31–37**
irritable, *1954:* Nov., 1789
lymphosarcoma, *1956:* May, 732
mechanism, disturbances in aged, *1956:* Jan., **153–175**
basic science review, *1956:* Jan., 153
metabolism, new knowledge of, *1954:* Nov., 1570
muscle, properties of, *1955:* May, 643
myxedema, *1955:* July, 1147
output, measurements, *1955:* May, 649
pain from, management, *1954:* Jan., 11
of emotional origin, *1954:* Sept., 1542, Nov. 1789
physiology, *1955:* May, **643–659**
senile, normal, *1954:* Nov., 1767
size, alterations, in endocrine disease, *1955:* July, 1147
Starling's law, *1955:* May, 652
tamponade, treatment, *1954:* Jan., 19
Heat as carcinogen, *1956:* May, 640
Heberden's nodes, *1956:* Jan., 63
heredity in, *1955:* March, 502
Heel spur, treatment, *1956:* Sept., 1422
Hemagglutination test for rheumatoid arthritis, *1955:* March, **379–391**, May, 771
Hemangioma, of tongue, *1956:* March, 312
radiation therapy, *1955:* Sept., 1278
Hematologic. See *Blood.*
Hematology, office, laboratory procedures for use in, *1956:* July, **977–982**
radioactive iron in, *1956:* July, **993–1004**
radiochromium in, *1956:* July, **1025–1031**
Hematoma, intracerebral, headache and, *1954:* May, 678
subcortical, diagnosis, *1954:* May, 766
subdural, *1956:* Sept., 1364
headache and, *1954:* May, 677
Hematopoiesis after hypophysectomy *1956:* May, 781

Hematuria, *1954:* Jan., 296
in acute glomerulonephritis, *1955:* July, 979, 980
in glomerulonephritis in children, *1955:* July, 991
in hypertensive renal disease, *1955:* July, 1033
Hemiplegia, rehabilitation in, with physical therapy, *1955:* Sept., **1493–1501**
Hemoglobin determination, *1956:* July, 978
Hemoglobinuria, cold and nocturnal, paroxysmal, *1955:* May, 747
Hemolytic disease of newborn, laboratory diagnosis, *1956:* July, 1035
management, *1956:* July, 1038
Hemolytic reactions to blood transfusion, *1956:* July, 1220
Hemopneumothorax, treatment, *1954:* Jan., 54
Hemoptysis, *1954:* July, **945–948**
Hemorrhage, cerebral, diagnosis, *1954:* May, 765
thrombosis and, differentiation, *1954:* Jan., 44, May, 771
treatment, *1956:* Sept., **1355–1368**
from gums, *1956:* March, 300
from peptic ulcer, *1956:* March, **371–380**
gastric, in poliomyelitis, treatment, *1955:* Jan., 107
gastrointestinal, detection and quantitation with radioactive iron, *1956:* July, 1001
diagnosis, *1955:* May, 716
massive, *1954:* Jan., 137
in late pregnancy, *1955:* Nov., 1760
in liver disease, chronic, treatment, *1955:* Sept., 1414; *1956:* March, 433
in peptic ulcer, treatment, *1955:* Sept., 1394
menstrual, quantitation with radioactive iron, *1956:* July, 1002
obstetric, *1954:* Jan., **265–277**
postpartum, *1954:* Jan., 265
thyro-adrenal-ovarian anterior pituitary deficiency of, *1955:* July, 1177
pulmonary, treatment, *1954:* Jan., 47
retinal, in blood diseases, *1956:* July, 1209, 1212
in diabetes, *1955:* Nov., 1671
subarachnoid, diagnosis, *1954:* May, 767
headache in, *1954:* May, 680
subconjunctival, *1956:* Nov., 1620
uterine. See *Uterus, hemorrhage from.*
Hemorrhagic disorders, clinical consideration, *1956:* July, **1173–1185**
Hemorrhoids, injection treatment, *1955:* Sept., 1535
office management, *1955:* Sept., 1546
Hemosiderosis of liver, *1954:* May, 861
Hemostasis, normal, *1956:* July, **1173–1185**
Hemothorax in thoracic injury, *1954:* July, 1187, 1188
Henoch-Schönlein purpura, *1956:* July, 1178, 1181
Heparin, as anticoagulant, *1955:* Jan., 227, 228, 237; *1956:* Sept., 1339, 1350
in atherosclerosis, *1955:* May, 860
in cor pulmonale, acute, *1954:* Nov., 1690
in coronary heart disease, *1954:* March, 408, Nov., 1668
in deep vein thrombosis, *1954:* Jan., 307
Hepatic coma, treatment, *1956:* Sept., 1461
Hepatitis, *1956:* March, **417–423**
acute and subacute, *1954:* May, 865
treatment, *1956:* Sept., **1451–1472**
amebic, *1954:* May, 870
chronic, *1954:* May, 866
treatment, *1956:* Sept., 1463
diagnosis, *1954:* May, 863, 864, 865, 866, 870
drug, *1956:* March, 421
in poliomyelitis, *1955:* Jan., 107
infectious, *1954:* May, 863
prophylaxis, *1956:* Sept., 1466
treatment, *1956:* Sept., **1451–1472**
postcholecystectomy, *1956:* March, 493
syphilitic, *1954:* May, 863, 870
toxic, *1954:* May, 863
viral, *1954:* May, 864
ACTH and cortisone in, *1955:* Jan., 90
diabetes mellitus and, *1955:* Nov., **1685–1691**
immunization, *1954:* Sept., 1523
in pregnancy, *1956:* Sept., 1465
relation to hepatitis in newborn, *1956:* March, 419
prophylaxis, *1956:* Sept., 1466
treatment, *1956:* March, 471, Sept., **1451–1472**
Hepatojugular reflex in testing cardiac function, *1955:* Jan., 34
Hepatolenticular degeneration, *1955:* May, 692
Hepatolienography, *1954:* May, 805
Hepatomegaly, differential diagnosis, *1954:* May, **857–874**
in rheumatoid arthritis in children, *1955:* March, 465
Hepatorenal syndrome, renal failure in, *1955:* July, 1046
Heredity, in allergic reaction, *1955:* May, 754
in arthritis, *1955:* March, **499–508**
Hernia, strangulated, intestinal obstruction due to, *1954:* Jan., 127
Herniation of intervertebral disk. See *Intervertebral disk.*
Herpes, of vulva, *1955:* Nov., 1744
simplex, of cornea, *1956:* Nov., 1672
oral, *1956:* Nov., 1736
zoster, nerve block in, *1955:* Sept., 1517
neuropathy in, *1954:* Sept., 1329

Herpes zoster, ophthalmicus, *1956:* Nov., 1672
oral lesions, *1956:* Nov., 1737
Hetrazan, in ascariasis, *1954:* March, **591–597**
Hexamethonium in hypertension, *1954:* March, 365, Nov., 1723; *1956:* Sept., 1332
in aged, *1956:* Jan., 199
of acute renal failure, *1955:* July, 1061
in hypertensive encephalopathy, *1956:* Jan., 201
Hibicon in epilepsy, *1954:* March, 477
Hidradenitis suppurativa, *1955:* Sept., 1544
of vulva, *1955:* Nov., 1741
Hip, disorders, in children, treatment, *1956:* Sept., 1424
dysplasia, congenital, *1956:* Sept., 1424
osteoarthritis, heredity in, *1955:* March, 503
treatment, *1954:* Sept., 1482
synovitis, congenital, *1956:* Sept., 1426
Hippuric acid test of liver function, *1956:* March, 441
Hirschberg method for squint, *1956:* Nov., 1655
Histamine, antagonists. See *Antihistaminic drugs.*
in allergy, *1955:* May, 758
in cerebral thrombosis, *1956:* Sept., 1362
test, for hydrochloric acid secretion, *1955:* May, 700
for pheochromocytoma, *1955:* July, 1106
for vertigo, *1956:* Nov., 1789
Histoplasmin skin test, *1955:* Jan., 180
Histoplasmosis, clinical, epidemiological and laboratory aspects, *1955:* Jan., **171–199**
of lung, diagnosis, *1954:* May, 740
Hives. See *Urticaria.*
HN2. See *Nitrogen mustard.*
Hoarseness, *1956:* Nov., **1725–1733**
Hodgkin's disease, bone marrow findings in, *1956:* July, 1237
cutaneous manifestations, *1956:* July, 1143
in aged, palliative therapy, *1956:* Jan., 140
liver and spleen in, *1954:* May, 870
neurologic manifestations, *1956:* July, **1151–1161**
survival, long-term, *1956:* May, 673
treatment, *1954:* March, 547; *1956:* July, **1133–1140**
Holger-Nielsen method of artificial respiration, *1954:* Jan., 56
Home care in cardiovascular disease, *1954:* Nov., **1785–1788**
Hookworm infection, treatment, *1956:* March, 535
Hordeolum, *1956:* Nov., 1610
Hormones. See also *Endocrine.*
and allergic reaction, *1955:* May, 759
Hormones, as carcinogens, *1956:* May, 640
assays in menstrual disorders, *1955:* Nov., 1715
sex, female. See *Estrogen.*
Horns, cutaneous, *1956:* Jan., 41
Hospitalization, psychiatric, *1954:* Jan., 156
Human bite wounds, *1954:* Jan., 106
Hyaluronidase in nephrolithiasis, *1955:* July, 1077
Hydergine in hypertension, *1954:* Nov., 1726
Hydralazine in hypertension, *1954:* March, 367, 372, Nov., 1724; *1956:* Sept., 1330
Hydrochloric acid secretion, *1955:* May, 699
clinical tests, *1955:* May, 700
Hydrocortisone, *1955:* May, 813
in adrenal insufficiency, *1955:* Jan., 71, May, 823; *1956:* Sept., 1271, 1274
in arthritis, rheumatoid, *1955:* March, 410
in children *1955:* March, 480
oral use, *1954:* March, **337–347**
in dermatitis, atopic, in infants, *1955:* Sept., 1294, 1297
in dermatology, *1954:* March, **321–336**; *1955:* Sept., 1248
in gout, *1955:* March, 550
in leukemia, acute, in children, *1955:* Jan., 204, 206, 208
in lymphomas and leukemia, *1956:* Jan., 140, May, 729, 748, July, 1113
in painful shoulder, *1955:* March, 572
in rheumatic disease, intra-articular use, *1954:* March, **349–537**; *1955:* March, **413–437**; *1956:* Jan., 78
in spondylitis, rheumatoid, *1955:* March, 524
in stress in aged, *1956:* Jan., 139
in vasomotor rhinitis, *1955:* Sept., 1448, 1449
in thrombocytopenic purpura, idiopathic, *1956:* July, 1191
in uveitis, *1956:* Nov., 1685
in Waterhouse-Friderichsen syndrome, *1955:* July, 1113
relation to infection, *1955:* Jan., **81–94**
uses and dosage, *1955:* July, 1214
Hydrohepatosis, *1954:* May, 860
Hydrops of labyrinth, *1956:* Nov., 1794, 1797
11-Hydroxyandrostenedione in Addison's disease, *1956:* Sept., 1274
Hymenolepis nana infections, treatment, *1956:* March, 536
Hyoscine. See *Scopolamine.*
Hyperabduction syndrome, *1955:* March, 582
Hyperadrenalism, *1955:* May, 824
Hyperadrenocortism, treatment, *1956:* Sept., 1262
Hyperaldosteronism, diagnosis and treatment, *1956:* Sept., 1268

Hyperbilirubinemia, physiologic, *1954:* May, 854
Hypercalcemia, *1955:* May, 895
in cancer, *1956:* May, 621
clinical aspects and management, *1956:* May, **857–870**
in hyperparathyroidism, *1955:* July, 1160
keratopathy of, *1956:* Nov., 1677
renal impairment in, *1956:* May, 617
Hypercholesterolemia, *1955:* May, **845–862**
Hyperglobulinemias, *1955:* May, 876
Hyperglycemia in cancer, *1956:* May, 615, 893
Hyperhidrosis, radiation therapy, *1955:* Sept., 1278
Hyperlipemia, *1955:* May, 850
Hypermenorrhea, *1955:* Nov., 1713
Hyperparathyroidism, *1955:* May, 889, July, **1153–1165**
in aged, treatment, *1956:* Jan., 137
urinary calculi in, *1954:* Sept., 1464; *1955:* Jan., 286
Hyperpigmentation in rheumatoid arthritis, *1955:* March, 372
Hyperpituitarism, *1955:* July, 1171
Hyperpotassemia in acute renal failure, treatment, *1955:* July, 1050
Hyperproteinemia, renal impairment in, *1956:* May, 617
Hypersplenism, *1954:* May, 872
primary, bone marrow findings in, *1956:* July, 1230
Hypertension, anxiety and, *1954:* Nov., 1797
arterial, headache and, *1954:* May, 687
arteriosclerotic, *1956:* Jan., 201
asymptomatic, management, *1956:* Sept., 1326
causes, differential diagnosis, *1954:* May, **753–764**
classification, *1956:* Nov., 1625
essential, combined with other disease, *1956:* Jan., 258
diagnosis, *1954:* May, 755
treatment, *1956:* Sept., **1325–1337**
in aged, *1956:* Jan., 196
in acute renal failure, treatment, *1955:* July, 1061
in aged, treatment, *1954:* Nov., 1780; *1956:* Jan., **195–202**
in diabetes, incidence, complications and management, *1955:* Nov., 1614, **1631–1642**
in endocrine disease, *1955:* July, 1143
in intercapillary glomerulosclerosis, *1955:* July, 1005
in kidney disease, *1954:* May, 758
in pheochromocytoma, *1954:* May, 760; *1955:* July, 1103, 1104, 1105, 1145
in poliomyelitis, *1955:* Jan., 106
kidney in, *1955:* July, **1027–1034**
malignant, plasma and urinary proteins in, *1955:* July, 1021
pathologic physiology, *1955:* May, 654
Hypertension, pentapyrrolidinium in, *1954:* March, 365, 372
portal, in cirrhosis, mechanism, *1953:* Jan., 96
role in production of ascites, *1955:* May, 724
Rauwolfia in, *1954:* March, 365, 370, 372, Nov., 1725
retinal arteriolar signs, *1956:* Nov., 1626
salt restriction in, *1954:* March, 368, Nov., 1727
sympathectomy for, *1954:* March, 368
systolic, *1954:* May, 757
thiocyanate therapy, *1954:* Nov., 1721
treatment, *1954:* March, **363–374**, Nov., **1717–1731**; *1956:* Jan., **195–202**
Hyperthermic reactions to blood transfusions, *1956:* July, 1218
Hyperthyroidism, auricular fibrillation in, *1955:* July, 1149
hypertension in, *1955:* July, 1144
in aged, treatment, *1956:* Jan., 137
in cancer patient, major surgery and, *1956:* May, 669
in pregnancy, *1955:* Nov., 1766
tachycardia in, *1955:* July, 1149
treatment, *1955:* Jan., 55–64
I^{131} in, *1954:* March, 555–559; *1956:* Sept., 1518
triiodothyronine test, *1955:* May, 807
Hypoadrenocortism, management, *1955:* Jan., **65–79**; *1956:* Sept., 1268
Hypoalbuminemia, *1955:* May, 874
in intercapillary glomerulosclerosis, *1955:* July, 1007
Hypocalcemia in acute renal failure, treatment, *1955:* July, 1052
Hypochondriasis in cancer, *1956:* May, 712
Hypogenitalism in males, *1955:* June, **1199–1208**
Hypoglycemia, *1955:* May, 842
in diabetes, *1954:* Jan., 190
Hypomenorrhea, *1955:* Nov., 1713
Hyponatremia, correction, *1955:* May, 638, 639
in liver disease with ascites, *1955:* Sept., 1413
Hypoparathyroidism, *1955:* May, 891, July, **1165–1168**
Hypophysectomy, effects in man, *1956:* May, **773–786**
on thyroid gland, *1955:* May, 805
for carcinoma of breast, *1956:* May, 764, 769
of prostate, *1956:* Jan., 254
Hypopituitarism, *1955:* July, 1173
adrenal insufficiency due to, *1955:* Jan., 77
Hypopotassemia in acute renal failure, treatment, *1955:* July, 1052
Hypoproteinemia, in chronic glomerulonephritis, *1955:* July, 985
Hypoprothrombinemia, therapeutic, excessive, Mephyton in, *1954:* March, **413–417**

Hypopyon, *1956:* Nov., 1681
Hyposensitization, for asthma, *1956:* Jan., 129
in children, *1954:* Sept., 1263
for eczema in children, *1954:* Sept., 1258
for hay fever in children, *1954:* Sept., 1268
for ivy poisoning, *1954:* Sept., 1272
Hyposthenuria, *1955:* May, 690
Hypotensen, in hypertension, *1954:* March, 373
Hypotension, in endocrine diseases, *1955:* July, 1145
norepinephrine in, *1955:* July, 1217
Hypothyroidism, *1955:* July, **1127–1133**
in aged, treatment, *1956:* Jan., 136
in cancer patient, major surgery and, *1956:* May, 669
in early childhood, *1955:* July, **1135–1142**
neural growth and, *1955:* July, 1135, 1138
thyrotropin test for, *1955:* May, 806
Hypoxemia of cardiopulmonary disease, polycythemia in, *1956:* July, 1062
Hysteria versus termagantism in porphyria, *1955:* Jan., 20

ICTERUS. See *Jaundice.*
Id reaction, treatment, *1954:* Sept., 1307
Idioventricular rhythm, *1956:* Jan., 161
Ileitis, regional, *1956:* March, **513–518**
Ileum, diverticula, *1956:* March, 561
Ileus, adynamic, *1956:* March, 519
paralytic, in poliomyelitis, treatment, *1955:* Jan., 107
mechanisms, *1955:* May, 715
Pitressin in, *1955:* July, 1211
Ilidar in hypertension, *1954:* Nov., 1727
Illiterate E chart, *1956:* Nov., 1582, 1658
Immobilization, urinary calculi due to, *1954:* Sept., 1464; *1955:* Jan., 288
Immunization, mandatory procedures for foreign travel, *1954:* Sept., 1509
pediatric aspects, *1954:* Sept., 1506
procedures, bulbospinal poliomyelitis and, *1955:* Jan., 98
status in 1954, *1954:* Sept., **1493–1534**
Impetigo, of vulva, *1955:* Nov., 1741
treatment, *1955:* Sept., 1263
Income, maintenance, in old age, *1956:* Jan., 4
Incontinence, anal, *1955:* Sept., 1549
Industry, carcinogenic stimuli in, *1956:* May, 630
cardiovascular patient in, placement, *1954:* Nov., **1785–1788**
older worker in, *1956:* Jan., **21–32**
emotional aspects in health needs, *1956:* Jan., 26
health programs for, *1956:* Jan., 29
periodic physical examination and health consultation, *1956:* Jan., 24
Industry, older worker, placement, *1956:* Jan., 22
retirement policies, *1956:* Jan., 30
Infant(s), allergy in, *1954:* Sept., **1255–1279**
atopic dermatitis in, management, *1955:* Sept., **1285–1300**
diarrhea in, nonspecific, and its treatment, *1955:* Sept., **1425–1437**
immunization schedules, *1954:* Sept., 1506
newborn, resuscitation of, *1954:* Jan., 60
Infantilism, pituitary, *1955:* July, 1175
Infection(s), complicating diabetes, *1954:* Jan., 195
in cancer patients, *1956:* May, **915–922**
in lymphomas and leukemia patients, *1956:* May, 918
problem cases, *1954:* May, **905–920**
relation of ACTH and cortisone to, *1955:* Jan., **81–94**
urinary, and stone formation, *1955:* Jan., 289
medical management, *1956:* Sept., **1545–1553**
Infectious diseases, ACTH and cortisone in, *1955:* Jan., 87
erythromycin in, *1954:* March, **569–575**
Influenza, immunization, *1954:* Sept., 1526
Injection treatment of hemorrhoids, *1955:* Sept., 1535
Injections, previous, relation to bulbospinal poliomyelitis, *1955:* Jan., 98
Injuries, automobile crash, care in, *1954:* Jan., **75–94**
central nervous system, diagnosis and treatment, *1956:* Sept., **1369–1384**
craniocerebral, acute, *1956:* Sept., 1369
eye, *1954:* Jan., 236
first aid in, *1956:* Nov., **1595–1608**
face, *1954:* Jan., 258
kidney, *1954:* Jan., 291
larynx, *1954:* Jan., 253
spine and spinal cord, acute, diagnosis and treatment, *1956:* Sept., 1375
testis, *1954:* Jan., 286
thoracic, alterations in respiratory physiology in, *1954:* July, **1183–1188**
treatment, *1954:* July, 1188
ureter, *1954:* Jan., 289
whiplash, of cervical spine, *1956:* Sept., 1436
Insecticides, poisoning by, treatment, *1956:* Sept., 1500
Insulin, depot, in diabetes mellitus, *1955:* Jan., 45, 47
hypoglycemic reactions, *1954:* Jan., 190
in diabetes, *1955:* Nov., 1580
with diastolic hypertension, *1955:* Nov., 1638
with obesity, *1955:* Nov., 1604
in diabetic coma, *1955:* Nov., 1584

Insulin, test for hydrochloric acid secretion, *1955:* May, 701
Intercostal nerve block, *1955:* Sept., 1515, 1516
Intertrigo of vulva, *1955:* Nov., 1747
Intervertebral disk lesions, backache due to, *1954:* May, 666
diagnosis and management, *1955:* Sept., **1463–1482**; *1956:* Sept., **1441–1449**
rheumatoid spondylitis and, differentiation, *1955:* March, 519
Intestines, absorption in, normal and disturbed, *1955:* May, 710
decompression, methods, *1956:* March, 522
large, movements of, *1956:* March, 279
lavage, in acute renal failure, *1955:* July, 1061
motility, normal and disturbed, *1955:* May, 704
obstruction, *1956:* March, **519–526**
acute, *1954:* Jan., 123
chronic, diarrhea and bloody stools in, *1954:* May, 827
loss of water and electrolytes in, *1955:* May, 713
parasites, *1955:* Sept., 1538
chemotherapy, *1956:* March, **527–539**
small, absorption by, *1956:* March, 285
diseases, diarrhea and bloody stools in, *1954:* May, 820
x-ray diagnosis, *1954:* May, 812
diverticula, *1956:* Jan., 242, March, 561
gradients, *1956:* March, 278
lymphosarcoma, *1956:* May, 735
movements of, *1956:* March, 277
stricture or anastomosis, anemia of, treatment, *1956:* Jan., 150
Intraventricular block, *1956:* Jan., 169
Iodides, in bronchial asthma, *1956:* Jan., 131
trapping, and related diagnostic tests, *1955:* May, 799
Iodine, in hyperthyroidism, *1955:* Jan., 57
metabolism, in thyroid gland, *1955:* May, 800
plasma-bound, chemical determination, *1955:* May, 804
radioactive, *1956:* May, 803
in blood volume determinations, *1956:* Sept., 1526
in brain tumor localization, *1956:* Sept., 1527
in carcinoma of thyroid, *1956:* May, **821–836**, Sept., 1522
metastatic, *1956:* Jan., 57
in congestive heart failure, *1954:* Nov., 1657
in heart disease, *1954:* Nov., 1665; *1956:* Sept., 1526
in hyperthyroidism, *1954:* March, **555–559**; *1955:* Jan., 59; *1956:* Sept., 1518
Iodine, radioactive, in thyroid disorders, diagnostic, *1956:* Sept., 1516
24 hour uptake tests, *1955:* May, 801
urinary excretion tests, *1955:* May, 800
uses in medicine, *1956:* Sept., 1515
Iodized oil, granuloma of lung due to, *1954:* July, 991
Ion exchange resins. See *Resins.*
Ipecac in paroxysmal atrial tachycardia, *1955:* Sept., 1369
Iproniazid in pulmonary tuberculosis, *1954:* March, 437
Iridium, *1956:* May, 803
Iridocyclitis, *1954:* Jan., 230; *1956:* Nov., 1680, 1681
Iritis, *1956:* Nov., 1680, 1681
Iron, absorption studies with Fe^{59}, *1956:* July, 993
deficiency, anemia of. See under *Anemia.*
in rheumatoid arthritis, effects on anemia, *1955:* March, 496
plasma, clearance rate, Fe^{59} in measurement, *1956:* July, 995
radioactive, clinical uses, *1956:* July, **993–1004**, Sept., 1533
Irradiation, carcinogenesis and protection, *1956:* May, **647–654**. See also *Roentgen rays* and *Radium.*
Irrigations, local, in urinary tract infections, *1956:* Sept., 1548
of sinuses, *1955:* Sept., 1455
Isoniazid, agranulocytosis due to, *1956:* July, 1080
for cancer pain, *1956:* May, 700
in meningitis, tuberculous, *1955:* Sept., 1339, 1342
in tuberculosis, *1954:* March, **437–448**, July, **1167–1176**; *1956:* Sept., 1283
reactions, *1954:* July, 1172
Isosthenuria, *1955:* May, 693
Isotopes, radioactive. See under *Radioisotopes.*
Isuprel, in cardiac arrhythmias, *1956:* Jan., 172
in pulmonary emphysema, *1956:* Jan., 105
in Stokes-Adams attacks, *1955:* Sept., 1377
Itrumil in hyperthyroidism, *1955:* Jan., 57
Ivy poisoning in infants and children, *1954:* Sept., 1271

JACKSONIAN seizures, *1954:* May, 697
Jaeger reading chart, *1956:* Nov., 1579
Jaundice, *1956:* March, **417–423**
chronic, mild, of unknown origin, *1956:* March, 420
differential diagnosis, *1954:* May, **847–855**
hemolytic, *1954:* May, 853

Jaundice, hepatic and obstructive, pitfalls in differential diagnosis, *1956:* March, 443
hepatogenous, *1954:* May, 851
obstructive, *1954:* May, 847
of biliary tract origin, *1954:* Sept., 1413
Jaws, ankylosis, *1956:* March, 296
Jejunum, diverticula, *1956:* Jan., 243, March, 561
Joints, involvement, in connective tissue disease, *1955:* March, 335
serial roentgen studies, in evaluating treatment of rheumatoid arthritis, *1955:* March, **439–445**

KELOID, radiation therapy, *1955:* Sept., 1279
Kemadrin in Parkinson's disease, *1956:* Sept., 1406
Keratitis, *1954:* Jan., 229; *1956:* Nov., 1669
exposure, *1956:* Nov., 1673
interstitial, *1956:* Nov., 1675
superficial, *1956:* Nov., 1670
viral, *1956:* Nov., 1671
Keratoconjunctivitis, epidemic, *1956:* Nov., 1671
phlyctenular, *1956:* Nov., 1674
sicca, *1956:* Nov., 1674
in rheumatoid arthritis, *1955:* March, 374
Keratopathy, band, in rheumatoid arthritis, *1955:* March, 374
Keratoplasty, *1956:* Nov., 1714
Keratosis, blennorrhagica, in Reiter's syndrome, *1955:* March, 591
of larynx, *1956:* Nov., 1731
seborrheic, in aged, *1956:* Jan., 40
senile, *1956:* Jan., 41
Kerion, treatment, *1954:* Sept., 1306
Ketonemia in diabetes, *1955:* Nov., 1582
17-Ketosteroid excretion as test of adrenal function, *1955:* May, 817
Kidney, artificial, *1954:* Sept., 1459
in acute renal failure, *1955:* July, 1054
in chronic renal failure, *1955:* July, 1038
principle and technique, *1955:* July, 1054
calculus, *1954:* Jan., 283; *1955:* **1073–1079**
in hyperparathyroidism, *1955:* July, 1160
medical management, *1954:* Sept., **1461–1474**
carcinoma, incidence and curability, *1956:* May, 588
crush, *1955:* July, 942
damage in diabetes, incidence, *1955:* Nov., 1620
disease, edema of, *1954:* May, 883
hypertension in, *1954:* May, 758
pathology, basic, *1955:* July, **923–946**
Kidney, disease, plasma and urinary proteins in, *1955:* July, **1015–1026**
symposium on, *1955:* July, **923–1479**
dysfunction, in cancer patient, major surgery and, *1956:* May, 667
in hypercalcemia and hyperproteinemia, *1956:* May, 617
failure, acute, *1955:* July, 942
causes and treatment, *1955:* July, **1041–1071**
prevention, special therapeutic measures for, *1955:* July, 1046
chronic, treatment, *1955:* July, **1035–1040**
in poliomyelitis, treatment, *1955:* Jan., 107
function, in health and disease, *1955:* May, **681–698**, July, 947
in intercapillary glomerulosclerosis, *1955:* July, 1007
functional tests, interpretation, *1955:* July, **947–956**
glomerular dysfunction, *1955:* May, 682
in hypertension, *1955:* July, **1027–1034**
injuries, *1954:* Jan., 291
insufficiency, advanced, medical management, *1954:* Sept., **1447–1460**
involvement, in connective tissue diseases, *1955:* March, 333
lymphosarcoma, *1956:* May, 737
polycystic disease, *1955:* July, 944
role, in acid-base equilibrium, *1955:* May, 635
in salt excretion, *1955:* May, 634
toxins, lesions due to, *1955:* July, 941
causes and treatment, *1955:* July, 1044
tuberculosis, *1955:* July, 937
tubular dysfunction, *1955:* May, 687
tubular necrosis, acute, *1955:* July, 940
causes and treatment, *1955:* July, 1041
vascular disease affecting, pathology, *1955:* July, 937
Kienbock-Adamson technique of x-ray epilation, *1955:* Sept., 1276
Kimmelstiel-Wilson syndrome, *1955:* July, 929, **1001–1013**, Nov., 1696
hypertension in, *1954:* May, 759
retinopathy in, *1955:* Nov., 1675
Koch-Weeks conjunctivitis, *1956:* Nov., 1617
Kraurosis of vulva, *1955:* Nov., 1749; *1956:* Jan., 46
Kymography in pulmonary disease, *1954:* July, 199

LABOR, analgesia and anesthesia for, *1954:* Sept., **1437–1445**
care after, *1955:* Nov., 1770
induction, elective, *1955:* Nov., **1809–1815**
prolonged, *1955:* Nov., **1801–1808**
causes and prevention, *1955:* Nov., 1802

Labor, prolonged, conservative management, *1955:* Nov., 1806
Laboratory procedures in office hematology, *1956:* July, **977–982**
Labyrinth, disturbance, of virus origin, *1954:* Sept., 1322
hydrops of, *1956:* Nov., 1794, 1797
Labyrinthitis, suppurative, *1954:* Sept., 1321
Lacerations, care of, *1954:* Jan., 103, 104
of cornea, *1956:* Nov., 1601
of eyelids, *1956:* Nov., 1602, 1615
Lactic dehydrogenase in cancer, *1956:* May, 624
Laennec's cirrhosis. See *Cirrhosis.*
Laminography in diagnosis of pulmonary disease, *1954:* May, 726, July, 1197
Lanatoside C in myocardial infarction, *1954:* Nov., 1671
Landry's paralysis, *1954:* Sept., 1327
Laryngitis, acute, *1956:* Nov., 1728
treatment, *1954:* Sept., 1316
chronic, *1956:* Nov., 1728
Laryngoscopy, mirror, technique, *1956:* Nov., 1726
Laryngotomy, technique, *1954:* Jan., 256
Laryngotracheitis, acute, in children, *1954:* Sept., 1317
Laryngotracheobronchitis, *1954:* Jan., 254
Larynx, carcinoma, *1954:* Sept., 1317
incidence and curability, *1956:* May, 586
lesions producing hoarseness, *1956:* Nov., **1725–1733**
trauma to, *1954:* Jan., 253
Lassar's paste, *1955:* Sept., 1293
Lavage, gastric, in poisoning, *1954:* Jan., 205
intestinal, in acute renal failure, *1955:* July, 1061
peritoneal, in acute renal failure, *1955:* July, 1058
L.E. cell phenomenon, *1955:* May, 774
Lead poisoning, diagnosis and treatment, *1956:* Sept., 1495
polyneuropathy in, *1954:* Sept., 1329
porphyrinuria in, *1955:* Jan., 28
Lebensohn chart for near vision, *1956:* Nov., 1580
Leg, ulceration, chronic, local and general measures in treatment, *1955:* Sept., **1301–1315**
Legg-Calvé-Perthes disease, *1956:* Sept., 1426
Leiomyoma of stomach or duodenum, *1956:* March, 384
Lens opacities in diabetes mellitus, *1955:* Nov., 1696; *1956:* Nov., 1642
Lentigo senilis, *1956:* Jan., 40
Leprosy, sulfone therapy, *1954:* March, **599–610**
Leriche's syndrome, *1956:* Jan., 204
Leukemia, acute, in adults, management, *1956:* May, **743–759**
in children, differential diagnosis, *1956:* July, **1103–1109**
Leukemia, acute, in children, long-term survival, *1956:* May, 674
management, *1956:* July, **1111–1115**
bone marrow findings in, *1956:* July, 1232
chronic, radiophosphorus in, *1956:* Sept., 1530
treatment, *1956:* July, **1117–1123**
cutis, *1956:* July, 1145
detection and early diagnosis, *1956:* May, 608
in aged, palliative therapy, *1956:* Jan., 140
incidence and curability, *1956:* May, 589
infections in, *1956:* May, 918
liver and spleen in, *1954:* May, 869
purines in, *1956:* May, **935–949**
treatment, *1954:* March, **525–540**; *1955:* Jan., **201–225**
triethylene melamine in, *1954:* March, **541–554**
Leukocyte count, *1956:* July, 978
Leukocytosis in rheumatoid arthritis in children, *1955:* March, 472
Leukokeratosis, *1956:* March, 307
Leukopenia, drugs associated with production of, *1956:* July, 1080
Leukoplakia, *1956:* Jan., 46
oral, *1956:* March, 307, Nov., 1739
vulvae, *1955:* Nov., 1749
Leukotomy for cancer pain, *1956:* May, 698
Levophed. See *Norepinephrine.*
Lichen planus, oral, *1956:* March, 307, Nov., 1741
radiation therapy, *1955:* Sept., 1279
Lingua nigra, *1956:* Nov., 1740
Lip, carcinoma, detection and early diagnosis, *1954:* May, 649
cleft, *1956:* March, 291
Lipase, *1956:* March, 283
serum, test for pancreatic function, *1956:* March, 412
Lipid storage disease, bone marrow findings in, *1956:* July, 1240
Lipids, plasma, average values, *1955:* May, 848
pneumonia or granuloma of lung due to, *1954:* July, **989–996**
Lipiodol, granuloma of lung due to, *1954:* July, 991
Lipoma, arborescens, *1956:* Jan., 66
of stomach or duodenum, *1956:* March, 386
of vulva, *1955:* Nov., 1751
Lipotropic agents, in atherosclerosis, *1955:* May, 860
Lithiasis, urinary, medical management, *1954:* Sept., **1461–1474**
Liver, abscess, amebic, *1954:* May, 871
biopsy, *1956:* March, 443
carcinoma, diagnosis, *1954:* May, 868
incidence and curability, *1956:* May, 586
changes, in ulcerative colitis, *1956:* March, 542

Liver, cirrhosis. See *Cirrhosis.*
disease, *1956:* March, **417–435**
chronic, complications, treatment, *1955:* Sept., 1411
treatment, *1955:* Sept., **1396–1423**
diarrhea and bloody stools in, *1954:* May, 819
electrolyte alterations in, *1956:* May, **901–914**
hepatic function and protein metabolism in, *1955:* May, **719–734**
in cancer patient, major surgery and, *1956:* May, 668
enlarged, differential diagnosis, *1954:* May, **857–874**
function in cancer, *1956:* May, 618
in cirrhosis, *1955:* May, **719–734**
functional tests, *1955:* May, **723**, 731; *1956:* March, 438
inflammation. See *Hepatitis.*
lymphosarcoma, *1956:* May, 735
size, in assessment of cardiac function, *1955:* Jan., 34
Lobotomy, for cancer pain, *1956:* Jan., 60, May, 698
in mental disease, indications and results, *1954:* Sept., **1379–1391**
Lockjaw. See *Tetanus.*
Longevity, increased, incidence, causes and characteristics, *1956:* Jan., 4
Lumbar puncture, headache after, *1954:* May, 681
in craniocerebral injuries, *1956:* Sept., 1371
in spinal injuries, *1956:* Sept., 1377
Lumbar sympathetic blocks, indications and technique, *1955:* Sept., 1513
Lung, abscess, putrid, diagnosis, *1954:* May, 736
treatment, *1954:* July, **1027–1037**
accessory, inferior, *1954:* July, 1081
carcinoma, bronchial asthma and, differentiation, *1956:* Jan., 128, 129
detection and early diagnosis, *1954:* May, 650; *1956:* Jan., 84, May, 604
diagnosis, *1954:* May, 729, July, **1109–1122**
incidence and curability, *1956:* May, 587
survival, long-term, *1956:* May, 681
tobacco as cause, *1956:* May, 632
treatment, *1954:* July, **1123–1131**
circulation in, *1955:* May, 673
congestion, in aged, diagnosis, *1956:* Jan., 86
cystic lesions, *1954:* July, **1075–1079**
diffusion in, *1955:* May, 669
diseases, chronic, differential diagnosis, *1954:* May, **721–742**
heart disease due to (cor pulmonale), *1954:* Nov., **1675–1692**
diagnosis, bacteriologic study in, *1954:* July, **1219–1226**
exploratory thoracotomy in, *1954:* July, **1239–1241**
Lung, diseases, diagnosis, special roentgen techniques in, *1954:* July, **1193–1200**
polycythemia in, *1956:* July, 1062
symposium on, *1954:* July, **943–1241**
edema, acute, treatment, *1956:* Sept., 1320
emphysema, *1954:* July, **1051–1063**
fibrosis, diagnosis and treatment, *1954:* July, **1009–1018**
functional tests, *1954:* July, 1234
in cancer patient, major surgery and, *1956:* May, 667
pathophysiology, *1955:* May, 676
function, in health and disease, *1955:* May, **661–680**
functional tests, clinical applications, *1954:* July, **1227–1238**; *1955:* Jan., 141-148, May, 677
in bronchial asthma, *1956:* Jan., 124
in bronchiectasis, *1955:* Jan., 157
gas exchange in, *1955:* May, 661, 667
granuloma, lipoid, *1954:* July, **989–996**
hemorrhage from, treatment, *1954:* Jan., 47
histoplasmosis, *1955:* Jan., 191
infections, diagnosis, *1954:* May, 734
involvement, in connective tissue diseases, *1955:* March, 333
lymphosarcoma, *1956:* May, 731
nodules, circumscribed, solitary, diagnosis and treatment, *1954:* July, **1143–1151**
sarcoidosis, diagnosis, *1954:* May, 740
and treatment, *1954:* July, **997–1008**
solitary lesions, diagnosis and management, *1955:* Jan., **161–169**
stone in, *1954:* July, 1043
surgically removed specimens, examination, *1954:* July, 1224
tuberculosis. See *Tuberculosis.*
tumors, alveolar cell, *1954:* July, **1139–1142**
diagnosis, *1954:* May, 729
ventilatory ability (pulmonary bellows), *1955:* May, 670
volumes, *1955:* May, 672
Lupus erythematosus, disseminated, *1955:* Jan., **125–139**
changes in ocular fundus in, *1956:* July, 1210, 1212
L.E. cell phenomenon in, *1955:* May, 774
oral lesions, *1956:* March, 310, Nov., 1742
plasma and urinary proteins in, *1955:* July, 1020
protean manifestations, *1955:* March, **325–338**
renal lesions, *1955:* July, 931
rheumatoid arthritis in children and, differentiation, *1955:* March, 468
Luteotropin in menstrual disorders, *1955:* Nov., 1721

Lymph nodes, biopsy, in bronchogenic carcinoma, *1954:* July, 1121
Lymphadenopathy in rheumatoid arthritis, *1955:* March, 375
in children, *1955:* March, 465
Lymphoma(s), cutaneous manifestations, *1956:* July, **1139–1149**
detection and early diagnosis, *1956:* May, 608
in aged, palliative therapy, *1956:* Jan., 140
incidence and curability, *1956:* May, 589
infections in, *1956:* May, 918
malignant, bone marrow findings in, *1956:* July, 1237
treatment, current status, *1956:* July, **1133–1140**
neurologic manifestations, *1956:* July, **1151–1161**
purines in, *1956:* May, **935–949**
radiotherapy, *1956:* May, 819
triethylene melamine in, *1954:* March, **541–554**
Lymphosarcoma, cutaneous manifestations, *1956:* July, 1144
intraoral, *1956:* March, 313, 314
natural history and management, *1956:* May, **721–742**
neurologic manifestations, *1956:* July, **1151–1161**
radiotherapy, *1956:* May, 819
treatment, *1954:* March, 549; *1956:* July, **1133–1140**

MACROGENITOSOMIA praecox, *1955:* July, 1097
Magnamycin, in amebiasis, *1956:* March, 530
in bacterial endocarditis, *1954:* March, 396
Magnesium carbonate in peptic ulcer, *1955:* Sept., 1388
Magnesium sulfate in cardiac arrhythmias, *1955:* Sept., 1377
Malabsorption syndrome, *1955:* May, 894
Malaria, ACTH or cortisone in, *1955:* Jan., 92
Male climacteric, treatment, *1955:* July, 1225; *1956:* Jan., 143
Malingering, visual, tests for, *1956:* Nov., 1583
Malocclusion, *1956:* March, 296
Malta fever. See *Brucellosis.*
Malum coxae senilis, *1956:* Jan., **77**
Mandelamine in urinary tract infections, *1956:* Sept., 1549
Mandible, fractures, *1954:* Jan., 259
Manic-depressive psychosis, *1954:* Jan., 150
drug therapy, *1956:* Sept., 1388
Marriage, examination for, *1955:* Nov., **1773–1779**
Mastication, physiology of, *1956:* March, 295
Maxillary antrum, air injection into, air embolism from, *1954:* Jan., 178
Measles, corneal lesions in, *1956:* Nov., 1677
immunization, *1954:* Sept., 1522
Mebaral, in epilepsy, *1954:* March, 477
side effects, *1954:* Sept., 1341, 1349
Mecholyl, in paroxysmal atrial tachycardia, *1955:* Sept., 1370
test, for pheochromocytoma, *1955:* July, 1107
Meckel's diverticulum, *1956:* Jan., 243, March, 562
Mediastinum, lymphosarcoma, *1956:* May, 731, 732
Medicine, clinical advances, symposium on, *1955:* Jan., **1–318**
Medionecrosis of aorta in aged, *1954:* Nov., 1782
Megacolon, treatment, conservative, *1955:* Sept., 1539
Melanin spots, oral, with intestinal polyposis, *1956:* March, 306
Melanoma, malignant, *1956:* Jan., 44
intraoral, *1956:* March, 314
of vulva, *1955:* Nov., 1752
Melanoplakia, *1956:* March, 306
Melituria, nondiabetic, *1955:* May, 843
Membrane theory of heart action, *1955:* May, 644
Menière's disease, *1954:* Sept., 1322; *1956:* Nov., 1794
headache and, *1954:* May, 688
stellate ganglion block in, *1955:* Sept., 1512
Meninges, involvement in lymphomas, *1956:* July, 1159
Meningitis, antibiotics in, *1955:* May, 908
headache in, *1954:* May, 678
problem cases, *1954:* May, 907
tuberculous, in children, *1954:* July, 1169
ACTH and cortisone in, *1955:* Jan., 92
treatment, *1955:* Sept., **1331–1349**
Meningococcemia, ACTH and cortisone in, *1955:* Jan., 90
Menopause, androgens in, *1955:* July, 1226
bleeding after, *1955:* Nov., **1733–1739**
dyspnea in, *1955:* July, 1150
estrogen therapy, *1955:* July, 1221; *1956:* Jan., 143
hypertension in, *1955:* July, 1144
management, *1955:* Nov., **1725–1731**
psychosis in, drug therapy, *1956:* Sept., 1390
syndrome, what constitutes, *1955:* Nov., 1725
Menstruation, blood loss, quantitation with radioactive iron, *1956:* July, 1002
irregularities, *1955:* Nov., **1711–1724**
diagnostic procedures, *1955:* Nov., 1714
treatment, *1955:* Nov., 1717
pain of, mechanisms, *1954:* Sept., 1421

Mental disease. See *Psychoses* and *Neuroses.*
Mental hygiene in pregnancy, *1955:* Nov., 1759
Meperidine, in myocardial infarction, *1954:* Nov., 1671
Mephyton, in coronary disease, preoperative, *1954:* Nov., 1672
in excessive therapeutic hypoprothrombinemia, *1954:* March, **413–417**
Meralgia paresthetica, *1954:* Sept., 1329
6-Mercaptopurine in leukemia, *1955:* Jan., 200, 205, 207, 209, 215; *1956:* May, 750, 755, July, 1113, 1121
in malignant disease, *1956:* May, 937
Mercuhydrin in congestive heart failure, *1954:* Nov., 1656
Mercurial diuretics. See *Diuretics.*
Mercurital in congestive heart failure, *1954:* March, 433
Mercury poisoning, *1954:* Jan., 217, 219
treatment, *1955:* July, 1044
Mesantoin, in epilepsy, *1954:* March, 476
side effects, *1954:* Sept., 1341, 1343, 1344, 1347
Metabolism, basal, as test of thyroid function, *1955:* May, 805
defect of, in gout, *1955:* March, **529–542**
liver disease due to, *1954:* May, 860
intermediary, adrenal hormones in, *1955:* May, 816
of calcium, *1955:* May, **881–898**
of carbohydrates, *1955:* May, **831–844**
of electrolytes, adrenal hormones in, *1955:* May, 814
of fat, *1955:* May, **845–862**
of phosphorus, *1955:* May, 884, 887
of protein, *1955:* May, **863–879**
Metal poisoning, BAL in, *1954:* Jan., 203, Sept., 1333
porphyrinuria in, *1955:* Jan., 28
Metaplasia, myeloid, agnogenic, bone marrow findings in, *1956:* July, 1236
Metatarsalgia, treatment, *1956:* Sept., 1421
Methacholine. See *Mecholyl.*
Methanol poisoning, diagnosis and treatment, *1956:* Sept., 1493
Methenamine in pyelonephritis, *1955:* Jan., 300
Methonium compounds in hypertension, *1956:* Sept., 1332
Methotrexate. See *A-methopterin.*
Methylandrostenediol, clinical use, *1955:* July, 1225
6-Methylmercaptopurine in malignant disease, *1956:* May, 943
Methylphenylethylhydantoin. See *Mesantoin.*
Methyltestosterone, clinical use, *1955:* July, 1225
in carcinoma of breast, *1955:* July, 1227
in dysmenorrhea, *1954:* Sept., 1431; *1955:* July, 1195
Methyltestosterone, in liver disease, chronic, *1955:* Sept., 1411
in testicular hypofunction, *1955:* July, 1202, 1203, 1205
Methylthiouracil in hyperthyroidism, *1955:* Jan., 57
Meticorten. See *Prednisone.*
Metrazol in poisonings, *1954:* Jan., 209
Microaneurysms, retinal, in diabetes, *1955:* Nov., 1671
Microphthalamos, *1956:* Nov., 1693
Migraine. See *Headache, migrainous.*
Milk, human, as carcinogen, *1956:* May, 640
overuse, hypercalcemia due to, *1955:* May, 895
urinary stones due to, *1954:* Sept., 1464
sensitivity, extreme, in children, *1954:* Sept., 1273
in atopic dermatitis in infants, *1955:* Sept., 1291
substitutes, in milk sensitivity, *1954:* Sept., 1277; *1955:* Sept., 1291
Milliequivalents, conversion to, *1955:* May, 627
defined, *1955:* May, 627
Milontin, in epilepsy, *1954:* March, 479
side effects, *1954:* Sept., 1342
Mineral oil, granuloma of lung due to, *1954:* July, 994
Miotics, *1956:* Nov., 1591
Miscarriage. See *Abortion.*
Mitral stenosis, syncope and dizziness in, *1953:* Sept., 1318
MK-02 in parkinsonism, *1954:* March, 488, 490, 493, 494
Moniliasis, of lung, diagnosis, *1954:* May, 740
of mouth, *1954:* Sept., 1314; *1956:* Nov., 1739
of vulva, *1955:* Nov., 1743
Mononucleosis, infectious, changes in ocular fundus in, *1956:* July, 1215
diagnosis and treatment, *1956:* July, **1091–1101**
with peripheral neuropathy, *1955:* Jan., 3
Morgagni-Stokes-Adams syndrome, *1956:* Jan., 170
Morphine, for cancer pain, *1956:* Jan., 62, May, 701
in obstetrics, *1954:* Sept., 1441
poisoning, nalorphine hydrochloride in, *1954:* Jan., 203, 220
Motility, gastrointestinal, *1956:* March, 273
Mouth, anomalies, developmental, *1956:* March, 291
functional *1956:* March, 296
bacteriology, *1956:* March, 292
carcinoma, detection and early diagnosis, *1956:* May, 608
incidence and curability, *1956:* May, 584
development, *1956:* March, 291
diseases, *1956:* March, **291–315**

Mouth, disorders, in acute renal failure, treatment, *1955:* July, 1065
lesions, nontumorous, *1956:* Nov., **1735–1747**
of constitutional origin, *1956:* Nov., 1741
moniliasis, *1954:* Sept., 1314
nutritional deficiencies, *1956:* March, 307
physiology, normal and pathologic, *1956:* March, 295
tumors, *1954:* Sept., 1315; *1956:* March, 310
Müller-Hillis maneuver, *1955:* Nov., 1764
Mumps, corneal lesions in, *1956:* Nov., 1677
immunization, *1954:* Sept., 1523
Muscle, blood supply, measurement, *1954:* May, 792
contraction headache, *1954:* May, 686
involvement, in connective tissue diseases, *1955:* March, 336
in rheumatoid arthritis, *1955:* March, 371
Musculotendinous lesions of shoulder, *1955:* March, 569, 573
Mycoses, cutaneous, treatment, *1954:* Sept., **1301–1308**; *1955:* Sept., 1255
Mycosis fungoides, cutaneous manifestations, *1956:* July, 1143
Mycotic diseases of lung, diagnosis, *1954:* May, 739
Mydriatics, *1956:* Nov., 1590
Myelofibrosis, primary, with myeloid metaplasia, *1956:* July, **1125–1132**
Myelography, in cervical root compression, *1955:* Sept., 1468
in lumbar disk syndrome, *1955:* Sept., 1476
Myeloid metaplasia, agnogenic, bone marrow findings in, *1956:* July, 1236
Myeloma, multiple, bone marrow findings in, *1956:* July, 1238
long survival in, *1956:* July, **1163–1172**
plasma and urinary proteins in, *1955:* July, 1021; *1956:* May, 614
plasmocytic, management, newer agents in, *1955:* Jan., 222
Myelosis, erythremic, bone marrow findings in, *1956:* July, 1237
Myenteric plexus in ulcerative colitis, *1956:* March, 544
Myleran, in cancer, evaluation, *1956:* May, 849, 851
in leukemia, *1955:* Jan., 212, 215; *1956:* July, 1113, 1121
Myocarditis, in poliomyelitis, treatment, *1955:* Jan., 105
shock in, *1954:* Jan., 21
Myocardium, contraction, physiology of, *1955:* May, 645, 646
infarction, acute, shock due to, treatment, *1954:* Jan., 17
treatment, *1954:* Jan., 11; *1956:* Sept., 1321
Myocardium, infarction, anticoagulants in, *1956:* Sept., 1343
electrocardiogram in, *1954:* Nov., 1591, 1595
emotional problems of, *1954:* Nov., 1799
in aged, treatment, *1954:* Nov., 1776; *1956:* Jan., 181
in diabetes, *1954:* Jan., 196
pathogenesis, *1955:* May, 657
treatment, *1954:* Nov., 1666
Myoporphyria, *1955:* Jan., 27
Myositis, multiple. See *Dermatomyositis.*
Mysoline, in epilepsy, *1954:* March, 477
side effects, *1954:* Sept., 1340, 1341, 1349
Myxedema, anemia of, treatment, *1956:* Jan., 150
cardiovascular manifestations, *1955:* July, 1146, 1147, 1150
diagnosis and treatment, *1955:* July, 1128
in aged, treatment, *1956:* Jan., 136
thyroid therapy, *1955:* July, 1218

NAIL(S), avulsion of, technique, *1955:* Sept., 1526
changes, in rheumatoid arthritis, *1955:* March, 372
disorders of, *1955:* Sept., **1317–1329**
ringworm, treatment, *1954:* Sept., 1306; *1955:* Sept., 1258
Nalorphine hydrochloride in opiate intoxication, *1954:* Jan., 203, 220
Narcotics for cancer pain, *1956:* Jan., 61, May, 701
Nasal allergy, *1954:* Sept., 1313; *1956:* Nov., **1717–1724**
in infants and children, *1954:* Sept., 1265
Nasolacrimal duct, obstruction, congenital, *1956:* Nov., 1694
in adults, *1956:* Nov., 1703
Nasopharynx, lymphosarcoma, *1956:* May, 730
Neck, carcinoma, detection and early diagnosis, *1954:* May, 649
lesions, *1954:* Sept., 1317
pain in, causes and treatment, *1956:* Sept., 1435
Nematode infections, intestinal, treatment, *1956:* March, 533
Neodral in carcinoma of breast, *1955:* July, 1182
Neomycin, in amebiasis, *1956:* March, 530
in bacterial endocarditis, *1954:* March, 396
in dermatology, *1955:* Sept., 1246
in otolaryngology, *1956:* Nov., 1812
reactions, *1955:* Jan., **113–120**
Neo-Penil in bronchiectasis, *1954:* July, 1024
Neo-Synephrine, in myocardial infarction, *1954:* Nov., 1671
in paroxysmal atrial tachycardia, *1955:* Sept., 1370

Nephritis, glomerular. See *Glomerulonephritis.*
infectional, pathology, basic, *1955:* July, 932
interstitial, acute diffuse, *1955:* July, 936
plasma and urinary proteins in, *1955:* July, 1016
Nephrolithiasis, *1955:* July, **1073–1079**
in hyperparathyroidism, *1955:* July, 1160
treatment, *1955:* July, 1075
Nephrosclerosis, course and reversibility, *1955:* July, 1029
pathogenesis, *1955:* May, 696
pathology, basic, *1955:* July, 937
Nephrosis, amyloid, plasma and urinary proteins in, *1955:* July, 1019
hemoglobinuric, *1955:* July, 942
causes and treatment, *1955:* July, 1042
lipid, *1955:* July, 931
lower nephron, *1954:* Jan., 294; *1955:* May, 694, July, 942
causes and treatment, *1955:* July, 1041
necrotizing, causes and treatment, *1955:* July, 1041
Nephrotic syndrome, *1955:* July, 983
pathogenesis, *1955:* May, 695
plasma and urinary proteins in, *1955:* July, 1016
treatment with ACTH, cortisone and nitrogen mustard, *1955:* July, **995–1000**
Nephrotomography, *1954:* May, 803
Nerve(s), blocking agents, in peripheral neuropathies, *1954:* Sept., 1336
blocks, for office surgery, *1955:* Sept., 1523
for pain, *1955:* Sept., 1504
peripheral, affections of, diagnosis and treatment, *1954:* Sept., **1325–1338**
involvement, four patients with, *1955:* Jan., **3–9**
Nervous system, central, diseases, hypertension in, *1954:* May, 759
psychoses in, treatment, *1956:* Sept., 1396
trauma to, diagnosis and treatment, *1956:* Sept., **1369–1384**
lymphosarcoma, *1956:* May, 739
Neuralgia, facial, atypical, headache and, *1954:* May, 683
occipital, *1954:* May, 685
trigeminal, *1954:* Jan., 251, May, 690
Neurectomy, for cancer pain, *1956:* Jan., 60, May, 697
presacral, in dysmenorrhea, *1954:* Sept., 1433
Neuritis, brachial, *1954:* Sept., 1330
multiple. See *Polyneuritis.*
serum, *1954:* Sept., 1330
Neurocirculatory asthenia, *1954:* Nov., 1789
Neurodermatitis, radiation therapy, *1955:* Sept., 1279
Neurologic disorders in, acute, uncommon, *1954:* Jan., **167–182**
Neurologic manifestations of lymphomas, *1956:* July, **1151–1161**
Neuromuscular disease, pulmonary function tests in, value, *1954:* July, 1231
Neuromuscular manifestations, in connective tissue disease, *1955:* March, 336
in rheumatoid arthritis, *1955:* March, 371
Neuropathies, diabetic, *1955:* Nov., 1698
incidence, *1955:* Nov., 1625
peripheral, diagnosis and treatment, *1954:* Sept., **1325–1338**
Neurosis, cardiac, *1954:* Sept., 1536, Nov., 1789, 1791
management, in office practice, *1954:* Sept., **1351–1361**
nature of, modern psychiatric concepts, *1954:* Sept., 1351
Neurotic patient, obvious, management in office practice, *1954:* Sept., **1351–1361**
Neutron reactor, *1956:* May, 801
Neutropenia, periodic (cyclic), bone marrow findings in, *1956:* July, 1230
Newborn, hemolytic disease, laboratory diagnosis, *1956:* July, 1035
management, *1956:* July, 1038
hepatitis in, relation to viral hepatitis in pregnancy, *1956:* March, 419
Niemann-Pick disease, liver and spleen in, *1954:* May, 862
Nikethamide in poisonings, *1954:* Jan., 209
Nitrogen, imbalance, *1955:* May, 872
metabolism, after hypophysectomy, *1956:* May, 782
nonprotein, in blood in cancer, *1956:* May, 616
pool, *1955:* May, 865
Nitrogen mustards, in cancer, comparative therapeutic activity, *1956:* May, **837–856**
for hypercalcemia, *1956:* May, 879
metastatic, *1954:* Sept., 1284
palliative, *1956:* Jan., 56
in leukemia, *1955:* Jan., 214, 215; *1956:* July, 1119
in lymphoma, malignant, *1956:* July, 1137
in lymphosarcoma, *1956:* May, 726
in nephrotic syndrome, *1955:* July, **995–1000**
Nitroglycerin in angina pectoris, *1954:* Nov., 1663
Nitrous oxide in obstetrics, *1954:* Sept., 1441
Nocturia in hypertensive renal disease, *1955:* July, 1032
Nodal rhythm, *1956:* Jan., 161
Nodes, Heberden's, *1956:* Jan., 63
heredity in, *1955:* March, 502
Nodules, of lung, solitary, circumscribed, diagnosis and treatment, *1954:* July, **1143–1151**

Nodules, subcutaneous, in rheumatic fever, response to ACTH and cortisone, *1955:* March, 359
in rheumatoid arthritis, *1955:* March, 373
Nonane in cancer, evaluation, *1956:* May, 850, 851
Norepinephrine, in acute myocardial infarction, *1954:* Jan., 17
in myocardial infarction, acute, *1956:* Sept., 1322
in poisoning, *1954:* Jan., 210
in shock, *1954:* March, **499–514**
uses and dosage, *1955:* July, 1217
Nose, complications, in acute renal failure, treatment, *1955:* July, 1066
diseases, headache due to, *1954:* May, 688
fractures, *1954:* Jan., 262
injuries, *1954:* Sept., 1311
mucous membranes, reactions to threats, *1955:* May, 791
obstruction in, treatment, *1954:* Sept., 1313
Nosebleed, treatment, *1954:* Jan., 241, Sept., 1310
Nucleic acid, metabolism, relationship to treatment of cancer, *1956:* May, **923–933**
Nutrition, aged persons, *1954:* Sept., **1485–1492**
deficiences, cancer surgery in, preparation of patient, *1956:* May, 658
pathogenesis, *1956:* Sept., 1473
role in cancer, *1956:* May, 636
in pregnancy, *1955:* Nov., 1757
Nystagmus, positional, tests for, *1956:* Nov., 1789
Nystatin in histoplasmosis, *1955:* Jan., 195

OBESITY, *1955:* May, **845–862**, Nov., **1701–1708**
in diabetes, *1955:* Nov., 1634
management, *1955:* Nov., **1599–1606**
treatment, *1955:* Nov., 1704
Objects chart, *1956:* Nov., 1582
Obsessive-compulsive reactions in cancer, *1956:* May, 712
Obstetrics, analgesia and anesthesia in, *1954:* Sept., **1437–1445**
hemorrhage in, *1954:* Jan., **265–277**
in general practice, symposium on, *1955:* Nov., **1711–1815**
Occupational therapy in rheumatoid arthritis, *1955:* March, 400
Ocular. See *Eye(s)*.
ODEPA in cancer, evaluation, *1956:* May, 847, 848
Office proctology, *1955:* Sept., **1531–1550**
Office surgery, useful techniques in, *1955:* Sept., **1521–1530**
Oils, pneumonia or granuloma of lung due to, *1954:* July, **989–996**
Ointments in eczema in children, *1954:* Sept., 1276
Old age. See *Aged*.
Oligomenorrhea, *1955:* Nov., 1713
treatment, *1955:* Nov., 1717
Oliguria, fluids in, *1955:* May, 640
in poisoning, treatment, *1954:* Jan., 206
Onychomycosis, *1955:* Sept., 1328
Oophorectomy in carcinoma of breast, *1955:* July, 1183; *1956:* Jan., 58, May, 761, 769
Ophthalmia, sympathetic, *1956:* Nov., 1602, 1684
Opiate intoxication, *1954:* Jan., 219
nalorphine hydrochloride in, *1954:* Jan., 203, 220
Orbit, fractures, *1956:* Nov., 1605
tumors, *1956:* Nov., 1712
Orchiectomy in carcinoma of prostate, *1955:* July, 1182; *1956:* Jan., 253
Orthopedic measures, in rheumatoid arthritis, *1955:* March, 395
in children, *1955:* March, 477
in rheumatoid spondylitis, *1955:* March, 524
Orthopedic problems, common, in general practice, *1956:* Sept., **1417–1440**
Oscillometry in peripheral vascular disease, *1954:* May, 785
Osteitis fibrosa, *1955:* May, 882
Osteoarthritis, causes, recognition and management, *1956:* Jan., **63–78**
of hip, heredity in, *1955:* March, 503
of spine, *1954:* May, 662, Sept., 1482
physical medicine in, *1955:* Sept., 1499
treatment, *1954:* Sept., **1475–1484**
Osteochondrosis of capital femoral epiphysis, *1956:* Sept., 1426
Osteodystrophy, renal, *1955:* July, 1160
Osteomalacia, *1955:* May, 882
hyperparathyroidism due to, *1955:* July, 1161
Osteomyelitis of spine, *1954:* May, 659
Osteoporosis, *1955:* May, 882, 896
in hypothyroidism, *1955:* July, 1158
postmenopausal, *1955:* May, 897
senile, hormone therapy, *1956:* Jan., 142
spinal, postmenopausal, *1954:* May, 658
treatment, *1955:* July, 1221, 1226
Otitis externa, treatment, *1954:* Sept., 1319
Otitis media, *1954:* Jan., 244
treatment, *1954:* Sept., 1320
Otolaryngology, modern, for general practitioner, *1954:* Sept., **1309–1323**
modern medication in, *1956:* Nov., **1807–1815**
Otosclerosis, *1954:* Sept., 1321; *1956:* Nov., 1776
Ovary, carcinoma, incidence and curability, *1956:* May, 588
survival, long-term, *1956:* May, 678
dysfunctions, conditions produced by, *1955:* Nov., 1713

Ovary, dysfunctions, hypertension in, *1955:* July, 1144
function, after hypophysectomy, *1956:* May, 774
lymphosarcoma, *1956:* May, 738
products, clinical use, *1955:* July, 1220
Oxalate calculi, *1955:* Jan., 288, 289
Oximetry, value, in cardiopulmonary problems, *1954:* July, 1232
Oxygen, in respiration, *1955:* May, 666
tension of arterial blood, measurement, *1955:* Jan., 146
therapy, in asthma, *1954:* July, 972
in congestive heart failure in aged, *1954:* Nov., 1774
in myocardial infarction, *1954:* Nov., 1667
in pulmonary emphysema, *1956:* Jan., 107
in pulmonary fibrosis, *1954:* July, 1016
in rheumatic heart disease, *1954:* Nov., 1709
Oxytocin, uses and dosage, *1955:* July, 1211

PACEMAKER, wandering, *1956:* Jan., 161
Paget's disease, of nipple, *1956:* Jan., 44
of spine, *1954:* May, 658
Pagitane in parkinsonism, *1954:* March, 489, 494; *1956:* Sept., 1405
Pain, abdominal, in acute renal failure, treatment, *1955:* July, 1065
localization of, *1956:* March, 499, 503
back, low, medical management, *1956:* Sept., **1441–1449**
cardiac, management, *1954:* Jan., 11
of emotional origin, *1954:* Sept., 1542
chest, cardiac vs. noncardiac, *1954:* May, **743–751**
craniofacial, *1954:* May, 690
epigastric, in gastritis, *1956:* March, 346
facial, *1954:* Jan., 249
in cancer, control of, *1954:* Sept., 1296
in cervical disk syndrome, *1954:* May, 669
in coronary heart disease, *1954:* Nov., 1662
in myocardial infarction, *1954:* Nov., 1667
in neck, causes and treatment, *1956:* Sept., 1435
in pancreatitis, relief, *1956:* March, 457, 468
in shoulder, causes, diagnosis and treatment, *1955:* March, **563–585**; *1956:* Sept., 1432
in upper abdomen, differential diagnosis, *1954:* May, **835–846**
intractable, control in cancer, *1954:* Sept., 1296; *1956:* Jan., **51–62**, May, **687–703**
menstrual, mechanisms, *1954:* Sept., 1421
Pain, relief, by procaine injection, *1955:* Sept., 1504
sciatic, in lumbar disk syndrome, *1954:* May, 667
Palate, cleft, *1956:* March, 291
Pamine, in gastrointestinal disease, *1954:* March, 467
in peptic ulcer, *1955:* Sept., 1389
Pancreas, carcinoma, incidence and curability, *1956:* May, 586
diseases, diarrhea and bloody stools in, *1954:* May, 819
tests for, *1956:* March, **403–416**
in carbohydrate metabolism, *1955:* May, 837
lymphosarcoma, *1956:* May, 735
Pancreatic juice, secretion of, *1956:* March, 283
Pancreatitis, acute, *1954:* Jan., 134, Sept., 1393; *1956:* March, **451–463**
renal failure in, *1955:* July, 1046
chronic relapsing, *1954:* Sept., 1398; *1956:* March, **465–473**
diabetes with, management of patient, *1955:* Nov., **1655–1664**
gallbladder disease with, *1956:* March, 483
medical aspects, *1954:* Sept., **1393–1402**
postcholecystectomy, *1956:* March, 493
Pancreozymin, *1956:* March, 285
Panhematopenia, splenic, primary, bone marrow findings in, *1956:* July, 1232
Panhypopituitarism, *1955:* July, 1201, 1202
Panparnit in parkinsonism, *1954:* March, 487, 491
Papanicolaou technique in cancer diagnosis, *1956:* May, 596
Papilledema in blood diseases, *1956:* July, 1210, 1212, 1215
Papillitis, renal, necrotizing, *1955:* July, 936
Papilloma of trachea, *1954:* July, 1095
Papillomatosis of palate, *1956:* March, 311
Para-aminobenzoic acid, in collagen diseases, *1955:* Jan., 138
in rheumatoid arthritis in children, *1955:* March, 479
Para-aminohippurate clearance test of renal function, *1955:* July, 950
Para-aminosalicylic acid, agranulocytosis due to, *1956:* July, 1079
in meningitis, tuberculous, *1955:* Sept., 1335, 1342
in tuberculosis, *1954:* July, **1167–1176**; *1956:* Sept., 1283
reactions, *1954:* July, 1172
Paracentesis, abdominal, in liver disease with ascites, *1955:* Sept., 1413
Paradione, in epilepsy, *1954:* March, 478
side effects, *1954:* Sept., 1343
Paralysis, infantile. See *Poliomyelitis.*
of larynx, *1956:* Nov., 1732

Paranoia and paranoid states, *1954:* Jan., 154
Paranoid reactions in cancer, *1956:* May, 713
Paraphimosis, *1954:* Jan., 284
Parasites, bacterial, as carcinogens, *1956:* May, 639, 923
Parasitic infections, intestinal, *1955:* Sept., 1538
chemotherapy, *1956:* March, **527–539**
of urinary tract, treatment, *1956:* Sept., 1552
Parathormone, *1955:* May, 885
Parathyroid glands, dysfunctions, *1955:* July, **1153–1169**
in calcium and phosphorus metabolism, *1955:* May, 884
products, clinical use, *1955:* July, 1220
Parathyroid intoxication, *1955:* July, 1157
Paratyphoid fever, immunization, *1954:* Sept., 1497
Paredrine in myocardial infarction, *1954:* Nov., 1671
Paresis, general, psychosis of, treatment, *1956:* Sept., 1396
Paritol as anticoagulant, *1955:* Jan., 227, 228
Parkinson's disease, treatment, *1954:* March, **485–498**; *1956:* Sept., **1401–1415**
management of side reactions, *1956:* Sept., 1411
Paronychia, office surgery, *1955:* Sept., 1524
Parsidol in Parkinson's disease, *1956:* Sept., 1405
Patient, poor-risk, with cancer, evaluation and preparation for major surgery, *1956:* May, 657–662
Pediculosis pubis, *1955:* Nov., 1744
Pellagra, *1956:* Sept., 1482
Pelvis, fractures, in auto crash, *1954:* Jan., 84
Pemphigus, oral lesions, *1956:* March, 310, Nov., 1738
Penicillin, in bronchiectasis, *1954:* July, 1024
in cardiovascular syphilis, *1954:* Nov., **1757–1765**
in dermatology, *1955:* Sept., 1246
in endocarditis, bacterial, *1954:* March, 387
in otolaryngology, *1956:* Nov., 1808
in pneumonia, *1954:* July, 982
in rheumatic fever, prophylactic, *1954:* Nov., 1713, *1955:* March, 349, 356
treatment, *1955:* March, 349, 357
in typhoid fever, *1954:* March, 578
pharmacology, *1955:* May, 901
reactions, *1955:* Jan., **111–124**, May, 901
Pentapyrrolidinium in hypertension, *1954:* March, 365, 372
Pentapyrrolidinium in hypertension, in aged, *1956:* Jan., 199
Pentolinium tartrate in hypertension, *1956:* Sept., 1332
Pepsinogen, blood, determination, without intubation, *1956:* March, 406
Peptic activity, gastric, test, without intubation, *1956:* March, 404
Peptic ulcer, anticholinergic drugs in *1954:* March, 459
complications, management, *1956:* March, 360
etiology, emotional factors in, *1955:* May, 786
hemorrhage from, *1954:* Jan., 137; *1956:* March, **371–380**
treatment, *1955:* Sept., 1394; *1956:* March, 361, 375
in aged, *1956:* Jan., 228
intractability, treatment, *1955:* Sept., 1390
management, *1955:* Sept., **1381–1399**; *1956:* March, **353–369**
pathophysiology, *1955:* Sept., 1382
perforated, *1954:* Jan., 120
treatment, *1955:* Sept., 1396; *1956:* March, 363
pyloric obstruction in, treatment, *1955:* Sept., 1391; *1956:* March, 362
recurrences, prevention, *1956:* March, 359
reduction of gastric acidity in, *1955:* May, 704
Perazil in parkinsonism, *1954:* March, 489, 491
Periarteritis nodosa, *1955:* Jan., **125–139**
protean manifestations, *1955:* March, **325–338**
Periarthritis of shoulder, *1955:* March, 569, 578
Pericarditis, constrictive, cardiac catheterization in, *1954:* Nov., 1629
in rheumatoid arthritis, *1955:* March, 375
in children, *1955:* March, 467
treatment, *1954:* Jan., 15
Perimetry, *1956:* Nov., 1584
Perinephric abscess, *1954:* Jan., 293
Periodontal disease, *1956:* March, 297
Peristalsis, intestinal, *1955:* May, 705
Peritoneal lavage, in acute renal failure, *1955:* July, 1058
technique, *1955:* July, 1058
Peritonitis, bile, postcholecystectomy, *1956:* March, 490
secondary to perforation of viscus incident to ACTH or cortisone therapy, *1955:* Jan., 87
Peritonsillar abscess, *1954:* Jan., 247, Sept., 1316
Perlèche in aged, *1956:* Jan., 47
Pernicious anemia. See *Anemia, pernicious.*
Personality, changes, after lobotomy, *1954:* Sept., 1387
total, influence in emotional disorders in aged, *1956:* Jan., 14

Pertussis. See *Whooping cough.*
Petit mal seizures, *1954:* May, 696
pH changes in cancer, *1956:* May, 619
Phantom limb, painful, lower extremity, lumbar sympathetic block in, *1955:* Sept., 1513
upper extremity, stellate ganglion block in, *1955:* Sept., 1507
Pharyngitis, streptococcal, ACTH or cortisone in, *1955:* Jan., 92
Pharynx, carcinoma, incidence and curability, *1956:* May, 584
lymphoid tissue, acute infections, *1954:* Sept., 1315
Phenacemide. See *Phenurone.*
Phenobarbital, in angina pectoris, *1954:* Nov., 1664
in asthma, *1954:* July, 975
in epilepsy, *1954:* March, 475
side effects, *1954:* Sept., 1340
Phenol, injections, for cancer pain, *1956:* May, 696
poisoning, treatment, *1954:* Jan., 202
Phenolsulfonphthalein excretion, impaired, in diabetes, incidence, *1955:* Nov., 1620
test, serial, *1955:* July, 951
Phenurone, in epilepsy, *1954:* March, 479
side effects, *1954:* Sept., 1343, 1344, 1349
Phenylbutazone, agranulocytosis due to, *1956:* July, 1079
in degenerative arthritis, *1956:* Jan., 77
in gout, *1954:* March, **611–624**; *1955:* Jan., 309, March, 549, 551, May, 778
in rheumatoid arthritis, in children, *1955:* March, 481
long-term, *1955:* March, **405–412**
in rheumatoid spondylitis, *1955:* March, 409, 523
Phenylindandione, as anticoagulant, *1955:* Jan., 227, 232, 233, 238
excessive hypoprothrombinemia due to, Mephyton in, *1954:* March, **413–417**
in coronary heart disease, *1954:* March, 411
Pheochromocytoma, *1955:* July, **1101–1110**
diagnosis, Regitine and Benodaine in, *1954:* March, **375–384**
tests for, *1955:* July, 1105
hypertension in, *1954:* May, 760; *1955:* July, 1103, 1104, 1105, 1145
treatment, *1955:* July, 1108; *1956:* Sept., 1277
Phlebothrombosis, *1954:* Jan., 39
Phlyctenule, *1954:* Jan., 226
Phosphatase, alkaline, test of liver function, *1956:* March, 442
serum, in cancer, *1956:* May, 622
Phosphate, calculi, *1955:* Jan., 289
retention, renal, *1955:* May, 685
Phosphohexose isomerase, serum, in cancer, *1956:* May, 624
Phosphorus, in chronic renal failure, *1955:* July, 1038
Phosphorus, metabolism, *1955:* May, 884, 887
metabolism, after hypophysectomy, *1956:* May, 782
poisoning, treatment, *1954:* Jan., 202
radioactive, *1956:* May, 804
in leukemia, *1954:* March, **525–540**; *1955:* Jan., 210, 215; *1956:* July, 1119, Sept., 1530
in polycythemia vera, *1955:* Jan., 220; *1956:* July, 1054, Sept., 1529
uses in medicine, *1956:* Sept., 1528
Physical examination, periodic, in industry, *1956:* Jan., 24
Physician-patient relationship in cancer, *1956:* May, 718
Physiology, research in, contribution to clinical cardiology, *1954:* Nov., **1565–1573**
Physiotherapy, in bursitis of shoulder, *1955:* Sept., 1487
in cerebral vascular accident, *1956:* Sept., 1360
in degenerative arthritis, *1956:* Jan., 76
in osteoarthritis, *1954:* Sept., 1480
in painful shoulder, *1955:* March, 571
in Parkinson's disease, *1956:* Sept., 1408
in rheumatoid arthritis, *1955:* March, 399
in children, *1955:* March, 476
in rheumatoid spondylitis, *1955:* March, 521
Picrotoxin in poisoning, *1954:* Jan., 211
Pilonidal cyst, surgical treatment in office, *1955:* Sept., 1548
Pinguecula, *1956:* Nov., 1620
Pink-eye, *1956:* Nov., 1617
Pinworms, treatment, *1955:* Sept., 1538; *1956:* March, 533
Piperazine, in ascariasis, *1956:* March, 534
in enterobiasis, *1956:* March, 533
Piperoxan. See *Benodaine.*
Piromen in allergy, *1954:* March, **561–568**
Pitocin, for elective induction of labor, *1955:* Nov., 1813
in prolonged labor, *1955:* Nov., 1807
uses and dosage, *1955:* July, 1211
Pitressin, uses and dosage, *1955:* July, 1211
Pituitary gland, disorders, hypertension in, *1955:* July, 1143
in aged, endocrine therapy, *1956:* Jan., 136
in carbohydrate metabolism, *1955:* May, 837
pars distalis, dysfunctions, *1955:* July, **1171–1180**
products, clinical uses, *1955:* July, 1109
removal. See *Hypophysectomy.*
Pituitary-thyroid axis, physiology of, *1955:* Jan., 55, May, 805
Pityriasis rosea, treatment, *1955:* Sept., 1263

Placebos in functional gastrointestinal disorders, *1956:* March, 339
Placenta accreta, *1954:* Jan., 267
previa, *1954:* Jan., 275
Plague, immunization, *1954:* Sept., 1516
Plantar warts, radiation therapy, *1955:* Sept., 1281
Plasma, coagulation factors, deficiencies, *1956:* July, 1176, 1179
treatment, *1956:* July, 1182
iron clearance rate, Fe^{59} in measurement, *1956:* July, 995
proteins. See *Proteins.*
volume, measurement, radiochromium in, *1956:* July, 1026, Sept., 1535
Plasmacytosis, nonmyelomatous, bone marrow findings in, *1956:* July, 1239
Platelets, count, *1956:* July, 978
in hemostasis, *1956:* July, 1174
transfusion, in thrombocytopenic purpura, *1956:* July, 1181, 1189
Plethysmography in peripheral vascular disease, *1954:* May, **787**
Pleura, lymphosarcoma, *1956:* May, **731**
Pleural effusion, malignant, treatment, intracavitary radioactive colloidal gold in, *1954:* July, **1133–1138**
Pleural fluid, cytology, in diagnosis of pulmonary disease, *1954:* May, **725**, July, 1118, 1223
Pleuritis in rheumatoid arthritis, *1955:* March, **375**
Plummer-Vinson syndrome, functional, *1956:* March, 331
oral lesions, *1956:* March, 308
Pneumoconiosis in aged, diagnosis, *1956:* Jan., 83
Pneumonia, atypical, primary, *1954:* May, **738**; July, 986
bacterial, problem cases, *1954:* May, 906
Friedländer's, *1954:* May, **737**, July, 983
in aged, *1956:* Jan., **89–96**
influenzal, *1954:* July, 985
lipoid, *1954:* July, **989–996**
pneumococcal, *1954:* July, 983
resolution, delayed, *1956:* Sept., **1291–1303**
staphylococcal, *1954:* July, 984
streptococcal, *1954:* July, 985
treatment, *1954:* July, **981–987**
viral (psittacosis, ornithosis), *1954:* July, 986
Pneumoperitoneum, diagnostic, value of, *1954:* July, **1201–1205**
in pulmonary hemorrhage, *1954:* Jan., 50
Pneumothorax, in thoracic injury, *1954:* July, 1183, 1189
spontaneous, *1954:* July, **1065–1074**
treatment, *1954:* Jan., 52, July, 1069
Poisonings, common, and their management, *1954:* Jan., 199–223; *1956:* Sept., **1489–1501**
metallic, psychosis in, treatment, *1956:* Sept., 1395
Poker spine, *1955:* March, 509
Poliomyelitis, bulbospinal, acute stages, treatment, *1955:* Jan., **95–109**
immunization, *1954:* Sept., 1524
tonsillectomy in relation to, *1956:* Nov., **1761–1770**
Pollenosis, diagnosis and treatment, *1956:* Nov., **1717**, 1719
Polyarteritis nodosa, polyneuropathy with, *1954:* Sept., 1328
Polycythemia, *1955:* May, 673
caused by defects in cardiopulmonary system, *1956:* July, 1062
high-altitude, *1956.* July, 1061
ocular fundus in, *1956:* July, 1210
pulmonary function tests in, *1954:* July, 1235
secondary, *1956:* July, **1051–1076**
management, *1956:* July, 1075
vera, *1956:* July, **1045–1060**
bone marrow findings in, *1956:* July, 1237
management, *1955:* Jan., **208–222**; *1956:* July, 1053
radiophosphorus in, *1956:* Sept., 1529
symptoms and physical signs, *1956:* July, 1050
triethylene melamine in, *1954:* March, 550
Polyethylenimines in cancer, evaluation, *1956:* May, 845
Polymenorrhea, *1955:* Nov., **1713**
Polymyxin, in bacterial endocarditis, *1954:* March, 396
in dermatology, *1955:* Sept., 1246
in otolaryngology, *1956:* Nov., 1811
reactions, *1955:* Jan., **111–124**
Polyneuritis, associated with infection and alcohol, *1955:* Jan., 4
idiopathic, acute, *1954:* Sept., **1327**, 1334, 1336
in infectious mononucleosis, *1955:* Jan., **3**
in lymphomas, *1956:* July, 1159
infectious, *1954:* Sept., **1327**, 1334, 1336
Polyneuropathies, diagnosis and treatment, *1954:* Sept., **1325–1338**
Polyps, gastric, *1956:* March, 383
of rectum in aged, *1956:* Jan., 230
Polyradiculoneuritis, *1954:* Sept., 1327
Polysaccharides in serum in cancer, *1956:* May, 613
Pompholyx, of hands, *1955:* Sept., 1319
of nails, *1955:* Sept., 1326
Population, aging, problems of, *1956:* Jan., **3–10**
Porphobilinogen, *1955:* Jan., 13
test for, *1955:* Jan., 29
Porphyria, acute, *1954:* Sept., 1331, 1335, 1336
Porphyrinopathies, major, clinical aspects, *1955:* Jan., **11–30**
Porphyrins, pigments, chemistry of, *1955:* Jan., 12
tests for, *1955:* Jan., 29

Positron emitters, *1956:* Sept., 1537
Postcholecystectomy syndrome, *1954:* Sept., 1409; *1956:* March, 332, **485–497**
Postmenopausal bleeding, *1955:* Nov., **1733–1739**
Postnatal care, *1955:* Nov., 1770
Postpartum hemorrhage, *1954:* Jan., 265; *1955:* July, 1177
Postpartum psychosis, *1954:* Jan., 155
Postphlebitic ulcer, *1955:* Sept., 1301
treatment, *1955:* Sept., 1308
Postthrombophlebitic edema, treatment, *1954:* Jan., 311
Posttraumatic syndrome, lower extremity, lumbar sympathetic block in, *1955:* Sept., 1513
upper extremity, stellate ganglion block in, *1955:* Sept., 1507
Posture, backache and, *1954:* May, 665
correction, in degenerative arthritis, *1956:* Jan., 74
Potassium, body, distribution, *1955:* May, 630
measurement, *1955:* May, 629
deficiency, in diabetic acidosis, *1955:* Nov., 1589, 1598
in uremia, *1954:* Sept., 1453
treatment, *1955:* May, 640
in cardiac arrhythmias, *1956:* Jan., 173
in gastrointestinal fluids, *1955:* May, 714
in hypertension in aged, *1956:* Jan., 197
in paroxysmal atrial tachycardia with block, *1955:* Sept., 1372
in renal failure, *1955:* July, 1037, 1050
Potassium arsenite in leukemia, chronic, *1956:* July, 1119
Potassium iodide in asthma, *1954:* July, 974
Prantal in gastrointestinal disease, *1954:* March, 466
Precipitates, keratitic, *1956:* Nov., 1681
Prednisolone in degenerative arthritis, *1956:* Jan., 78
Prednisone, in asthma, *1956:* Sept., 1310
in degenerative arthritis, *1956:* Jan., 78
in lymphomas and leukemia, *1956:* Jan., 140, May, 748, July, 1113
in pulmonary emphysema, *1956:* Jan., 106
in rheumatoid arthritis in aged *1956:* Jan., 138
in uveitis, *1956:* Nov., 1685
Preeclampsia-eclampsia, *1955:* Nov., 1762
course, recognition and prevention, *1955:* Nov., **1781–1788**
Pregnancy, anemia in, *1955:* Nov., 1758
cancer and, *1956:* May, 639
of cervix in, *1955:* Nov., 1762
care during, *1955:* Nov., **1757–1771**
diabetes and, *1955:* Nov., 1768; *1956:* Nov., 1647
retinopathy of, *1955:* Nov., 1675; *1956:* Nov., 1647
heart disease and, *1955:* Nov., 1767
Pregnancy, heart disease and, management, *1954:* Nov., **1741–1755**
hemorrhage in, late, *1955:* Nov., 1760
hepatitis in, viral, relation to hepatitis in newborn, *1956:* March, 419
hypertension in, *1954:* May, 763
hyperthyroidism in, *1955:* Jan., 63, Nov., 1766
infectious hepatitis in, *1956:* Sept., 1465
mental hygiene in, *1955:* Nov., 1759
pulmonary edema in, acute, treatment, *1954:* Nov., 1750
Rh incompatability in, *1955:* Nov., 1760; *1956:* July, 1033, 1035
syphilis in, *1955:* Nov., 1769
toxemias, early, *1955:* Nov., 1762
plasma and urinary proteins in, *1955:* July, 1021
recognition, *1955:* Nov., **1771–1778**
tuberculosis in, *1955:* Nov., 1768
Premarin in dysmenorrhea, *1954:* Sept., 1429; *1955:* July, 1196
Premarital examination, *1955:* Nov., **1773–1779**
Premature beats, mechanism, *1955:* May, 647
Premenstrual tension, progesterone in, *1955:* July, 1224
Prenatal care, *1955:* Nov., **1757–1771**
Prenderol in epilepsy, *1954:* March, 478
Pressure paralysis, *1954:* Sept., 1329
Prince rule, *1956:* Nov., 1581
Pro-Banthine in gastrointestinal disease, *1954:* March, 463
Probenecid in gout, *1955:* Jan., 313, March, 551, 552, May, 780
Procaine, intravenous, for cancer pain, *1956:* May, 700
therapeutic uses, *1955:* Sept., **1503–1520**
Procaine amide, in cardiac arrhythmias, *1955:* Sept., 1372, 1375; *1956:* Jan., 171
in myocardial infarction, *1954:* Nov., 1672
in ventricular tachycardia, *1954:* Jan., 25
Proctology, office, *1955:* Sept., **1531–1550**
Proctoscopy, *1955:* Sept., 1532
Proctosigmoidoscopy, office, *1954:* May, 647
routine, in diagnosis of rectocolic cancer, *1956:* May, 598
Progesterone, in amenorrhea, *1955:* July, 1190
in dysfunctional uterine bleeding, *1955:* July, 1192
in dysmenorrhea, *1954:* Sept., 1431; *1955:* July, 1194
in menstrual disorders, *1955:* Nov., 1719
uses and dosage, *1955:* July, 1222, 1223, 1224
Prolactin in menstrual disorders, *1955:* Nov., 1721

Prolapse of rectum, linear cauterization for, *1955:* Sept., 1547
treatment, conservative, *1955:* Sept., 1539
Promacetin in leprosy, *1954:* March, 600, 602
Promin in leprosy, *1954:* March, 599, 602
Promizole in meningitis, tuberculous, *1955:* Sept., 1335
Pronestyl. See *Procaine amide.*
Propylthiouracil, in hyperthyroidism, *1955:* Jan., 57
Prostate, abscess, *1954:* Jan., 293
carcinoma, *1956:* Jan., 252
adrenalectomy in, *1956:* Jan., 139
advanced, endocrine therapy, *1955:* July, **1181–1188**, 1222; *1956:* Jan., 142, 253
detection and early diagnosis, *1956:* May, 608
early, *1954:* Jan., 295; May, 648
incidence and curability, *1956:* May, 588
radical surgery, *1956:* Jan., 252
radiogold in, *1956:* Sept., 1531
survival, long-term, *1956:* May, 682
diseases, in aged, *1956:* Jan., **249–255**
hyperplasia, *1956:* Jan., 250
lymphosarcoma, *1956:* May, 737
Prostatitis, *1956:* Jan., 250
Protein(s), C-reactive, in rheumatic fever, *1955:* March, 355, May, 769
in rheumatoid arthritis, *1955:* May, 771
metabolism, *1955:* May, **863–879**
in liver disease, *1955:* May, **719–734**
plasma, and urinary, in kidney diseases, *1955:* July, **1015–1026**
determinations, *1955:* May, 872
in cancer, *1956:* May, 612
sites of formation, *1955:* May, 871
requirements in aged, *1954:* Sept., 1489
restriction in hepatic coma, *1955:* Sept., 1418
serum, abnormalities in various diseases, *1955:* May, 875
in cancer, *1956:* May, 612
in multiple myeloma, *1956:* May, 614
Proteinuria, detection, *1955:* July, 955
in glomerulonephritis, *1955:* July, 980, 985
in hypertensive renal disease, *1955:* July, 1033
physiology, *1955:* May, 686
Prothrombin, complex, *1956:* July, 1176, 1179
depressants, *1955:* Jan., 227, 229
test, of liver function, *1955:* May, 723; *1956:* March, 441
Protoveratrines, in hypertension, *1956:* Sept., 1330
in hypertensive encephalopathy, *1956:* Jan., 201
Protozoal infections, intestinal, *1956:* March, 527
Pruritus, anal, office treatment, *1955:* Sept., 1533
surgical, *1955:* Sept., 1543
in atopic dermatitis in infants, treatment, *1955:* Sept., 1293
in lymphomas, *1956:* July, 1141
radiation therapy, *1955:* Sept., 1280
senile, *1956:* Jan., 38
hormone therapy, *1956:* Jan., 141
vulvae, *1955:* Nov., 1744
in aged, *1956:* Jan., 38
Pseudo-Addison's disease, *1955:* Jan., 21
Pseudohemophilia, *1956:* July, 1175, 1178, 1180
Pseudohermaphrodism, female, *1955:* July, 1089, 1094
Pseudohypoparathyroidism, *1955:* May, 893
Pseudomonas aeruginosa, urinary tract infections due to, *1956:* Sept., 1551
Psoriasis, in rheumatoid arthritis, *1955:* March, 372
of hands, *1955:* Sept., 1321
of nails, *1955:* Sept., 1328
of vulva, *1955:* Nov., 1748
radiation therapy, *1955:* Sept., 1279
treatment, *1955:* Sept., 1261
Psychiatric considerations in rheumatoid arthritis, *1955:* March, **447–458**
Psychiatric emergencies, recognition and management, *1954:* Jan., **143–166**
Psychiatric referral of office patient, *1954:* Sept., 1360
Psychogenic rheumatism, *1955:* March, **601–612**
Psychological impact of cancer and its therapy, *1956:* May, **705–720**
Psychomotor attacks, *1954:* May, 697
Psychoses, acute episodes, management, *1954:* Jan., 144
alcoholic, treatment, *1956:* Sept., 1391, 1395
drug therapy, *1956:* Sept., **1385–1399**
electroshock therapy, outpatient, *1954:* Sept., **1363–1378**
functional, drug therapy, *1956:* Sept., 1387
hospitalization in, *1954:* Jan., 156
in acute renal failure, treatment, *1955:* July, 1063
involutional, drug therapy, *1956:* Sept., 1390
lobotomy in, indications and results, *1954:* Sept., **1379–1391**
manic-depressive, *1954:* Jan., 144
drug therapy, *1956:* Sept., 1388
neurosis and, differentiation, *1954:* Jan., 149
organic, *1954:* Jan., 145
drug therapy, *1956:* Sept., 1391
postpartum, *1954:* Jan., 155
schizophrenic, *1954:* Jan., 152
toxic, treatment, *1956:* Sept., 1393
Psychosomatic heart disease, *1954:* Nov., **1789–1800**
Psychotherapy, in cardiac neurosis, *1954:* Sept., 1543; Nov., 1794

Psychotherapy, in gastrointestinal disturbances, functional, *1956:* March, 337
in hypertension, *1956:* Sept., 1337
in menopause, *1955:* Nov., 1728
in menstrual disorders, *1955:* Nov., 1718
in neurotic patient, office, *1954:* Sept., 1357
in obesity, *1955:* Nov., 1707
in Parkinson's disease, *1956:* Sept., 1408
in peptic ulcer, *1955:* Sept., 1389; *1956:* March, 364
in psychoses after electroshock therapy, *1954:* Sept., 1376
in rheumatoid arthritis in children, *1955:* March, 477
Pteroylglutamic acid. See *Folic acid.*
Pterygium, *1956:* Nov., 1620
Ptosis of eyelid, acquired, *1956:* Nov., 1705
congenital, *1956:* Nov., 1689
with blepharophymosis and epicanthus, *1956:* Nov., 1691
Ptyalin, *1956:* March, 296
Ptyalism, *1956:* March, 300
Pubarche, premature, *1955:* July, 1093
Pudendal nerve block in obstetrics, *1954:* Sept., 1445
Puerperal infection, *1955:* Nov., 1771
Pulmonary. See also *Lung.*
arteriovenous fistula, *1954:* Nov., 1645
circulation, new knowledge of, *1954:* Nov., 1570
embolism, anticoagulants in, *1956:* Sept., 1340
circulatory collapse due to, *1954:* Jan., 18
prevention and treatment, *1954:* Jan., 41
insufficiency, severe dyspnea due to, 1954: Jan., 10
stenosis, cardiac catheterization in, *1954:* Nov., 1626
diagnosis and treatment, *1954:* Nov., 1640
tuberculosis. See *Tuberculosis.*
veins, anomalous, *1954:* Nov., 1640
Pulsus alternans, *1956:* Jan., 170
Punch biopsy. See under *Biopsy.*
Puncture wounds, care of, *1954:* Jan., 104
Pupils, examination, *1956:* Nov., 1590
reactions, abnormal, *1956:* Nov., 1591
Purine(s), clinical effects, in malignant disease, *1956:* May, **935–949**
Purinethol in malignant disease, *1956:* May, 937
Purpura, anaphylactoid, rheumatoid arthritis in children and, *1955:* March, 471
Henoch-Schönlein, *1956:* July, 1178, 1181
in lymphomas, *1956:* July, 1142
management, in children, *1956:* July, **1197–1202**
senile, *1956:* Jan., 38
Purpura, thrombocytopenic, *1956:* July, 1176, 1178
bone marrow findings in, *1956:* July, 1240
changes in ocular fundus in, *1956:* July, 1212
due to drugs, *1956:* July, 1085
idiopathic, in adults, *1956:* July, **1187–1196**
Pyelonephritis, acute, pathogenesis, *1955:* May, 696
correlation of clinical and pathologic observations in antibiotic era, *1955:* Jan., **297–305**
diagnosis and treatment, *1955:* July, **957–963**
pathology, *1955:* July, 932
Pylorus, obstruction, in peptic ulcer, treatment, *1955:* Sept., 1391; *1956:* March, 362
Pyoderma of vulva, *1955:* Nov., 1741
Pyrazinamide in tuberculosis, *1956:* Sept., 1284
Pyrimethamine. See *Daraprim.*
Pyuria, *1955:* Jan., 297

QUINIDINE, in cardiac arrhythmias, *1955:* Sept., 1372, 1373; *1956:* Jan., 171
in myocardial infarction, *1954:* Nov., 1671
thrombocytopenic purpura due to, *1956:* July, 1086

RABELLON in parkinsonism, *1954:* March, 490, 492, 494; *1956:* Sept., 1404
Rabies, prevention, *1954:* Jan., 107, Sept., 1518
vaccine, indications, *1954:* Jan., 109
Radial nerve, paralysis, with diabetes mellitus, *1955:* Jan., 8
Radiations, carcinogenesis, *1956:* May, **647–654**
physical characteristics, *1956:* May, 789
protection of physician and patient, *1956:* May, 651
Radiculitis, cervical, syndrome of, diagnosis and treatment, *1955:* Sept., 1464
Radiogold, infracavitary, in treatment of malignant pleural effusion, *1954:* July, **1133–1138**
Radioisotopes. See also under *Chromium, Cobalt, Gold, Iodine, Iron* and *Phosphorus.*
carcinogenic properties, *1956:* May, 652
in carcinoma of prostate, *1956:* Jan., 254, Sept., 1531
protection of physician and patient, *1956:* May, 653
use in medicine, *1956:* May, 801, Sept., **1515–1543**
Radiotherapy of cancer, comparative therapeutic activity and indications for various types, *1956:* May, **787–806**

Radiotherapy of cancer, for hypercalcemia, *1956:* May, 880
principles and techniques, *1956:* May, **807–820**
Radium, in cancer, palliative, principles and techniques, *1956:* May, **807–820**
in menstrual disorders, *1955:* Nov., 1723
in skin diseases, *1955:* Sept., 1267, 1269
Rash in rheumatoid arthritis in children, *1955:* March, 466
Rauwolfia, in anginal syndrome in aged, *1956:* Jan., 180
in arteriosclerotic and senile psychosis, *1956:* Sept., 1397
in central nervous system disease with psychosis, *1956:* Sept., 1396
in hypertension, *1954:* March, 365 370, 372, Nov., 1725; *1956:* Sept., 1335
in aged, *1956:* Jan., 198
in Parkinson's disease, *1956:* Sept., 1406
in schizophrenia, *1956:* Sept., 1387
in toxic psychosis, *1956:* Sept., 1394
in traumatic delirium, *1956:* Sept., 1394
side effects, *1956:* Sept., 1386
Reading chart, Jaeger, *1956:* Nov., 1579
Rectum, carcinoma, detection and early diagnosis, *1954:* May, 647; *1956:* May, 598
incidence and curability, *1956:* May, 586
diseases, office treatment, *1955:* Sept., **1531–1550**
examination, *1954:* May, 829
polyps, in aged, *1956:* Jan., 230
Regitine in diagnosis of pheochromocytoma, *1954:* March, **375–384**; *1955:* July, 1107
Rehabilitation, in cardiovascular disease, *1954:* Nov., **1785–1788**
in cerebrovascular accidents, *1956:* Jan., 219
Reiter's syndrome, diagnosis and treatment, *1955:* March, **587–599**
Renal. See *Kidney.*
Reserpine. See *Rauwolfia.*
Resins, exchange, in acute renal failure, *1955:* July, 1051
in congestive heart failure, *1954:* March, **419–430**
in determining gastric acidity, *1956:* March, 407
in liver disease, *1955:* Sept., 1414
Resonance generator, *1956:* May, 794
Respiration, artificial, methods, *1954:* Jan., 56
maintaining, in poisoning, *1954:* Jan., 207
physiologic alterations in thoracic injuries, *1954:* July, **1183–1188**
Respirator, in poliomyelitis, *1955:* Jan., 100
in pulmonary emphysema, *1956:* Jan., 109
Respiratory gas exchange, *1955:* Jan., 144
Respiratory tract, diseases, chronic, heart disease due to (cor pulmonale), *1954:* **1675–1692**
in cancer patient, major surgery and, *1956:* May, 667
emergencies, *1954:* Jan., **47–62**
secretional obstruction, *1954:* Jan., 255
Rest, in arthritis, degenerative, *1956:* Jan., 75
rheumatoid, *1955:* March, 395
in children, *1955:* March, 476
in heart disease, rheumatic, *1954:* Nov., 1709
in heart failure, congestive, *1954:* Nov., 1654
in aged, *1954:* Nov., 1773
in hepatitis, viral, *1956:* Sept., 1454
in liver disease, *1955:* Sept., 1404
in myocardial infarction, *1954:* Nov., 1666
in peptic ulcer, *1956:* March, 358
in rheumatic fever, *1954:* Nov., 1709
in spondylitis, rheumatoid, *1955:* March, 521
in tuberculosis, *1956:* Sept., 1286
Restlessness in acute renal failure, treatment, *1955:* July, 1063
Resuscitation of newborn, *1954:* Jan., 60
Reticulocytes, count, *1956:* July, 979
Reticuloendothelial system, involvement, in connective tissue diseases, *1955:* March, 334
Reticuloendotheliosis, leukemic, *1956:* July, 1145, 1147
bone marrow findings, *1956:* July, 1235
Reticulosis, lipomelanic, in lymphomas, *1956:* July, 1142
Retina, arteriolar signs, in hypertension, *1956:* Nov., 1626
changes, in blood diseases, *1956:* July, **1209–1216**
detachment, surgery of, *1956:* Nov., 1710
Retinitis proliferans, *1955:* Nov., 1696
Retinopathy, arteriosclerotic, nonhypertensive, *1956:* Nov., 1636
diabetic, *1955:* Nov., **1671–1683**; *1956:* Nov., 1643
in childhood, *1955:* Nov., 1675
in pregnancy, *1955:* Nov., 1675
incidence, *1955:* Nov., 1612
pathogenesis, *1956:* Nov., 1648
treatment, *1955:* Nov., 1678; *1956:* Nov., 1649
hypertensive, *1956:* Nov., 1633
in intercapillary glomerulosclerosis, *1955:* July, 1006
Retirement of employees in industry, *1956:* Jan., 30
Retropharyngeal abscess, *1954:* Jan., 248
Retropneumoperitoneum, *1954:* May, 806

Rh incompatability in pregnancy, *1955:* Nov., 1760; *1956:* July, 1033, 1035
Rh problem, laboratory diagnosis in, *1956:* July, 1035
obstetric management, *1956:* July, 1033
Rhabdomyosarcoma of arm, survival, long-term, *1956:* May, 684
Rheumatic diseases, basic sciences in relation to, *1955:* May, **765–782**
hydrocortisone in, oral, *1954:* March, **337–347**
intra-articular, *1954:* March, **349–357**
symposium on, *1955:* March, **323–612**
Rheumatic fever, diagnosis, *1954:* Nov., 1705; *1955:* March, 348, **353–363**, May, 766
epidemiology, *1955:* March, 346
etiology, *1954:* Nov., **1693–1704**
streptococcal, *1955:* March, **339–351**
heredity in, *1955:* March, 500
pathogenesis, *1955:* March, 340
prevention, *1954:* Nov., 1712; *1955:* March, 348, 355, May, 909
protean manifestations, *1955:* March, **325–338**
rheumatoid arthritis and, differentiation, *1955:* March, 469, 470
treatment, *1954:* Nov., 1709; *1955:* March, 348, **353–363**
Rheumatic heart disease. See under *Heart disease.*
Rheumatism, psychogenic, *1954:* May, 665; *1955:* March, **601–612**
Rheumatoid arthritis and spondylitis. See under the nouns.
Rhinitis, occupational, allergens causing, *1956:* Jan., 118
vasomotor, *1954:* Sept., 1314; *1956:* Nov., 1722
in infants and children, *1954:* Sept., 1265
treatment, *1955:* Sept., **1439–1452**
Rhizotomy, for angina pectoris, *1954:* Nov., 1665
for cancer pain, *1956:* Jan., 60
Rice diet in hypertension, *1956:* Sept., 1327
Rickets, *1956:* Sept., 1483
renal, *1955:* July, 1160
Ringworm, of beard, treatment, *1955:* Sept., 1258, 1280
of body, treatment, *1955:* Sept., 1257
of nails, treatment, *1954:* Sept., 1306; *1955:* Sept., 1258
of scalp, treatment, *1954:* Sept., 1305; *1955:* Sept., 1258, 1280
Robinson-Kepler-Power water test for Addison's disease, *1955:* July, 1118
Rocky Mountain spotted fever, *1954:* Sept., 1522
cortisone in, *1955:* Jan., 91
Roentgen diagnosis, of bronchogenic carcinoma, *1954:* July, 1114
Roentgen diagnosis, of cervical disk syndromes, *1955:* Sept., 1476
of esophageal ulcer, *1956:* March, 322
of gastritis, *1956:* March, 347
of lumbar disk syndrome, *1955:* Sept., 1476
of medical diseases, *1954:* May, **795–816**
of pulmonary disease, value of special techniques, *1954:* July, **1193–1200**
of pulmonary tuberculosis, *1954:* July, 1155
of rheumatoid spondylitis, *1955:* March, 516
Roentgen epilation, *1955:* Sept., 1276
Roentgen evaluation of treatment in rheumatoid arthritis, *1955:* March, **439–445**
Roentgen examination, in craniocerebral injuries, *1956:* Sept., 1371
in diarrhea and bloody stools, *1954:* May, 832
in spinal injuries, *1956:* Sept., 1376
Roentgen rays, carcinogenic effects, *1956:* May, **647–654**
effect on skin and hair, *1955:* Sept., 1270
physical characteristics, *1956:* May, 789
types and sources, *1956:* May, 792
Roentgen studies, in heart disease, *1954:* Nov., **1575–1581**
of gastrointestinal motility, *1955:* May, 706
of pancreas, *1956:* March, 414
Roentgen treatment of carcinoma, bronchogenic, *1954:* July, 1129
metastatic, *1954:* Sept., 1283
palliative, *1956:* Jan., 55
principles and techniques, *1956:* May, **807–820**
of dermatitis of hands, *1955:* Sept., 1325
of diabetic retinopathy, *1955:* Nov., 1681
of leukemia, *1955:* Jan., 209, 215; *1956:* May, 755, July, 1118
of lymphomas, malignant, *1956:* July, 1135
of menstrual disorders, *1955:* Nov., 1723
of myelocytic myeloma, *1955:* Jan., 223
of polycythemia vera, *1955:* Jan., 219
of skin diseases, *1955:* Sept., **1267–1284**
of spondylitis, rheumatoid, *1955:* March, 522
Roentgenoscopy in pulmonary disease, *1954:* July, 1199
Rosacea, radiation therapy, *1955:* Sept., 1280
Rotation test in vertigo, *1956:* Nov., 1792

Rotator cuff of shoulder, tears, *1956:* Sept., 1434
Rubella, immunization, *1954:* Sept., 1529
Rubeola. See *Measles.*
Rupture, of bladder, *1954:* Jan., 287
of urethra, *1954:* Jan., 287
Rutin in diabetic retinopathy, *1955:* Nov., 1679

SALICYLATES, in gout, *1955:* Jan., 309, May, 778
in rheumatic fever, *1954:* Nov., 1710
effect on carditis, *1955:* March, 361
in rheumatoid arthritis, *1955:* March, 401
in children, *1955:* March, 478
in rheumatoid spondylitis, *1955:* March, 523
poisoning, diagnosis and treatment, *1956:* Sept., 1499
Salivary glands, diseases and tumors, *1954:* Sept., 1318; *1956:* March, 314
Salivation, abnormalities, *1956:* March, 299
physiology, *1956:* March, 295
Salk's vaccine in prevention of polio, *1954:* Sept., 1526; *1956:* Nov., 1769
Salt, depletion syndrome, *1955:* May, 638, 639
restriction, in heart disease in pregnancy, *1954:* Nov., 1748
in heart failure in aged, *1954:* Nov., 1774
in hypertension, *1954:* March, 368, Nov., 1727; *1956:* Sept., 1327
in liver disease, *1955:* Sept., 1411
test, for preeclampsia, *1955:* Nov., 1787
withdrawal test of adrenal function, *1955:* May, 819
Sarcoid, Boeck's, hypercalcemia in, *1955:* May, 895
of lung, diagnosis, *1954:* May, 740
and treatment, *1954:* July, **997–1008**
Sarcoma, of vulva, *1955:* Nov., 1754
osteogenic, survival, long-term, *1956:* May, 683
radiotherapy, *1956:* May, 819
reticulum cell, neurologic manifestations, *1956:* July, **1151–1161**
triethylene melamine in, *1954:* March, 549
Scabies, treatment, *1955:* Sept., 1258
Scalenus anticus syndrome, *1955:* March, 582
nerve blocks in, *1955:* Sept., 1517
Scalp, ringworm, treatment, *1954:* Sept., 1305; *1955:* Sept., 1258
radiation, *1955:* Sept., 1280
seborrhea of, treatment, *1955:* Sept., 1251
Scarlet fever, immunization, *1954:* Sept., 1530
Schirmer test, *1956:* Nov., 1668
Schizophrenia, *1954:* Jan., 152
drug therapy, *1956:* Sept., 1387
Schüller-Christian disease, liver and spleen in, *1954:* May, 862
Schultz-Dale reaction, *1955:* May, 657
Sciatica, herniated disk and, *1955:* Sept., 1472
in rheumatoid spondylitis, *1955:* March, 511
medical management, *1956:* Sept., **1441–1449**
Scleroderma, *1955:* Jan., **125–139**
protean manifestations, *1955:* March, **325–338**
Scleromalacia perforans in rheumatoid arthritis, *1955:* March, 374
Scopolamine, in obstetrics, *1954:* Sept., 1440
in Parkinson's disease, *1956:* Sept., 1403
Scurvy, *1956:* Sept., 1482
Sebum output, emotional factors, *1955:* May, 792
Secretin, *1956:* March, 285
Secretions, gastrointestinal, *1956:* March, 281
nasal and sinus, cytologic examination, *1956:* Nov., 1718
respiratory obstruction due to *1954:* Jan., 255
Sedatives, in asthma, *1954:* July, 975
in cancer, *1956:* May, 699
in gastrointestinal disturbances, functional, *1956:* March, 338
in heart disease, rheumatic, *1954:* Nov., 1710
in heart failure, congestive, in aged, *1954:* Nov., 1773
in liver disease, chronic, *1955:* Sept., 1411
in peptic ulcer, *1956:* March, 357
in rheumatic fever, *1954:* Nov., 1710
Sedormid, thrombocytopenic purpura due to, *1956:* July, 1086
Seminiferous tubule failure, *1955:* July, 1204, 1205
Sengstaken tube, use, in liver disease with hemorrhage, *1955:* Sept., 1415
Senility, psychoses of, treatment, *1956:* Sept., 1397
sex hormone therapy, *1956:* Jan., 142
Sensory block for intractable cancer pain, *1956:* Jan., 59
Septal defects, diagnosis and treatment, *1954:* Nov., 1639, 1640
Sequestration, bronchopulmonary, intralobar, *1954:* July, **1081–1090**
Sernyl. See *Azaserine.*
Serum, albumin. See *Albumin.*
enzymes, in cancer, *1956:* May, 621
neuritis, *1954:* Sept., 1330
proteins. See *Proteins.*
sickness, defined, *1955:* May, 753
in infants and children, *1954:* Sept., 1270
Sex hormone therapy in aged, *1956:* Jan., 140

Sheehan's syndrome, *1955:* July, 1175
Shock, burn, treatment, *1954:* Jan., 98; *1956:* Sept., 1504
cardiogenic, treatment, *1954:* Jan., 16
in crash injuries, *1954:* Jan., 81
in myocardial infarction, treatment, *1954:* Nov., 1670
in poisoning, treatment, *1954:* Jan., 208
in poliomyelitis, treatment, *1955:* Jan., 105
norepinephrine in, *1954:* March, **499–514**
organs, *1955:* May, 757
Shoes, corrective devices, *1956:* Sept., 1418
proper fitting of, *1956:* Sept., 1418
Shoulder, bursitis, exercises for, *1955:* Sept., 1487
"frozen," *1956:* Sept., 1434
painful, causes and treatment, *1955:* March, **563–585**; *1956:* Sept., 1432
syndromes, neurovascular, *1955:* March, 582
Shoulder-hand syndrome, *1955:* March, 569, 579, 582
stellate ganglion block in, *1955:* Sept., 1507
Sialadenitis, *1954:* Sept., 1317; *1956:* March, 314
Sialolithiasis, *1956:* March, 314
Sight, testing, *1956:* Nov., 1575
Sigmoidoscopy, *1954:* May, 829; *1955:* Sept., 1532
Silvester method of artificial respiration, *1954:* Jan., 56
Simmonds' disease, *1955:* July, 1202
endocrine therapy, *1955:* July, 1227
Sinus arrest, *1956:* Jan., 161
Sinuses, paranasal, allergy of, *1956:* Nov., **1717–1724**
disease of, headache in, *1954:* May, 688
irrigation of, *1955:* Sept., 1455
transillumination of, *1955:* Sept., 1455
Sinusitis, chronic, diagnostic procedures, *1955:* Sept., 1454
treatment, *1955:* Sept., **1453–1462**
frontal, acute, *1954:* Jan., 249
treatment, *1954:* Sept., 1312
Skin, after hypophysectomy, *1956:* May, 782
aging, *1956:* Jan., **33–49**
care of, *1956:* Jan., 37
atrophy, *1956:* Jan., 38
carcinoma, detection and early diagnosis, *1954:* May, 649; *1956:* May, 607
incidence and curability, *1956:* May, 589
colloid degeneration, *1956:* Jan., 45
diseases, hydrocortisone ointment in, *1954:* March, **321–336**
radiation therapy in, *1955:* Sept., **1267–1284**
treatment, *1955:* Sept., **1245–1265**
Skin, effect of x-rays on, *1955:* Sept., 1270
fungus diseases, treatment, *1954:* Sept., **1301–1308**
grafting, in burns, *1956:* Sept., 1509
horns, *1956:* Jan., 41
infections, emotional factors, *1955:* May, 792
lesions, in rheumatic fever, *1954:* Nov., 1705
superficial, radiophosphorus in, *1956:* Sept., 1531
lymphosarcoma, *1956:* May, 729
manifestations, of connective tissue diseases, *1955:* March, 330
of lymphoma including leukemia, *1956:* July, **1139–1149**
of Reiter's syndrome, *1955:* March, 591
of rheumatoid arthritis, *1955:* March, 372
in children, *1955:* March, 466
of uremia, treatment, *1955:* July, 1065
reactions to threats, *1955:* May, 788
tags, *1956:* Jan., 45
temperature studies, in peripheral vascular disease, *1954:* May, 788
tests, in allergy, *1955:* May, 761
nasal, *1954:* Sept., 1267; *1956:* Nov., 1719
in atopic dermatitis in infants, *1955:* Sept., 1288
tumors, malignant, radiation therapy, *1955:* Sept., 1281
ulcers, indolent, infected, Tryptar in, *1954:* March, **359–361**
Skull, fractures, in auto crash, *1954:* Jan., 91
Smallpox, immunization, *1954:* Sept., 1494
Smegma as carcinogen, *1956:* May, 637
Snake bite, *1954:* Jan., 108
Snellen chart, *1956:* Nov., 1576
Sociological problems of aged, *1956:* Jan., 8, 11
Sodium. See also *Salt.*
body, distribution, *1955:* May, 629
measurement, *1955:* May, 629
deficiency in uremia, *1954:* Sept., 1451
depletion, correction, *1955:* May, 638, 639
in gastrointestinal fluids, *1955:* May, 714
in renal failure, *1955:* July, 1037, 1050
metabolism, after hypophysectomy, *1956:* May, 776
retention, and edema, *1955:* May, 684
Sodium EDTA in hypercalcemia of cancer, *1956:* May, 881
Solution M for dissolution of calculi, *1954:* Sept., 1469
Spermatic cord, torsion of, *1954:* Jan., 286
Spherocytic disease, congenital, *1955:* May, 746

Sphincter, anal, sites for incision, *1955:* Sept., 1549
of Oddi, fibrosis, postcholecystectomy, *1956:* March, 493
Spinal abscess, epidural, acute, *1954:* Jan., 167
Spinal anesthesia in obstetrics, *1954:* Sept., 1443
Spinal cord, compression, from herniated disks, diagnosis and treatment, *1955:* Sept., 1470
injuries, acute, diagnosis and treatment, *1956:* Sept., 1375
involvement, in lymphomas, *1956:* July, 1155
lymphosarcoma, *1956:* May, 739
Spinal puncture. See *Lumbar puncture.*
Spine, bones of, lesions, pain arising from, differential diagnosis, *1954:* May, 657
cervical, degenerated, painful, *1956:* Sept., 1436
whiplash injuries, *1956:* Sept., 1436
fractures, in auto crash, *1954:* Jan., 91, 92
injuries, acute, diagnosis and treatment, *1956:* Sept., 1375
joints of, lesions, pain arising from, *1954:* May, 660
osteoarthritis, treatment, *1954:* Sept., 1482
Spleen, infarction, *1954:* May, 859
Splenectomy, in hemolytic anemia, *1956:* July, 1019
in purpura in children, *1956:* July, 1200
in rheumatoid arthritis, hematologic effects, *1955:* March, 497
in thrombocytopenia, *1956:* July, 1181
in thrombocytopenic purpura, idiopathic, *1956:* July, 1190, 1192, 1193
Splenomegaly, differential diagnosis, *1954:* May, **857–874**
in rheumatoid arthritis, *1955:* March, 375
in children, *1955:* March, 465
Splenoportography, *1954:* May, 805
Splints, in rheumatoid arthritis, *1955:* March, 395, 396
in children, *1955:* March, 477
Spondylitis, rheumatoid, *1954:* May, 660
ACTH and cortisone in, long-term, *1955:* March, 408
diagnosis and treatment, *1955:* March, **509–528**
heredity in, *1955:* March, 502
phenylbutazone in, *1955:* March, 408
Spondylolisthesis, *1954:* May, 657
Sprue, management, *1955:* May, 712
Sputum, cytology, in bronchogenic carcinoma, *1954:* July, 1118; *1956:* May, 606
in diagnosis of pulmonary disease, *1954:* May, 725, July, 1220
Squint. See *Strabismus.*
Staphylococcal infections, erythromycin in, *1954:* March, 571
Starch tolerance test for pancreatic function, *1956:* March, 413
Starling's law of heart, *1954:* May, 879; *1955:* May, 652
Starvation diabetes, *1955:* May, 840
Status asthmaticus, treatment, *1954:* Jan., 63, July, **969–979**; *1956:* Jan., 123
Steatocirrhosis of liver, *1955:* Jan., 245
Steatonecrosis of liver, *1955:* Jan., 245
Steatorrhea, causes, *1955:* May, 711
Steatosis of liver, simple, *1955:* Jan., 244
Stellate ganglion block, in cerebrovascular accidents, *1954:* Jan., 32, 176; *1956:* Jan., 218, Sept., 1361
uses and techniques, *1955:* Sept., 1505; *1956:* Sept., 1361
Stenosis, pulmonary. See *Pulmonary stenosis.*
Steroid therapy. See under *ACTH, Cortisone, Hydrocortisone, Prednisone,* etc.
Stilbamidine, in histoplasmosis, *1955:* Jan., 194
in myelocytic myeloma, *1955:* Jan., 223
Stilbestrol. See *Estrogen therapy.*
Still's disease, *1955:* March, 460
Stimulants, avoidance, in peptic ulcer, *1956:* March, 357
in poisonings, *1954:* Jan., 209
Stokes-Adams attacks, treatment, *1955:* Sept., 1377; *1956:* Jan., 170, Sept., 1317
Stomach, aspirated material from, study in pulmonary disease, *1954:* July, 1223
atrophy, *1956:* March, 345
carcinoma, cytodiagnosis in, *1955:* Jan., 263
detection and early diagnosis, *1954:* May, 651; *1956:* May, 601
incidence and curability, *1956:* May, 585
diseases, tests for, *1956:* March, **403–416**
x-ray diagnosis, *1954:* May, 811
diverticula, *1956:* Jan., 241, March, 559
emptying, regulation of, *1956:* March, 275
lymphosarcoma, *1956:* May, 733
survival, long-term, *1956:* May, 674
motility, physiology of, *1956:* March, 274
motor disturbances, *1955:* May, 707
mucous membrane, reactions to threats, *1955:* May, 790
resection, subtotal, undesirable sequelae, *1956:* March, **391–402**
secretion, *1955:* May, 699; *1956:* March, 281
tumors, benign, *1956:* March, **381–389**
ulcer, benign and malignant, *1956:* March, 360
Stomatitis, *1956:* March, 308, 309
aphthous, *1956:* Nov., 1735
ulcerative, *1954:* Sept., 1315
Stones. See *Calculi.*

Stools, bloody, differential diagnosis, *1954:* May, **817–833**
color of, *1955:* May, **716**
examination, *1954:* May, **831**
occult blood in, *1955:* May, **716**
Strabismus in children, *1956:* Nov., **1653–1663**, 1695
operative management, *1956:* Nov., 1699
Strain, back, *1954:* May, **670**
Stramonium in Parkinson's disease, *1956:* Sept., 1403
Strangulation, *1954:* Jan., 58
intestinal, *1956:* March, 521
Strawberry mark, radiation therapy, *1955:* Sept., 1278
Streptococcal infections, diagnosis and treatment, *1954:* Nov., 1713
erythromycin in, *1954:* March, **572**
prophylaxis, *1955:* May, 909
respiratory, and rheumatic fever, *1955:* March, 340, 355
Streptococcus as cause of rheumatic fever, *1954:* Nov., 1693, 1699; *1955:* March, **339–351**
Streptokinase and streptodornase, in bronchiectasis, *1954:* July, 1022
in leg ulcers, *1955:* Sept., 1306
in meningitis, tuberculous, *1955:* Sept., 1337
Streptomycin, hazard to handlers, *1954:* July, 1175
in bronchiectasis, *1954:* July, 1025
in endocarditis, bacterial, *1954:* March, 393
tuberculous, *1955:* Sept., 1332, 1342
combinations with other agents, *1955:* Sept., 1335
intrathecal route, *1955:* Sept., 1333, 1342
in pneumonia, *1954:* July, 982
in tuberculosis, *1954:* July, **1167–1176**; *1956:* Sept., 1282
reactions, *1954:* July, 1171; *1955:* Jan., **111–124**, May, 901
Stress, and rheumatoid arthritis, *1955:* March, 448
in aged, corticosteroids in, *1956:* Jan., 139
tissue damage in man due to, *1955:* May, **783–797**
withstanding, role of adrenal hormones in, *1955:* May, 817
Stricture, bronchial, *1954:* July, 1044
urethral, *1954:* Jan., 281
Strokes, behavior and treatment in later life, *1956:* Jan., **211–221**
diagnosis, *1954:* May, 766
"little," *1956:* Jan., 216
treatment, *1956:* Sept., **1355–1368**
Stye, *1956:* Nov., 1610
Subclavian artery, thrombosis, stellate ganglion block in, *1955:* Sept., 1510
Sucking, physiology of, *1956:* March, 295
Sugar in blood. See *Blood, sugar.*
Suicidal patients, management, *1954:* Jan., 161
Sulfadiazine in Waterhouse-Friderichsen syndrome, *1955:* July, 1113
Sulfate retention, renal, *1955:* May, 685
Sulfonamides. See also the individual drugs.
in otolaryngology, *1956:* Nov., 1809
in rheumatic fever, prophylactic, *1954:* Nov., 1713; *1955:* March, 349, 356
in streptococcal infections, prophylactic, *1955:* May, 909
in urinary tract infections, *1955:* May, 907; *1956:* Sept., 1549
Sulfone therapy of leprosy, *1954:* March, **599–610**
Sulphetrone in leprosy, *1954:* March, 599, 603
Sunlight as carcinogen, *1956:* May, 637
Surgery, office, useful techniques in, *1955:* Sept., **1521–1530**
palliative, in cancer, *1956:* Jan., 53
Sus-Phrine in bronchial asthma, *1956:* Jan., 131
Sympathectomy, for angina pectoris, *1954:* Nov., 1666
for arterial occlusions, acute, *1954:* Jan., 32
for hypertension, *1954:* March, 368; *1956:* Sept., 1336
in cerebrovascular accidents, *1956:* Jan., 218
Sympathetic block, in acute arterial occlusion, *1954:* Jan., 32
in peripheral neuropathies, *1954:* Sept., 1336
indications and techniques, *1955:* Sept., 1505, 1513
Synchrocyclotron, *1956:* May, 797, 800
Synchrotron, *1956:* May, 797, 799
Syncope, carotid sinus, treatment, *1956:* Sept., 1317
in heart disease, management, *1954:* Jan., 22
Synechiae, *1956:* Nov., 1681
Synovial fluid, in Reiter's syndrome, *1955:* March, 594
in rheumatoid arthritis in children, *1955:* March, 473
Synovitis of hip, transient, *1956:* Sept., 1426
Syphilis, and cancer, *1956:* May, 639
cardiovascular, penicillin in, *1954:* Nov., **1757–1765**
in pregnancy, *1955:* Nov., 1769
of aorta in aged, *1954:* Nov., 1782
of larynx, *1956:* Nov., 1731
oral lesions, *1956:* March, 310, Nov., 1742

TACHYCARDIA, auricular, paroxysmal, *1956:* Jan., 164
treatment, *1955:* Sept., 1368, 1372; *1956:* Sept., 1314
in endocrine disease, *1955:* July, 1149
mechanism, *1955:* May, 647, 648
of emotional origin, *1954:* Sept., 1542

Tachycardia, supraventricular, treatment, *1954:* Jan., 24
ventricular, *1956:* Jan., 167
treatment, *1954:* Jan., 25; *1955:* Sept., 1372; *1956:* Sept., 1316
Taenia saginata infections, treatment, *1956:* March, 536
Tags, cutaneous, *1956:* Jan., 45
Tamponade, cardiac, treatment, *1954:* Jan., 19
Tangent screen, *1956:* Nov., 1586
Tantalum-182, *1956:* May, 802
Tapazole in hyperthyroidism, *1955:* Jan., 57
Taste, role, in regulating salt intake, *1955:* May, 635
Taylor brace, *1955:* March, 526
Teeth, deposits on, *1956:* March, 299
diseases, *1956:* March, 296
headache in, *1954:* May, 690
Telecobalt gamma-rays, *1956:* May, 795
TEM. See *Triethylene melamine.*
Temperature, basal, in menstrual disorders, *1955:* Nov., 1715
Temporomandibular arthroses, *1956:* March, 296
Tendinitis, bicipital, *1955:* March, 569, 577
calcific, of shoulder, *1955:* March, 569, 574
Tenosynovitis, bicipital, *1956:* Sept., 1434
in rheumatoid arthritis, *1955:* March, 370
TEPA in cancer, evaluation, *1956:* May, 846, 848
in leukemia, chronic, *1956:* July, 1120
Termagantism versus hysteria in porphyria, *1955:* Jan., 20
Terramycin, in bacterial endocarditis, *1954:* March, 394
in dermatology, *1955:* Sept., 1246
in otolaryngology, *1956:* Nov., 1810
in pneumonia, *1954:* July, 982
reactions, *1955:* Jan., **111–124**
Test(s), diagnostic, in diseases of stomach and pancreas, *1956:* March, **403–416**
Testis, appendix, torsion of, *1954:* Jan., 285
hypofunction or failure, *1955:* July, **1199–1208**
injuries, *1954:* Jan., 286
lymphosarcoma, *1956:* May, 738
products, clinical use, *1955:* July, 1224
tumors, *1954:* Jan., 298
Testosterone, clinical use, *1955:* July, 1225
in carcinoma of breast, *1955:* July, 1182, 1227; *1956:* Jan., 58, 142, May, 766, 769
in diabetic retinopathy, *1955:* Nov., 1680
in dysfunctional uterine bleeding, *1955:* July, 1192
in dysmenorrhea, *1954:* Sept., 1430; *1955:* July, 1194, 1195
Testosterone, in liver disease, chronic, *1955:* Sept., 1410
in male climacteric, *1956:* Jan., 143
in menopause, *1955:* Nov., 1729; *1956:* Jan., 143
in menstrual disorders, *1955:* Nov., 1721
in myelofibrosis with myeloid metaplasia, *1956:* July, 1131
in osteoporosis, senile, *1956:* Jan., 142
in refractory anemia in aged, *1956:* Jan., 144
in testicular hypofunction, *1955:* July, 1202, 1203, 1205
therapy, in aged, *1956:* Jan., 141
Tetanus, prophylaxis, *1954:* Jan., 110, Sept., 1499
Tetany, *1955:* July, 1166
postoperative, prevention, *1955:* July, 1220
Tetrachlorethylene, in fasciolopsiasis, *1956:* March, 537
in hookworm infection, *1956:* March, 535
Tetracycline(s), in amebiasis, *1956:* March, 528
in balantidiasis, *1956:* March, 532
in colitis, ulcerative, *1956:* March, 553
in enterobiasis, *1956:* March, 534
in otolaryngology, *1956:* Nov., 1810
reactions, *1955:* Jan., **111–124**, May, 902
Tetracyn in pneumonia, *1954:* July, 982
Tetraethylammonium test for pheochromocytoma, *1955:* July, 1107
Tetralogy of Fallot, diagnosis and treatment, *1954:* Nov., 1641
Thalassemia major, *1955:* May, 746
Themisone in epilepsy, *1954:* March, 477
Thephorin in Parkinson's disease, *1956:* Sept., 1406
Thiocyanate therapy in hypertension, *1954:* Nov., 1721
Thioguanine, in leukemia, *1956:* May, 750
in malignant disease, *1956:* May, 942
Thiomerin in congestive heart failure, *1954:* March, 433, Nov., 1656
ThioTEPA, in cancer, evaluation, *1956:* May, 847, 848
in leukemia, chronic, *1956:* July, 1120
Thiouracil, in hyperthyroidism, *1955:* Jan., 57
Thirst, role, in body fluid regulation, *1955:* May, 634
Thoracentesis, in bronchogenic carcinoma, *1954:* July, 1121
Thoracotomy, exploratory, in pulmonary disease, *1954:* May, 725, July, **1239–1241**
in spontaneous pneumothorax, *1954:* July, 1071
Thorax, deformities, pulmonary function tests in, value, *1954:* July, 1231
injuries, alterations in respiratory physiology in, *1954:* July, **1183–1188**

Thorax, injuries, auto crash, *1954:* Jan., 83
treatment, *1954:* July, 1188
lymphosarcoma, *1956:* May, 731
pain in, cardiac vs. noncardiac, *1954:* May, **743–751**
"stove-in" chest, *1954:* July, 1187, 1190
Thorazine. See *Chlorpromazine.*
Threats, man's response to, resulting in tissue damage, *1955:* May, **783–797**
Thrombocytopenia. See *Purpura, thrombocytopenic.*
Thromboembolic accidents, *1954:* Jan., **29–46**
anticoagulants in, *1956:* Sept., **1339–1354**
Thromboembolism, prevention, in aged, *1954:* Nov., 1778
Thrombophlebitis, acute, treatment, *1954:* Jan., 39
anticoagulants in, *1956:* Sept., 1340
Thromboplastic deficiencies, *1956:* July, 1176, 1179, 1181
Thrombosis, cerebral, anticoagulants in, *1956:* Sept., 1345
diagnosis, *1954:* May, 767
hemorrhage and, differentiation, *1954:* Jan., 44, May, 771
stellate ganglion block in, *1955:* Sept., 1509; *1956:* Sept., 1361
treatment, *1956:* Sept., **1355–1368**
coronary, anticoagulants in, *1956:* Sept., 1343
management, *1954:* Nov., **1659–1674**; *1956:* Sept., 1321
embolism and, differentiation, *1954:* Jan., 36
of internal carotid artery, *1954:* Jan., 175, May, 768
stroke due to, *1956:* Jan., 215
of subclavian or brachial artery, stellate ganglion block in, *1955:* Sept., 1510
of terminal aorta, obliterative, *1956:* Jan., 204
venous, acute, *1954:* Jan., 39
deep, treatment, *1954:* Jan., **305–313**
intracranial, *1956:* Sept., 1364
Thrush, *1956:* March, 310
Thymol turbidity test of liver function, *1955:* May, 731; *1956:* March, 440
Thyroid extract, in menstrual disorders, *1955:* Nov., 1722
uses and dosage, *1955:* July, 1218
Thyroid gland, carcinoma, detection and early diagnosis, *1956:* May, 607, 821
radioactive iodine in, *1956:* Jan., 57, May, **821–836**, Sept., 1522
survival, long-term, *1956:* May, 681
diseases, cardiovascular manifestations, *1955:* July, 1144, 1146, 1149, 1150
diagnosis, I^{131} in, *1956:* Sept., 1516
Thyroid gland, diseases, in aged, treatment, *1956:* Jan., 136
in cancer patient, major surgery and, *1956:* May, 669
treatment, *1955:* Jan., **55–64**
function, after hypophysectomy, *1956:* May, 775
in carbohydrate metabolism, *1955:* May, 839
lymphosarcoma, *1956:* May, 730
physiology, *1955:* May, **799–809**
pituitary relationships, *1955:* May, 805
products, clinical use, *1955:* July, 1218
Thyroid storm, treatment, *1955:* Jan., 61
Thyroid therapy, in amenorrhea, *1955:* July, 1190
in cretinism, *1955:* July, 1219
in dysfunctional uterine bleeding, *1955:* July, 1191
in hypothyroidism in childhood, *1955:* July, 1141
in myxedema, *1955:* July, 1132, 1218
Thyroidectomy, for cancer of thyroid, radioiodine after, *1956:* May, 825, 826
x-ray therapy after, *1956:* May, 829
preparation for antithyroid drugs in, *1955:* Jan., 59
Thyrotoxicosis. See also *Hyperthyroidism.*
factitia, *1955:* May, 806
Thyrotropin, clinical uses, *1955:* July, 1210
test, for hypothyroidism, *1955:* May, 806
Thyroxine, *1955:* May, 799
peripheral effects, tests related to, *1955:* May, 805
release, and related diagnostic tests, *1955:* May, 803
synthesis, *1955:* May, 802
Tick fever. See *Rocky Mountain spotted fever.*
Tinea, barbae, treatment, *1955:* Sept., 1258, 1280
capitis, treatment, *1955:* Sept., 1258, 1280
corporis, treatment, *1955:* Sept., 1257
cruris, treatment, *1955:* Sept., 1257, Nov., 1743
pedis, treatment, *1955:* Sept., 1255
unguium, treatment, *1955:* Sept., 1258
versicolor, treatment, *1954:* Sept., 1307; *1955:* Sept., 1255
Tinnitus, *1956:* Nov., **1781–1786**
vertigo with, *1956:* Nov., 1791
Tissue(s), damage in man from stress and adaptive patterns, *1955:* May, **783–797**
normal, heterologous growth, in subcutaneous sites, *1956:* May, **951–961**
Tobacco, as carcinogen, *1956:* May, 630
use of, in peptic ulcer, *1955:* Sept., 1390
Toe, fifth, deformities, treatment, *1956:* Sept., 1422

Toenail, ingrown, office, surgery, *1955:* Sept., 1528
prophylactic treatment, *1955:* Sept., 1529
treatment, *1956:* Sept., 1422
Tolserol in parkinsonism, *1954:* March, 487, 491
Tomography in pulmonary disease, *1954:* July, 1197
Tongue, cleft, *1956:* March, 291
diseases, *1956:* March, 305, 306
geographic, *1956:* Nov., 1740
hairy, black, *1956:* Nov., 1740
lymphosarcoma, *1956:* May, 730
Tonometry, *1956:* Nov., 1592
Tonsil(s), lingual, *1956:* Nov., 1754
lymphosarcoma, *1956:* May, 730
unsolved problem of, *1956:* Nov., **1749–1760**
Tonsillectomy, indications and contraindications, *1956:* Nov., 1751, 1753
operative considerations, *1956:* Nov., 1756
poliomyelitis in relation to, *1955:* Jan., 98; *1956:* Nov., **1761–1770**
pre- and postoperative examination and care, *1956:* Nov., 1754, 1755, 1758
Tonsillitis, acute, treatment, *1954:* Sept., 1315
Tonus, intestinal, *1955:* May, 705
Toothache, *1954:* Jan., 250
Torsion, of appendix testis, *1954:* Jan., 285
of spermatic cord, *1954:* Jan., 286
Torulosis, *1956:* May, 741
Torus palatinus, *1956:* March, 312
Toxemias of pregnancy. See under *Pregnancy.*
Trachea, tumors, *1954:* July, 1091–1096
Tracheobronchial obstruction, benign, *1954:* July, **1039–1049**
Tracheobronchial tree, foreign bodies in, *1954:* Sept., 1318
Tracheotomy, in poliomyelitis, *1955:* Jan., 100, 103
in pulmonary emphysema, *1956:* Jan., 109
technique, *1954:* Jan., 257
Transference in therapy of neurotic patient, *1954:* Sept., 1359
Transfusions, exchange, in erythroblastosis fetalis, *1956:* July, 1038
in hemolytic anemia, *1956:* July, 1019
in leukemia, *1956:* May, 747
in liver disease with hemorrhage, *1955:* Sept., 1414
in rheumatoid arthritis, *1955:* March, 401
platelets, in thrombocytopenic purpura, *1956:* July, 1181, 1187
reactions, management, *1956:* July, **1217–1224**
Transillumination of sinuses, *1955:* Sept., 1455
Transportation in spinal injuries, *1956:* Sept., 1376
Transposition of great vessels, *1954:* Nov., 1644
Trauma. See also *Injuries.*
acute abdomen and, *1956:* March, 506
as cause of cancer, *1956:* May, 638
Treatment methods, symposium on, *1954:* Sept., **1255–1548**; *1955:* Sept., **1245–1552**; *1956:* Sept., **1259–1553**
Treburon as anticoagulant, *1955:* Jan., 227, 228
Trematode infections, intestinal, treatment, *1956:* March, 537
Trench mouth, *1956:* March, 302, Nov., 1739
Tricarboxylic acid cycle, *1955:* May, 834
Trichinosis, ACTH and cortisone in, *1955:* Jan., 90
treatment, *1953:* May, 911
Trichomoniasis, treatment, *1956:* March, 532
Trichophytid reaction, treatment, *1954:* Sept., 1307
Trichuris infection, treatment, *1956:* March, 535
Tricuspid valve, atresia with hypoplastic right ventricle, *1954:* Nov., 1644
Tridione, in epilepsy, *1954:* March, 477
side effects, *1954:* Sept., 1343, 1344, 1347
Triethylene melamine, in cancer, evaluation, *1956:* May, 845, 846
in Hodgkin's disease, *1954:* March, 547
in leukemias, *1954:* March, **541–554**; *1955:* Jan., 214, 215, 217; *1956:* July, 1120
in lymphomas, *1954:* March, **541–554**; *1956:* July, 1138
in lymphosarcoma, *1954:* March, 549; *1956:* May, 727
in polycythemia vera, *1954:* March, 550; *1955:* Jan., 220
Triethylene phosphoramide. See *TEPA.*
Triethylene thiophosphoramide. See *ThioTEPA.*
Triiodothyronine test for hyperthyroidism, *1955:* May, 807
Trilene, in obstetrics, *1954:* Sept., 1441
Trimethadione. See *Tridione.*
Tromexan, as anticoagulant, *1955:* Jan., 227, 232, 233, 238; *1956:* Sept., 1352
in cerebral vascular accident, *1956:* Sept., 1358
in coronary heart disease, *1954:* March, 411
Trypsin, *1956:* March, 283
in bronchiectasis, *1954:* July, 1022
in thromboembolism, *1956:* Sept., 1352
Tryptar in indolent infected cutaneous ulcers, *1954:* March, **359–361**
Tuberculin, allergy, *1955:* May, 754
in meningitis, tuberculous, intrathecally, *1955:* Sept., 1338
skin testing, *1954:* July, 1154
Tuberculosis, ACTH and cortisone in, *1955:* Jan., 92
Addison's disease with, *1955:* May, 821

Tuberculosis, chemotherapy, *1954:* July, **1167–1176**
immunization, *1954:* Sept., 1528
in cancer patients, *1956:* May, 916
meningeal, in children, treatment, *1954:* July, 1169; *1955:* Sept., **1331–1349**
miliary, in children, treatment, *1954:* July, 1169
plus meningitis, *1955:* Sept., 1341
of joints, rheumatoid arthritis in children and, *1955:* March 469, 471
of kidney, *1955:* July, 957
of larynx, *1956:* Nov., 1730
of spine, *1954:* May, 659
oral lesions, *1956:* Nov., 1744
pulmonary, diagnosis, *1954:* May, 734, July, **1153–1160**
in aged, diagnosis, *1956:* Jan., 82
in diabetes, *1955:* Nov., **1643–1654**
treatment, *1955:* Nov., 1648
in pregnancy, *1955:* Nov., 1768
isoniazid in, method and results, *1954:* March, **437–448**, July, **1167–1176**
surgical resection in, indications, *1954:* July, **1177–1182**
treatment, *1954:* July, **1161–1166**; *1956:* **1281–1289**
Tumors, human, heterologous growth, in subcutaneous sites, *1956:* May, **951–961**
malignant, metastatic, in bone marrow, aspiration studies, *1956:* July, 1243
of gastrointestinal tract in aged, *1956:* Jan., 227
of organs. See under names of organs.
Wilms', *1954:* Jan., 296
Twitching, uremic, treatment, *1955:* July, 1063
Typhoid fever, cortisone in, *1955:* Jan., 91
immunization, *1954:* Sept., 1497
treatment, *1954:* March, **577–590**
Typhus fever, immunization, *1954:* Sept., 1515
Tyrothricin in otolaryngology, *1956:* Nov., 1812

Ulcer, anal, surgical treatment in office, *1955:* Sept., 1545
aphthous, *1956:* Nov., 1735
arterial, *1955:* Sept., 1302
dendritic, *1956:* Nov., 1672
duodenal. See *Duodenal ulcer* and *Peptic ulcer.*
esophageal, *1956:* March, **317–328**
gastric. See *Peptic ulcer.*
leg, chronic, local and general measures in treatment, *1955:* Sept., **1301–1315**
marginal, of cornea, *1956:* Nov., 1670
or stomal, postgastrectomy, *1956:* March, 400
Ulcer, peptic. See *Peptic ulcer.*
postphlebitic, *1955:* Sept., 1301
treatment, *1955:* Sept., 1308
serpiginous, of cornea, *1956:* Nov., 1670
skin, indolent, infected, Tryptar in, *1954:* March, **359–361**
varicose, *1955:* Sept., 1301
treatment, *1955:* Sept., 1306
Ulcerative colitis. See under *Colitis.*
Ultraviolet burns of eye, *1956:* Nov., 1606, 1620, 1676
Urea clearance, in kidney disease, *1955:* July, 949, 1008
Uremia, acute, diets in, *1955:* July, 1069
chronic, medical management, *1954:* Sept., **1447–1460**
established, treatment, *1955:* July, 1049
in intercapillary glomerulosclerosis, *1955:* July, 1008
Ureter(s), calculus, *1954:* Jan., 283
injuries, *1954:* Jan., 289
lymphosarcoma, *1956:* May, 737
obstruction, acute, causes and treatment, *1955:* July, 1045
Uretero-intestinal anastomosis, acidosis and, *1954:* Jan., 294
Urethane, in leukemia, *1955:* Jan., 212, 215; *1956:* July, 1120
in plasmocytic myeloma, *1955:* Jan., 222
Urethra, calculus, *1954:* Jan., 280
meatus, imperforate, *1954:* Jan., 279
rupture, *1954:* Jan., 287
stricture, *1954:* Jan., 281
Urethritis, nongonococcal, of Reiter's syndrome, *1955:* March, 590, 593
Uric acid, calculi, *1955:* Jan., 287
clearance, in preeclampsia, *1955:* Nov., 1787
diet and, *1955:* March, 533
distribution, in body fluids, *1955:* March, 533
in blood in cancer, *1956:* May, 617
in gout, *1955:* March, 539, May, 776
origin, *1955:* March, 529
renal exchange, *1955:* March, 536
Urinary lithiasis, medical management, *1954:* Sept., **1461–1474**
Urinary tract, infections, *1955:* Jan., **297–305**
antibiotics in, *1955:* May, 906
in diabetes, *1955:* Nov., **1665–1670**
in poliomyelitis, treatment, *1955:* Jan., 106
medical management, *1956:* Sept., **1545–1553**
recurring, in children, *1955:* July, **965–974**
sulfonamides in *1955:* May, 907
obstruction, *1954:* Jan., 279
Urine, acidification of, *1955:* May, 688
color of, in porphyrinuria, *1955:* Jan., 22

Urine, concentration, and dilution tests, *1955:* July, 953
renal mechanics, *1955:* May, 691
flow, starting, in renal failure, *1955:* July, 1048
organized sediment in, *1955:* July, 956
pH of, and stone formation, *1955:* Jan., 289
proteins in, detection, *1955:* July, 955
in kidney diseases, *1955:* July, **1015–1026**
retention, in poliomyelitis, treatment, *1955:* Jan., 106
role, in regulation of body fluid, *1955:* May, 633
volume, role in calculus formation, *1955:* Jan., 285
Urobilinogenuria, test for, *1954:* Sept., 1345
for liver function, *1956:* March, 441
Urolithiasis, nonsurgical aspects, *1955:* Jan., **281–295**
preventive measures, *1955:* Jan., 285, 288
Urologic emergencies, *1954:* Jan., 87, **279–297**
Uropepsin excretion, gastric, without intubation, test for, *1956:* March, 405
Uroporphyrin, *1955:* Jan., 13
test for, *1955:* Jan., 29
Urticaria, acute severe, management, *1954:* Jan., 69
complicating blood transfusion, *1956:* July, 1219
in infants and children, *1954:* Sept., 1269
in lymphomas, *1956:* July, 1142
treatment, *1955:* Sept., 1259
Uterus, bleeding from, abnormal, course and management, *1955:* Nov., **1711–1724**
diagnostic procedures, *1955:* Nov., 1714
endocrine therapy, *1955:* July, **1189–1197**, 1226
treatment, *1955:* Nov., 1717
postmenopausal, *1955:* Nov., **1733–1739**
carcinoma, detection and early diagnosis, *1954:* May, 645; *1956:* May, 596
incidence and curability, *1956:* May, 588
inertia, at labor, *1955:* Nov., 1804
Uveal tract, diseases, *1956:* Nov., **1679–1687**
Uveitis, *1956:* Nov., 1679, 1682
in rheumatoid arthritis, *1955:* March, 374
treatment, *1956:* Nov., 1684

VACCINATION procedures, *1954:* Sept., **1493–1534**
Vaccines, autogenous, in nasal allergy, *1956:* Nov., 1723
in asthma, *1956:* Sept., 1308
Vagal stimulation, reflex, in paroxysmal atrial tachycardia, *1955:* Sept., 1368
Vagina, bleeding from, postmenopausal, *1955:* Nov., **1733–1739**
Vaginitis, senile, stilbestrol in, *1956:* Jan., 141
Valsalva maneuver in paroxysmal atrial tachycardia, *1955:* Sept., 1369
Van de Graaf generator, *1956:* May, 794, 795
Varicella. See *Chickenpox.*
Varices, esophageal, massive bleeding from, *1954:* Jan., 139
Varicose ulcer, *1955:* Sept., 1301, 1306
Variola. See *Smallpox.*
Vascular accidents, cerebral. See *Cerebral vascular accidents.*
Vascular disease, obliterative, of aorta and peripheral arteries, *1956:* Jan., **203–210**
peripheral, diagnostic tests, *1954:* May, **781–794**
in diabetes, incidence, *1955:* Nov., 1623
Vascular disorders, hemorrhagic, *1956:* July, 1175, 1178
Vascular headache, *1954:* May, 682
Vascular occlusion with spasm, lumbar sympathetic block in, *1955:* Sept., 1514
stellate ganglion block in, *1955:* Sept., 1510
Vascular responsiveness, role of adrenal hormones in, *1955:* May, 815
Vasoconstrictor blocking drugs in hypertension, *1954:* March, 364
Vasodilators in obliterative disease of peripheral arteries, *1956:* Jan., 208
Vasomotor disturbances, in rheumatoid arthritis, *1955:* March, 371
leg ulcers due to, *1955:* Sept., 1302
Vasopressin, uses and dosage, *1955:* July, 1211
Vasoxyl in myocardial infarction, acute, *1956:* Sept., 1322
Veins, ligation, in deep vein thrombosis, *1954:* Jan., 309
pressure in, measurement, *1955:* Jan., 32, May, 650
Venereal diseases, anorectal involvement, *1955:* Sept., 1538
Venesection in polycythemia vera, *1955:* Jan., 219
Venography, dural sinus, *1954:* May, 801
peripheral, *1954:* May, 790
portal and splenic, *1954:* May, 805
Venous occlusion, cerebral, diagnosis, *1954:* May, 770
Venous thrombosis, acute, *1954:* Jan., 39
deep, treatment, *1954:* Jan., **305–313**
Ventilation, pulmonary, *1955:* May, 670
tests of, *1954:* July, 1227; *1955:* Jan., 142
Ventricular extrasystoles, *1956:* Jan., 167
Ventricular fibrillation, treatment, *1955:* Sept., 1372; *1956:* Jan., 168
Ventricular tachycardia, *1956:* Jan., 167

Veratrum in hypertension, *1954:* March, 366, 371, Nov., 1725
in aged, *1956:* Jan., 198, Sept., 1330
Verruca vulgaris, radiation therapy, *1955:* Sept., 1281
Versene in hypercalcemia of cancer, *1956:* May, 881
Vertigo, diagnosis, pathology and treatment, *1956:* Nov., **1787–1806**
Vestibular tests, *1956:* Nov., 1792, 1793
Vincent's infection, *1956:* March, 302, Nov., 1739
Viomycin in tuberculosis, *1956:* Sept., 1284
Viral infections of vulva, *1955:* Nov., 1744
Virilism, adrenal, diagnosis and treatment, *1956:* Sept., 1266
Visceral disease, backache due to, *1954:* May, 666
Vision, acuity, tests for, *1956:* Nov., 1575
in infants and children, *1956:* Nov., 1582, 1658
color, testing, *1956:* Nov., 1589
fields, changes in diabetes, *1956:* Nov., 1643
tests for, *1956:* Nov., 1584
loss of, *1954:* Jan., 233
Vital capacity test, *1955:* Jan., 36, 143
Vitamin(s), deficiencies, causes, *1956:* Sept., 1474
oral lesions, *1956:* Nov., 1741
psychoses in, treatment, *1956:* Sept., 1395
signs and symptoms, *1956:* Sept., 1482
preparations, therapeutic, with dosages, *1956:* Sept., 1480
requirements in health, *1956:* Sept., 1474
therapy, in functional gastrointestinal disorders, *1956:* March, 339
in hepatitis, viral, *1956:* Sept., 1457
present status, *1956:* Sept., **1473–1487**
Vitamin A, deficiency, *1956:* Sept., 1482
stone formation in, *1954:* Sept., 1463; *1955:* Jan., 292
tolerance test for intestinal malabsorption, *1955:* May, 711
Vitamin B_1 deficiency, treatment, *1956:* Sept., 1485
Vitamin B_{12}, deficiency, anemia due to, *1955:* May, 740
treatment, *1956:* Sept., 1481
in diabetic retinopathy, *1955:* Nov., 1679
in peripheral neuropathies, *1954:* Sept., 1335
in pernicious anemia, *1956:* July, 1007
in aged, *1956:* Jan., 148
in postgastrectomy anemia, *1956:* Jan., 149
radioactive, measurement of absorption, *1956:* July, 1007
Vitamin B_{12}, role in diabetic retinopathy, *1956:* Nov., 1648
Vitamin C deficiency, *1956:* Sept., 1482
Vitamin D, overdosage, hypercalcemia due to, *1955:* May, 895
Vitamin E in collagen diseases, *1955:* Jan., 138
Vitamin K_1, emulsified, in excessive therapeutic hypoprothrombinemia, *1954:* March, **413–417**
Volvulus of sigmoid colon, intestinal obstruction due to, *1954:* Jan., 129
Vomiting, functional, *1956:* March, 332
in acute renal failure, treatment, *1955:* July, 1064
physiology of, *1956:* March, 276
Von Gierke's disease, case presentation, *1954:* May, **921–932**
liver and spleen in, *1954:* May, 861
Vulva, cutaneous diseases, *1955:* Nov. **1741–1755**

WALDEYER'S ring, diseased, *1956:* Nov., **1749–1770**
Warfarin in cerebral vascular accident, *1956:* Sept., 1358
Warts, common, of vulva, *1955:* Nov., 1744
of eyelids, *1956:* Nov., 1614
radiation therapy, *1955:* Sept., 1281
Wasp stings, reactions in children, *1954:* Sept., 1273
Water, loading tests, for adrenal insufficiency, *1955:* Jan., 72, May, 819
metabolism, physiologic considerations, *1955:* May, **623–642**
of body, measurements, *1955:* May, 624
total, *1954:* May, 875; *1955:* May, 625
tests, of renal function, *1955:* July, 953
tubular reabsorption of, *1955:* May, 690
Waterhouse-Friderichsen syndrome, *1955:* Jan., 66, July, 1113
ACTH and cortisone in, *1955:* Jan., 90
Watson test for porphyrins in urine, *1954:* Sept., 1330
Weight, body, in assessing cardiac function, *1955:* Jan., 35
loss, postgastrectomy, *1956:* March, 399
reduction, in degenerative arthritis, *1956:* Jan., 74
in diabetes, *1955:* Nov., 1599
in hypertension, *1956:* Sept., 1329
Weil's disease, liver and spleen in, *1954:* May, 863
Wheat sensitivity, in atopic dermatitis in infants, *1955:* Sept., 1292
Whiplash injuries of cervical spine, *1956:* Sept., 1436
Whooping cough, erythromycin in, *1954:* March, 572
immunization, *1954:* Sept., 1504

Wilms' tumor, *1954:* Jan., 296
Wilson's disease, *1955:* May, 692
Win 2780-2 in parkinsonism, *1954:* March, 490
Wolff-Parkinson-White syndrome, *1956:* Jan., 166
Wood alcohol poisoning, *1956:* Sept., 1492
Wounds, compound, in auto crash, *1954:* Jan., 88
human bite, *1954:* Jan., 106
soft tissue, care of, *1954:* Jan., **101–114**

XANTHELASMA, *1956:* Jan., 45, Nov., 1616
Xanthomatosis, liver and spleen in, *1954:* May, 862
Xerophthalmia, *1956:* Sept., 1482
Xerostomia, *1956:* March, 299
X-ray. See *Roentgen.*

YELLOW fever, immunization, *1954:* Sept., 1514
Yellow jacket stings, reactions in children, *1954:* Sept., 1273
Yergason's sign, *1955:* March, 577, 578

ZINC sulfate turbidity test of liver function, *1955:* May, 731; *1956:* March, 441
Zygoma, fractures, *1954:* Jan., 260